



EN

TECHNICAL DATA < 99H

DESCRIPTION

QUICK POLISH MOON is an exceptional liquid wax with outstanding 'wet look' clarity and depth of gloss for use in all paint systems including waterborne, solid colours and clear single coat finishes.

APPLICATION

- Manual use: with spray or machine: QUICK POLISH MOON can be applied with a spray, conventional cloth or waxing machine.
- Simple action: Formulated for easy and fast application, easy to wax. Reinforced with polyurethane.
- Chalk: Low chalk content, does not leave white marks on rubber or plastic cut-outs. No problems when shaking dark coloured surfaces.
- Water compatible: QUICK POLISH MOON is not affected by hidden water residues.
- Harmless to the user and the environment: Its unique aqueous formulation contains no aromatic solvents.
- Workshop approved: Does not contain volatile silicones.
- Specially developed: For waxing and protection of cars, coaches, motorbikes, trucks, aeroplanes, boats, *roulettes*, etc.
- QUICK POLISH MOON is a high-tech product that uses today's most advanced raw materials to achieve the world's best finishes for the automobile.

INSTRUCTIONS

Shake well before use. Apply wax in small amounts with a spray bottle or cloth to wipe off fresh paint. Do not over apply or use in direct sunlight. Wipe to a shine with a dry cloth.

TECHNICAL NOTES

Composition	An emulsified blend of waxes, non-volatile silicones, polyurethane, wax enhancers, non-aromatic solvents, perfume and dye in water.
Opaque liquid	Opaque liquid
pH	9,0
Colour	White
Smell	Classic wax
Stability	Protect from frost. Store at room temperature. Store at room temperature.
Conservation	Minimum 18 months in original, unopened container.
Packaging	1 litre sprayer and 5 litre canister

SECURITY INFORMATION

See Safety Data Sheet.

AVAILABLE PACKAGING

Code	Description	Packaging
5010-001124	QUICK POLISH MOON	1L
5010-001046	QUICK POLISH MOON	5L

*For more information about our products or means of application, please visit our website www.carrepairsystem.eu or send us an e-mail to info@carrepairsystem.eu.

Technical specifications and suggestions are based on our own experience. We guarantee the perfect quality of the product. However, considering that the conditions of each specific use are beyond our control, we cannot be held responsible for the results obtained.