







Car Repair System group is present in the international market through its subsidiaries in Spain, France, Italy, and Portugal. It also has various import agreements for distribution in around 20 countries worldwide and maintains a commercial network of over 1,000 distributors.



Since its inception, Car Repair System's priority has been to ensure the quality of its products and services. The R+D+i team continuously updates its products, striving to stay at the forefront of the industry. Currently, the company has successfully implemented a new integrated system to oversee Quality and R+D+i management.





FILLING REPAIR

SEAL REPAIR

PROTECT REPAIR

01497

PLASTIC REPAIR

TECHNO REPAIR

HIGH EFFICIENCY

FILLER & PRIMERS

CLEAR COAT REPAIR

PAINT PREPARATION SYSTEM



FILLING REPAIR





FILLING REPAIR

Filling Repair is made up of a wide range of fillers that are adapted to each operator's needs for car repair.

SUBFAMILY	NAME	COLOUR	CAPACITY	APPLICATION MEDIUM	MIXING RATIO	SANDING	DRYING TIME	PAGE
	MULTISOFT	00	1,8-3 KG	Spatula	1-3%	P100 - P320	16-30′	5
CONVENTIONAL PUTTIES	FILL UNIVERSAL SOFT	0	500 GR	Spatula	1-3%	P100-P320	16-30′	5
	MULTILIGHT PLUS	00	1000-1100 ML	Spatula	1-3%	P120-P240	< 30' - 20°C	6
ULTRA LIGHT PUTTY	LIGHT PLUS	0	1000 ML	Spatula	1-3%	P80-P220	< 30' - 20°C	6
	UNIVERSAL	0	850-1250 ML	Spatula	1-3%	P150-P320	16-30′	6
METAL DEDAID DUTTY	FILL METAL		1,5 KG	Spatula	1-3%	P80-P220	< 30' - 20°C	7
METAL REPAIR PUTTY	FILL ALU TIN	0	1,5 KG	Spatula	1-3%	P80-P220	< 30' - 20°C	8
	FILL PLAS		1,5 KG	Spatula	1-3%	P120-P240	< 30' - 20°C	9
PLASTIC REPAIR PUTTY	FILL FLEX	0	1 KG	Spatula	1-3%	P150-P320	20-30′	9
	QUICK MIX 4013	0	250 GR	Spatula	1-3%	P150-P240	< 30' - 20°C	9
CARBON FIBRE REPAIR PUTTY	BLACK CARBON	•	1,3 KG	Spatula	1-3%	P120-P320	20-30′ - 20°C	10
	FILL GLASS	0	1,8 KG	Spatula	1-3%	P80-P120	< 30' - 20°C	11
FIBREGLASS REPAIR	FILL GLASS 500GR	0	500 GR	Spatula	2-3%	P100-P320	16-30′ - 20°C	11
PUTTY	FILL GLASS PLUS		1,4 KG	Spatula	2-3%	P80-P240	20-30′ - 20°C	11
	HE FILL ULTRA GLASS	0	1 KG	Spatula	2-3%	P100-P320	16-30′	12
SPRAY REPAIR PUTTY	POLISPRAY	0	1,5 KG	Gravity gun (Nozzle 1.6 - 2.0)	3-5%	P150-P220	3-5 H - 20°C	13
ONE COMPONENT REPAIR PUTTY	PUTTY NITRO	0	180 GR	Spatula		P400-P600	< 30' - 20°C	14
POLYESTER RESIN	FIBER REPAIR	<u> </u>	750 ML	Brush / roller	1-3% cat. + 1% accelerator		1.5 - 2.5 H - 20°C	15







REFERENCE	COLOUR	CAPACITY	вох
5001-001084	WHITE	1,8 KG	10 UN
5001-001086	BEIGE	1,8 KG	10 UN
5001-001078	BEIGE	3 KG CARTRIDGE	6 UN (1)
5001-001092	BEIGE	3 KG	4 UN

1 5001-001080 CARTRIDGE DISPENSER 3 KG TOOLS &

ACCESSORIES





FILL UNIVERSAL SOFT

Universal polyester filler for levelling and filling imperfections in car bodywork, plastic components (bumpers) and galvanised bodies. The appropriate hardness of the putty to the hardness of the paint and the smooth non-porous surface allows the use of this product as a filler and finishing putty. Good adhesion to rough and dry surfaces. Easy to work also with homogeneous surfaces, even when applying thick layers.

Good modelling properties in any required thickness.

REFERENCE **COLOUR CAPACITY BOX** 5001-001096 BEIGE 500 G 12 UN







FILL MULTILIGHT PLUS

Low specific weight polyester putty with a very creamy texture. VOC content less than 250 g/l, limit of the European standard category and very creamy texture. Easy application with a spatula with an exceptionally smooth finish.

Putty with adherent charges and resins over aluminium and galvanised.

 REFERENCE
 COLOUR
 CAPACITY
 BOX

 5001-006106
 WHITE
 1000 ML
 12 UN

 5001-006107
 BEIGE
 1000 ML
 12 UN

 5001-006108
 WHITE
 1100 ML CARTRIDGE
 6 UN 1





CARTRIDGE DISPENSER 1100 ML

TOOLS & ACCESSORIES





FILL LIGHT PLUS

Exceptionally low weight ultra-light filler, that allows for exceptional sanding, minimum humidity absorption and has great adhesive power over Zinc and Tin. Since it contains no mineral charges, the dust is significantly reduced during sanding in comparison to other traditional fillers. Putty with adherent charges and resins over aluminium.

REFERENCE COLOUR CAPACITY BOX 5001-001082 BLUE 1000 ML 12 UN





FILL UNIVERSAL

Fill Universal Light characterized by good adhesion to different surfaces; metal, aluminium, galvanized, wood and polyester laminates. Very soft and easy to sand, the density is 45 % lower than traditional putty. For filling in deep uneven areas and dents on motor vehicle bodywork in the area of cars, lorries, buses and railway vehicles.

REFERENCE	COLOUR	CAPACITY	BOX
5001-001098	BEIGE	1250 ML	6 UN
5001-001090	BEIGE	1000 ML	12 UN
5001-001099	BEIGE	850 ML	6 UN









Polyester filling with a high-density content of aluminium that makes it strongly adhesive on steel, galvanised steel, aluminium, fibreglass, wood, etc. It offers good corrosion protection.

Strong filling power, flexible and easy to sand.

REFERENCE COLOUR CAPACITY BOX 5001-001125 SILVER 1,5 KG 12 UN



METAL REPAIR PUTTY







Putty based on polyester resin and special fillers such as 2-3 mm aluminum lamellae, in various grain sizes, which o er great adhesion, hardness, heat resistance, resistance to water, fuels and chemicals. oils.

It has exceptional anticorrosive power and is a substitute for aluminum and tin sealants. Thanks to its laminar structure, it can even be mechanized. Ideal for large thicknesses, to protect welded sheets from corrosion. Once sanded it acquires a metallic appearance.

REFERENCE COLOUR CAPACITY BOX 5001-001130 SILVER 1,5 KG 6 UN





Polyester putty with plastic fibre fillers especially indicated for touching up and small damages in plastic parts of the car.

Its particular composition allows an exceptional adhesion (even on polypropylene and metal), and excellent sanding and flexibility.

Its low specific weight allows repairs to be carried out with a minimal increase in the weight of the support being repaired.

REFERENCE COLOUR CAPACITY BOX 5006-001126 DARK GREY 1,5 KG 12 UN





Highly elastic multifunctional putty specially designed for application on plastic substrates, including polypropylene. It also adheres to metal substrates such

as steel, galvanised steel and aluminium as well as polyester surfaces.

Easy application and modelling. Can be used as a filler and as a fine putty and provides a non-sanding and easy to sand coating.

REFERENCE COLOUR CAPACITY BOX 5006-001081 DARK GREY 1 KG 10 UN





2-tube composite epoxy for use in the repair of all types of plastics (including olefinic plastics such as TPO, PP, XENOY and PPO). Easy sanding. 100% sólids. No pinholes. Compatible with all types of primers. VOC content: 0 %.

- Mixed 1:1 (OEM approved and used).
- Working time at 22 °C (75 °F): 10 to 12 minutes.
- Sanding in 30 minutes at 22°C (75 °F).

Multi-purpose adhesive (bonds: glass, metal, wood, fibreglass, SMC and plastics).

REFERENCE COLOUR CAPACITY BOX 5006-006029 BLUE 2X 250 G 3 UN

CARBON FIBRE REPAIR PUTTY







Black polyester putty for the repair of carbon parts. It is characterised by its creamy consistency which allows it to work easily and to sand with high abrasive granulation. It has a hardness suitable for automotive coating, as well as the elimination of crossovers between the putty and the repaired surface.

- Fast drying.
- Easy application and sanding, even on surfaces with complicated shapes or thicker layers.
- Compatible with any filler or primer. Paste catalyst included.
- Mixing ratio 2/3 %.

REFERENCE COLOUR CAPACITY BOX 5001-001455 BLACK 1,3 KG 10 UN



Putty based on polyester resin and special fillers such as fiberglass. For the repair of major damage, where a significant load is required.

Easy sanding.

REFERENCE COLOUR CAPACITY BOX 5001-001031 GREEN 1,8 KG 10 UN



Fibreglass putty characterised by a special ease of modelling and high abrasive granularity. The possibility of using the high abrasive granularity and the adaptation of the putty hardness to painted coatings eliminates the formation of transition between the putty and the repaired surface.

REFERENCE COLOUR CAPACITY BOX 5001-001030 GREEN 500 G 12 UN






Special fibreglass filler. Suitable for repairing GRP, for filling very deep unevenness and as a first coat for repairing small rust stains. Adhesion on metal surfaces.

Easy sanding.

REFERENCE COLOUR CAPACITY BOX 5001-001097 BROWN 1,4 KG 6 UN



FIBREGLASS REPAIR PUTTY





Ultra lightweight polyester putty reinforced with glass fibers for repairs where a high filling power is required, between 2 and 4 millimeters, very easy to apply due to its soft density. It can be sanded with grains such as P120-P150.

Allows an exceccional finish ready to prime as a finishing putty.

REFERENCE COLOUR CAPACITY BOX
5001-001002 YELLOW 1L 12 UN









Polyester filler for 2-component spray application, for filling of surfaces, shallow sanding marks and scratches. Fast drying. Easy to sand. Catalyst included.

REFERENCIA COLOR CAPACITY BOX 5001-000032 LIGHT GREY 1,5 KG 6 UN





ONE COMPONENT REPAIR PUTTY





One-component nitro filler for filling pores and small scratches. Composed of fine-grained paste, it is particularly suitable for touch-up work: small defects, pinholes, porosity and light scratches.

Fast drying. Good adhesion. Easy sanding.

REFERENCE COLOUR CAPACITY BOX
5000-000001 GREY 180 G 24 UN





KIT FIBER REPAIR

Kit for fixing fibreglass, metal and other materials. Best used for general repair on industrial vehicles or auto bodywork, as well as tuning. Includes:

- Fill fiber resin 750ml.
- Hardener for polyester resin 25ml.
- Accelerator for resin 25ml.
- Fibreglass cloth.0.5 m².
- Mixing cup 275 ml.
- Triple brush 30mm.

REFERENCE	DESCRIPTION	CAPACITY	BOX
5001-001128	KIT FIBER REPAIR	KIT	6 UN
5001-001121	FILL FIBER RESIN	750 ML	6 UN
5001-001122	FILL FIBER RESIN	5 L	6 UN
5001-001124	HARDENER	125 ML	6 UN
5001-001129	HARDENER	25 ML	6 UN
5001-001126	ACCELERATOR	25 ML	6 UN
5001-001123	FILL MANTA FIBER	1 M	6 UN







www.CARREPAIRSYSTEM.eu



SEAL REPAIR

Seal Repair offers you a broad range of solutions in body sealants and adhesives for glass and metal, such as primers, adhesives or polyurethane sealants.

SUBFAMILY	NAME	COLOUR	APPLICATION MEDIUM	APPLICATION TEMPERATURE	SKIN FORMING TIME	TOTALLY DRY	PAGE
	QUICK SEAL		Spray gun, Ref. 1010-007531, 1010-007523, 1010-007530	5 - 40°C	23°C / 50% RH - 35′	23°C / 50% RH - 24 H	5
	QUICK SEAL PLUS		Spray gun, Ref. 1010-007531, 1010-007523, 1010-007530	5 - 40°C	23°C / 50% RH - 35′	23°C / 50% RH - 24 H	5
	QUICK SEAL MS 974		Spray gun, Ref. 1010-007531, 1010-007523, 1010-007530	5 - 40°C	23°C / 50% RH - 15-20′	23°C / 50% RH -3,5 H	6
GLASS ADHESIVES	ONE STEP GLASS PRIMER		Manual			5′-72 H	7
	QUICK PRIMER		Manual	5 - 25°C		20°C / 50% RH - 10/15′	7
	QUICK ACTIV GLASS		Cloth, paint brush or cotton swab	15 - 30°C		20°C / 50% RH- 30′	7
	SEAM SEALER PRIMER	0	Manual	10 - 20°C		20°C / 50% RH - 5′	7
	BUTYL FILLER	•	Spatula, Spray gun, Ref. 1010-007531, 1010-007523, 1010-007530	5 - 40°C	23°C / 50% RH - 10′	23°C / 50% RH - 24 H	14
BODYWORK	QUICK MS ECO		Spray gun, Ref. 1010-007531, 1010-007523, 1010-007530	5 - 40°C	23°C / 50% RH - 10′	23°C / 50% RH - 24 H	11
SEALANTS	QUICK FILL PLUS	•00	Spray gun, Ref. 1010-007531, 1010-007523, 1010-007530	5 - 40°C	23°C / 50% RH - 60′	23°C / 50% RH - 50′	9
	QUICK FILL BRUSH	0	Brush or paint brush	15 - 35°C		23°C / 50% RH - 24 H	10
	QUICK FLEX MS	00	Spray gun, Ref. 1010-007531, 1010-007523, 1010-007530, 1010-007529	5 - 30°C	23°C / 50% RH - 25′		12
ALETAL ADUECUE	QUICK METAL BONDING		Spray gun, Ref. 1010-007531, 1010-007523, 1010-007530, 1010-007529	15 - 25°C	23°C / 50% RH - 20′	23°C / 50% RH - 24 H	8
METAL ADHESIVES	ULTRA FAST METAL BONDING		Spray gun, Ref. 1010-007531, 1010-007523, 1010-007530, 1010-007529	15 - 25°C	23°C / 50% RH - 20′	23°C / 50% RH - 24 H	8





Single-component polyurethane adhesive for direct windscreen gluing. Viscous sealer with dynamic drying.

- Skin forming time: 40 min.
- Delivery of vehicle without airbag: 2 hours and with airbag: 6 hours.

COLOUR CAPACITY BOX REFERENCE 5002-001062 BLACK 310 ML 12 UN Polyurethane quick adhesive for direct windscreen gluing. Viscous sealant with dynamic drying.

- Skin forming time: 25 min.
- Delivery of vehicle without airbag: 1,5 hour and with airbag: 3 hours.

COLOUR CAPACITY BOX REFERENCE 5002-001045 BLACK 310 ML 12 UN



Quick single-component adhesive made of MS polymer, a next-generation product for direct windscreen gluing, with high thixotropic properties and dynamic drying.

No need to use with Quick Primer Glass.

REFERENCE COLOUR CAPACITY BOX
5002-001107 BLACK 290 ML 12 UN





Kit composition:

- Quick Seal / Seal Plus (adhesive).
- One Step Glass Primer (primer).
- · Cleaning Cloth.

REFERENCE	DESCRIPTION	TYPE	BOX
5002-001061	KIT QUICK SEAL	STANDARD	6 UN
5002-001060	KIT QUICK SEAL PLUS	FAST	6 UN

GLASS PRIMERS GLASS ADHESIVES

GLASS PRIMER



ONE STEP GLASS PRIMER

Black primer that forms a hard and opaque film once dry, improving its adhesion on polyurethane adhesives during gluing of glass, varnish and plastic (PVC, ABS, PMMA and SMC).

It also provides UV protection.

Do not apply on PU RIM or pre-applied PU or old polyurethane.

REFERENCE COLOUR CAPACITY BOX 5002-001110 BLACK 10 ML **24 UN**

PRIMER/ACTIVATOR









QUICK PRIMER Y ACTIV GLASS

Universal primer and activator for glass surfaces, ceramic screen printing and painted surfaces..

Quick Primer van be used in the automotive industry to improve the adhesion of polyurethane sealants on screen printed ceramic glass.

Activator can be used as a cleaning agent and adhesion promoter for PU sealants (for

windscreen or other applications), hybrid sealants (MS or SPUR) or silicones.

REFERENCE **DESCRIPTION CAPACITY BOX** 5002-001109 PRIMER 30 ML **25 UN** 5002-001108 ACTIVATOR 30 ML 25 UN

1)2004-001160 APPLY WITH COTTON SWAB TOOLS &



SEAM SEALER PRIMER





SEAM SEALER PRIMER

Spray primer. Ensures adhesion of the PU prefabricated cord and prevents corrosion.

Allows the cord to settle and adapt to the contour of the sheet, ensuring its correct placement.

Application with PU cord Roller applicator is recommended.

REFERENCE CAPACITY BOX 2008-056290 400 ML

2008-056295 2008-056296

ROLLER APPLICATOR

TOOLS & ACCESSORIES









Two-component epoxy based adhesive for quick sealing to fix metal to metal. It is specially designed to replace non-structural panels such as roofs, doors, side panels, etc. The product bonds to steel, galvanised steel and aluminium. The texture includes 0.25mm glass beads to ensure minimal product in the pressure and grip areas. Supplied with a mixing cannula. Apply with a conventional sealant gun. Dries at room temperature but can be accelerated with heat.

- Shelf life 60min. Can be handled for 4 hours. Total cure 24 hours. (23 °C).
- Withstands temperatures up to 230°C.
- · Welding conductive before curing.

REFERENCE COLOUR CAPACITY BOX 5003-001045 BLACK 195 ML 6 UN

MIXER METAL BONDING TOOLS & ACCESSORIES







ULTRA FAST METAL BONDING

Ultra fast metal bonding is a high strength, rapid curing, methyl methacrylate, structural adhesive, which gives a tough durable bond with plastics, metals and other materials. It is isocyanate, phthalates, solvent, PVC and silicone free.

Very good UV resistance and excellent ageing properties.

REFERENCE COLOUR CAPACITY BOX 5006-001082 BLACK 50 ML 6 UN



MIXER 50 ML BLUE

TOOLS & ACCESSORIES









One-part, very fast curing, polyurethane elastic adhesive and sealant designed for car body construction and repair. Thanks to its thixotropy and outstanding body meets most demanding requirements in sealing and bonding industrial applications. Thanks to its special formulation, it is completely odorless. Quick Fill Plus is suitable for sealing seams such as welds, simple and demanding joints in all types of vehicle bodywork and sheet metal and panel replacement.

REFERENCE	COLOUR	CAPACITY	BOX
5003-001055	WHITE	310 ML	12 UN
5003-001056	BLACK	310 ML	12 UN
5003-001057	GREY	310 ML	12 UN

9





Single-component sealer for leak-free gaskets to be used with a brush. Fast drying. Overpaintable with any kind of paint system once totally dry.

It is applied on welding points or lines on the front and rear of the body, the boot bottom and the passenger compartment bottom.

Dries quickly, can be accelerated in an oven, does not crack and provides an excellent barrier against water and moisture infiltration into joints.

REFERENCE COLOUR CAPACITY BOX
5003-001037 GREY 1 KG 12 UN







Ecopolymeric multifunctional single-component sealer. VOC content: 0%. Does not turn yellow over time. Immediately overpaintable (wet on wet) , does not get reduced after the application.

Permanent elastic. Good UV, weather and mildew resistant. Excellent adhesion on wet surfaces

 REFERENCE
 DESCRIPTION CAPACITY
 BOX

 5003-006032
 966 WHITE
 290 ML
 12 UN

 5003-006038
 965 BLACK
 290 ML
 12 UN

11






Single-component bodywork sealer spray to be used on different metallic (steel, galvanised steel, stainless steel, tin), painted or primed surfaces and plastic materials. Elastic. Immediately overpaintable.

Suitable for overpainting with many varnishes within 5 days after application.

REFERENCE COLOUR CAPACITY BOX
5003-001043 GREY 290 ML 12 UN
5003-001044 BEIGE 290 ML 12 UN





Butyl cord is a pressure sensitive polymer tape, preformed in different sections, designed for sealing various materials (e. g. degreased sheet, primed, galvanised, on itself or with glass, wood, plastic materials such as EPDM, PE, PP, TPO), where an effective moisture barrier is needed. Fabricated for sealing joints, headlights, stirrups,etc. Moisture protection and acoustic isolation.

Thickness: 8 mm / 4 mm and length 4.5 m per roll.

REFERENCE	SIZE	CAPACITY	вох
5003-000001	8 MM	ROLL	8 UN
5003-000003	4 MM	ROLL	8 UN





It's a butyl based sealer with good characteristics of adhesion, cohesion and elasticity.

It's mainly used in building industry for sealing aluminium and glass casing, where is necessary resistance to water and air passage.

Thanks to its adhesion and good E-modulus, it absorbs excellently thermal expansion of the structures. Masilla de Butilo is also used for sealing box-type parts, sheet junctions, EPDM seals, etc.

REFERENCE COLOUR CAPACITY BOX 5003-001002 BLACK 300 ML 12 UN



The Seam sealer tape guarantees an original finish and can be used to seal door panels, boots, bonnets, etc. It should always be used with the Seam sealer Primer.

Recommended for application with a Seam sealer tape Roller.

REFERENCE	SIZE	CAPACITY	вох
2008-056250	8 MM X 16 M	ROLL	14 UN
2008-056260	10 MM X 16 M	ROLL	14 UN
2008-056270	20 MM X 1 MM X 5 M	ROLL	10 UN



The Seam saler convex tape guarantees an original finish and can be used to seal door panels, boots, bonnets, etc. It should always be used with the Seam sealer Primer.

Recommended for application with a Seam sealer bevelled tape Roller.

REFERENCE	SIZE	CAPACITY	вох
2008-056275	3 MM X 6.5 M	ROLL	20 UN
2008-056280	8 MM X 9 M	ROLL	14 UN
2008-056285	10 MM X 9 M	ROLL	14 UN



1)2008-056296 SEAM SEALER TAPE

ACCESSORIES





TAPE ROLLER

TOOLS & ACCESSORIES













PROTECT REPAIR

Protect Repair guarantees a high level of protection against abrasion and corrosion of the most exposed areas of the bodywork thanks to its stone-chip protection and cavity waxes.

SUBFAMILY	NAME	COLOUR	APPLICATION MEDIUM	PERFORMANCE	THICKNESS	DRY TO TOUCH	TOTALLY DRY	TIME TO RECOATING/ CURED	PAGE
	STONE CHIP PROTECTION KS 2000		Spray gun, Ref. 1009-007522, 1009-007525	2 M²/L at 0,33 mm thickness	300 μm	5-15′ a 25°C	30′ a 25°C	Min. 30′ Max. 8 H	5
STONE CHIP	STONE CHIP PROTECTION HS 3000		Spray gun, Ref. 1009-007522, 1009-007525	2 M²/L at 0,33 mm thickness	350 μm	5-15′ a 25°C	30′ a 25°C	Min. 30′ Máx. 8 H	5
PROTECTION	QUICK SHIELD POLYMER		Manual	3 M²/L at 100μm	100μm	10′ a 20°C	30′ a 20°C	60′-90′	6
	QUICK SHIELD 2K PU + HARDENER		Spray gun, Ref. 1009-007520, 1009-003090, 1009-007521	3 M²/L at 100μm	1200-1500μm	15′-20′ a 20°C	3-6 H a 20°C	Min. 1 H Max. 24 H	6
	QUICK WAX		Spray gun, Ref. 1009-007522 1009-007525	3 M²/L at 100μm	100μm	2 H 30′ a 20°	3-4 H a 20°C		7
CAVITY WAX	QUICK WAX SPRAY	0	Manual (Shake for 2′)	2 M²/L	50µm per coat	2 H 30′ a 20°	3-4 H a 20°		7
	SOUNDPROOF SHEET		Manual	50 cm x 50 cm x 2 mm 50 cm x 50 cm x 3 mm	-				8





STONE CHIP PROTECTION HS-3000

Stone Chip Protective with high sound-proof power, which looks like orange peel. It is used for remaking and for rust-preventing, anti-corrosive and anti-abrasive treatment of car bodies, sidebands, spoilers, and other parts of the vehicle which are usually exposed to some particular stress. Protects from damp, from salt and from rubble-abrasion. After hardening, it is very elastic.

Repaintable after 15 minutes (max. 5 hours).

REFERENCE	COLOUR	CAPACITY	вох
5008-001070	BLACK	1 KG	12 UN
5008-001072	GREY	1 KG	12 UN
5008-001071	WHITE	1 KG	12 UN



GREY

WHITE

5008-001058

5008-001059

500 ML

500 ML

12 UN

12 UN





+ HARDENER


Two-component polyurethane "HS" anti-stack, ideal for restoring bodywork protection and sealing. It can be applied directly on metal, prepared primers, paints or reinforced resins. The can is designed so that the metal top cap can be opened completely, thus facilitating the correct mixing of both products.

Applicable with standard anti-gravel gun or disposable caps.

REFERENCE	COLOUR	CAPACITY	вох
5008-001038	BLACK	375 G + 125 G	12 UN
5008-001039	BEIGE	375 G + 125 G	12 UN







QUICK WAX

Cavity protection wax against corrosion, especially suitable for places such as interior door panels, headlights, bumpers, bonnets, boot lids, etc. Excellent penetration characteristics in hard to reach recesses.


Self-repairing properties in case of minor damage. Excellent adhesion and resistant against environmental influences, weak acids and bases.

 REFERENCE
 COLOUR
 CAPACITY
 BOX

 5008-001036
 TRANSPARENT
 500 ML
 6 UN

 5008-001062
 BEIGE
 1000 ML
 12 UN

 5008-001063
 BLACK
 1000 ML
 12 UN





A self-adhesive bitumen sound insulation board made of a mixture of bitumen, elastomer and fillers with variable granulometry; it is an acoustic insulation product aimed at airborne noise reduction and impact noise insulation; it is laminated to a solvent-free modified acrylic adhesive.

It is particularly suitable for applications where moderate flexibility is required at room temperature. It can be laid on flat or slightly curved surfaces during application.


 REFERENCE
 SIZE
 BOX

 2005-006000
 50 CM X 50 CM X 2 MM
 10 UN

 2005-006001
 50 CM X 50 CM X 3 MM
 8 UN







PLASTIC REPAIR

Our *Plastic Repair* family has been designed down to the last detail to guarantee the operator a correct repair and a good finish on plastic materials. From fillers, adhesives, technical paints, polishes, protectors and primers, all Plastic Repair products guarantee a high quality repair.

SUBFAMILY	NAME	COLOUR	APPLICATION MEDIUM	REDUCTION	APPLICATION T°	N POT LIFE	TIME TO SANDING	DRYING TIME	PAGE
	FILL PLAS	0	Spatula		20 °C	5′	30′	< 30' - 20°C	5
PLASTIC REPAIR	FILL FLEX	0	Spatula		20 °C	5′	20-30′	20-30′- 20°C	5
PUTTY	QUICK MIX 4013	0	Spatula		20 °C	10-12′	30′	< 30' - 20°C	5
	QUICK MIX UNIVERSAL	•	Quick Mix Plus Spray gun Ref. 1010-007526		10-30 °C	3′	10′	10′ - 20°C	6
	QUICK MIX MULTIFIX	0	Manual		20 °C	2′	10′	5′ - 20°C	6
ADHESIVES	QUICK MIX EXPRESS		Quick Mix Plus Spray gun Ref. 1010-007526		20 °C	40′′	4′	10′ - 20°C	7
ADITESIVES	QUICK MIX TRANSPARENT	0	Quick Mix Plus Spray gun Ref. 1010-007526		20 °C	3′	10′	10′ - 20°C	7
	QUICK CYAN	0	Manual		20 °C	5-15′		5/10′ - 20°C	8
	QUICK CYAN ACTIVATOR	0	Manual, accelerator for Quick Cyan		20 °C				8
	QUICK TEX	•0	Manual (spray) Gravity gun Suction gun (Nozzles 1.3-1.8 mm)	5-10%	23 °C			15' (spray) 10' a 60 °C - 45' a 23 °C (spray gun)	9/11
TECHNICAL	QUICK TEX THICK	•0	Gravity gun Suction gun (Nozzles 1.4-1.8 mm)	5-10%	23 °C			30′ - 20°C	9
PAINTS	QUICK RCOLOR	•0	Manual (spray) Gravity gun Suction gun (Nozzles 1.4-1.8 mm)	5-10%	23 °C			20′ (spray) - 20°C 30′ (spray gun) - 20°C	10/12
	STRUCTURE COAT	•	Manual		20 °C		15-20′	< 30' - 20°C	11
POLISHES AND	QUICK PLAST-GEL	•0	Sponge, Cloth		23 °C			10/15′ - 20°C	14
PROTECTORS	QUICK RSTORE	0	Sponge, Cloth		23 °C			Dry with cloth	14
PRIMERS	QUICK PLASTIC PRIMER	0	Gravity gun Suction gun (Nozzles 1.3-1.4 mm)	Ready to use	20°C			10′ - 20°C	13





FILL PLAS

Its particular composition allows an exceptional adhesion (even on polypropylene and metal), and excellent sanding and flexibility.

Its low specific weight allows repairs to be carried out with a minimal increase in the weight of the support being repaired.

REFERENCE COLOUR CAPACITY BOX 5006-001126 DARK GREY 1,5 KG 12 UN





Highly elastic multifunctional putty specially designed for application on plastic substrates, including polypropylene. It also adheres to metal substrates such as steel, galvanised steel and aluminium as well as polyester surfaces.

Easy application and modelling. Can be used as a filler and as a fine putty and provides a non-sanding and easy to sand coating.

REFERENCE COLOUR CAPACITY BOX 5006-001081 DARK GREY 1 KG 10 UN





2-tube composite epoxy for use in the repair of all types of plastics (including olefinic plastics such as TPO, PP, XENOY and PPO). Easy sanding. 100% sólids. No pinholes. Compatible with all types of primers. VOC content: 0 %.

- Mixed 1:1 (OEM approved and used).
- Working time at 22 °C (75 °F): 10 to 12 minutes.
- Sanding in 30 minutes at 22°C (75 °F).

Multi-purpose adhesive (bonds: glass, metal, wood, fibreglass, SMC and plastics).

REFERENCE COLOUR CAPACITY BOX 5006-006029 BLUE 2X 250 G 3 UN



ADHESIVES FOR PLASTICS





Quick Mix Multifix, is a two-component cyanoacrylate adhesive that is ideal for various repairs. It has the best adhesive properties on many different materials.

- Fast curing.
- Extremely shock resistant.
- · Large filling coatcity.
- For quick professional repairs.
- Conserve in fresh place.

REFERENCE COLOUR CAPACITY BOX 5006-001094 COLOURLESS 10 G 12 UN

5006-001095

MIXER QUICK MIX MULTIFIX TOOLS &

TOOLS & ACCESSORIES



2) 1010-007526

OUICK MIX PLUS SPRAY GUN TOOLS &

TOOLS &
ACCESSORIES







Product suitable for quick repairs where the working time is less than 50 seconds. Welds, repairs and fills. Includes 2 mixing cannulas and heat-resistant film to facilitate the repair. Once cut, reversing the cartridge closure converts

Very good adhesion on many surfaces. Fast drying. Fast manual resistance.

REFERENCE **COLOUR** CAPACITY BOX 5006-001096 BLACK 50 ML 12 UN

5006-001097

MIXER 50 ML BLUE






Product designed for quick repairs and reinforcement on all plastics, including difficult to repair plastics (PP, EPDM, TPO, XENOY, ABS, PPO, SAN, RRIM, HBA). It is 100% solids and has excellent bond strength.

Includes 2 mixing cannulas and heat resistant film to aid repair. Once cut, reversing the cartridge closure converts it into a cap and a stopper.

REFERENCE **COLOUR** CAPACITY BOX 12 UN 5006-001092 TRANSPARENT 50 ML

ACCESSORIES







The activator is specially designed for rapid bonding- or recover from plastic, metal, rubber or other materials.

The Activator accelerates curing of glue for large repairs.

Easy to use, curing time in seconds and universally usable.

Also for porous surfaces.

REFERENCE COLOUR CAPACITY BOX 5007-001089 COLOURLESS 150 ML 12 UN



Single-component textured paint to paint bumpers and other plastic surfaces for a rough finish.

Creates a thin protective shield. Overpaintable.

REFERENCE COLOUR CAPACITY BOX
5004-001035 BLACK 1000 ML 12 UN
5004-001050 GREY 1000 ML 12 UN



Special one-component topcoat offering excellent adhesion to most plastic surfaces used in the manufacture of car bumpers (polypropylene, polycarbonate, ABS, Pocan, xenoy, rigid polyurethane, glass reinforced polyester, etc. except polyethylene and blends containing this material).

Fast drying, high adhesion and excellent resistance to washing and weathering.


REFERENCE COLOUR CAPACITY BOX 5004-001036 BLACK 1000 ML 12 UN 5004-001037 GREY 1000 ML 12 UN





One component product offering excellent adhesion to most plastic surfaces used in the manufacture of car bumpers (polypropylene, polycarbonate, ABS, Pocan, xenoy, rigid polyurethane, glass reinforced polyester, etc. except polyethylene and blends containing this material). Semi-matt appearance like original bumpers. Fast drying, high adhesion and excellent resistance to washing and weathering.

REFERENCE COLOUR CAPACITY BOX 5004-002047 BLACK 1000 ML 6 UN



5004-001049

GREY

400 ML

12 UN



Textured spray that restores structure to damaged plastics or exterior car parts such as dashboards, trim, centre console and running boards.

Reproduction of structure on damaged plastics and plastic parts. Easy and time-saving application.

Suitable for both exterior and interior plastic car parts.

REFERENCE COLOUR CAPACITY BOX 5004-001051 BLACK 400 ML 6 UN





High quality paint formulated with nitro combined resins, in order to obtain a textured finish, suitable for bumpers.

Very fast drying, lead free and good adhesion.

Easy application and recoating. High scratch resistance after polymerization of film. Excellent elasticity.

 REFERENCE
 COLOUR
 CAPACITY
 BOX

 5004-001047
 BLACK
 400 ML
 12 UN

 5004-001048
 DARK GREY
 400 ML
 12 UN



It's a one-component adhesion promoter for plastics.

This fast clear primer is suitable for all types of paintable plastic substrates, thus avoiding the need to identify the type of plastic before painting.

REFERENCE COLOUR CAPACITY BOX
5004-001107 COLOURLESS 1000 ML 12 UN




QUICK PLASTIC PRIMER

Adhesion primer based on a special additive solution providing improved adhesion on plastics.

Suitable as adhesion promoter in spray painting systems. Its power as an adhesion promoter on various surfaces makes it ideal in plastic painting.

- Very fast Drying, after 10 minutes.
- Ease of application and repainting.
- Excellent adhesion on polypropylene.

REFERENCE COLOUR CAPACITY BOX
5006-001086 COLOURLESS 400 ML 12 UN



5004-001085 DARK GREY 1000 ML

6 UN

PLASTIC RENOVATING POLISHES



Refurbishing gel for exterior plastics (bumpers, spoilers, mirror housings, mouldings, etc.), rubber and rubber, giving them a new look. Easy and quick to use. Treated surfaces are no tacky to prevent dust pick-up and therefore will not attract dirt. It's also durable, and it will withstand repeated washing to maintain showroom appearance on outside sales vehicle displays.

REFERENCE COLOUR CAPACITY BOX
5005-001137 TRANSPARENT BLUE 1000 ML 12 UN

Silicon free.







TECHNO REPAIR

Techno Repair offers you a wide range of technical paints for car body repair, including acrylic, heat resistant and chrome effect paints.

SUBFAMILY	NAME	COLOUR	APPLICATION MEDIUM I	REDUCTION	APPLICATION N TEMPERATURE I	TIME TO RECOATING/CURED	DRYING TIME	PAGE
	QUICK WHEEL SILVER	0	Gravity gun Suction gun (Nozzle 1.3-1.6 mm)	30+-5%	20°C	10′	30′ - 20°C	8
	QUICK RALLY BLACK	•	Gravity gun Suction gun (Nozzle 1.3-1.6 mm)	30+-5%	20°C	10-15′	20′ - 20°C	5
TECHNICAL PAINTS FOR SPRAY GUNS	CHROME EFFECT	0	Retouch gun (Nozzle 1.0-1.2 mm)	Listo al uso	20°C	30′ - 60°C	30′ - 60°C	7
	KIT CHROME EFFECT	0	Retouch gun (Nozzle 1.0-1.3 mm)		Consult technical data sheet			7
	GODZILLA		Stone chip gun Ref. 1009-007525	3:1 30-40%	20°C		90′ - 20°C 20′ - 60°C	6
	QUICK PIERRE FUSIL	0	Manual		20°C	10-15′	20′ - 20°C	9
TECHNICAL PAINTS	QUICK RALLY BLACK	•	Manual		20°C	5′	10′ - 20°C	9
IN SPRAY	QUICK HEATPROOF		Manual		23°C	10′	20' - 20°C Resistance up to 650°C	10
	QUICK WHEEL SILVER	0	Manual		20°C	10′	30′ - 20°C Resistance up to 150°C	11

TECHNICAL PAINTS FOR SPRAY GUNS







Quick Rally Black is a nitro-based, plastified, single-component acrylic paint for surface repainting.

Available in three finishes: matt, satin or gloss.

 REFERENCE
 COLOUR
 CAPACITY
 BOX

 5004-006023
 MATT
 1000 ML
 12 UN

 5004-006024
 SATIN
 1000 ML
 12 UN

 5004-006039
 GLOSS
 1000 ML
 12 UN







Two-component acrylic coating with resistant finish and rough/ultra textured effect.

It is ideal for coating surfaces subjected to high mechanical resistance exposed to impact, friction and abrasion over time.

It stands out for its excellent resistance to scratching, abrasion and folding. It is also resistant to chemical agents such as hydrocarbons and acetones. It has a short drying time and acquires its maximum mechanical resistance in a short period of time, withstanding impacts, scratches and exposure to the elements.

 REFERENCE
 DESCRIPTION
 CAPACITY
 BOX

 5004-006080
 BLACK KIT
 750ML + 250ML
 4 UN

 5004-006081
 TINTABLE KIT
 750ML + 250ML
 4 UN


1009-007525

STONE CHIP GUN GODZILLA

TOOLS & ACCESSORIES







- It has to be applied on a single coat glossy black base coat, once it is dry and without sanding.
- Depending on the number of coats and the equipment with which it is applied, different finishes can be obtained.
- It is advisable to apply a coat to obtain the desired finish.

REFERENCE COLOUR CAPACITY BOX 5004-006040 CHROME 750 ML 6 UN





Kit Chrome Effect allows us to reproduce the different effects of chrome on the rims and body components. Ideal for achieving a fine and elegant distinction of body components. Includes:

- Base 1K Chrome Effect 500 ML
- 1K Black Chrome Effect 500 ML
- Star Lack Chrome Effect 500 ML
- Thinner Chrome Effect 250 ML
- Hardener Chrome Effect 250 ML
- 1K Water Sealer Chrome Effect 500 ML

REFERENCE	DESCRIPTION	CAPACITY	вох
5004-006050	KIT CHROME EFFECT	KIT	1 UN
5004-006051	BASE 1K CHROME EFFECT	500 ML	1 UN
5004-006052	1K BLACK CHROME EFFECT	500 ML	1 UN
5004-006053	STAR LACK CHROME EFFECT	500 ML	1 UN
5004-006054	THINNER CHROME EFFECT	250 ML	1 UN
5004-006055	HARDENER CHROME EFFECT	500 ML	1 UN
5004-006056	1K WATER SEALER CHROME EFFECT	500 ML	1 UN

0

0 0





Nitro-based, plastified, single-component acrylic paint for final retouching of surfaces.

Designed for painting alloys, metals and hard plastics. Fast drying.

REFERENCE	COLOUR	CAPACITY	вох
5004-001136	GREY	1000 ML	12 UN
5004-001137	GREY	5 L	1 UN
5004-001138	GREY	20 L	1UN



Paint formulated with high quality nitro-combined resins especially for the repainting of bumpers, mouldings and trims of the car. Renault code: Pierre Fusil.

Recommended clear coat: Quick Clear Lacquer-M 500 ml.

REFERENCE COLOUR CAPACITY BOX
5011-001054 PIERRE FUSIL 400 ML 12 UN



Universal nitrocellulose paint. It's a one-component nitro plastic-coated acrylic paint for the refinishing of surfaces.

Available in four finishes: matt, satin and gloss black and glossy white.

REFERENCE	COLOUR	CAPACITY	BOX
5011-006023	MATT BLACK	500 ML	12 UN
5011-006024	SATIN BLACK	500 ML	12 UN
5011-006039	GLOSS BLACK	500 ML	12 UN
5011-006040	GLOSS WHITE	500 ML	12 UN



Anti-heat paint mainly based on silicone resins and thermosetting pigments, especially for the preparation of paints with a high resistance to temperatures up to 650°C.

Suitable for pieces subjected to different states of thermal shock: industrial facilities, engine block, boiler, etc.

REFERENCE COLOUR CAPACITY BOX
5011-001117 BLACK 400 ML 12 UN
5011-001116 SILVER 400 ML 12 UN





Very quick-drying thermoplastic acrylic enamel, formulated with prime quality resins.

QUICK WHEEL SILVER

Designed for painting alloys, metals and hard plastics. Fast drying.

REFERENCE COLOUR CAPACITY BOX 5011-001136 GREY 500 ML 12 UN









HE HIGH EFFICIENCY

Improve the performance and profitability of your bodyshop operations thanks to our *HE High Efficiency* family. In this family you will find high efficiency products such as fillers, primers, clear coats, putties, thinners and degreasers that will help you optimise your working time and get the most out of your applications.

SUBFAMILY NAME COLOUR		COLOUR	APPLICATION MEDIUM	MIXING RATIO	REDUCTION	POT LIFE	IIME TO RECOATING /SANDING	DRYING TIME	PAGE
PUTTIES	HE FILL ULTRA GLASS		Spatula	2-3%	Ready to use	4-6′	20-25′	16/30′ - 20°C	5
PRIMERS	HE WASH PRIMER		Manual			5′	Wet on wet	10/15′ - 20°C	6
FILLERS	HE FILLER ULTRA FAST DRYING	•00	Gravity gun	Weight: 100 + 18 Volumen: 4:1 (2 coats)	5-10%	20′	60′	60′ - 20°C 10′ - 60°C	7
	HE ULTRA TEX 2K		Gravity gun (Nozzle 1.2-1.6 mm)	By weight: 100 + 33 By volume: 4:1 4:1	20-30%	30-40′	60′	60′ - 20°C	8
CLEAR COAT	HE TOP CLEAR UHS	0	Gravity gun (Nozzle 1.2-1.4 mm)	By weight: 2:1 By volume: 2:1 (1/2 + 1 coats)	Ready to use (o 5%)	60′	Flash-off time: 10'	90′ - 20°C 10′ - 50°C	9
	HE TOP CLEAR	0	Manual			5′	30′	10/15′ - 20°C	10
DEGREASERS	HE APPLE EXTREME	0	Hitex 4000, Polytex, Pressurised pulveriser						11







HE FILL ULTRA GLASS

Ultra lightweight polyester putty reinforced with glass fibers for repairs where a high filling power is required, between 2 and 4 millimeters, very easy to apply due to its soft density.

It can be sanded with grains such as P120-P150.
Allows an exceccional finish ready to prime as a finishing putty.

REFERENCE COLOUR CAPACITY BOX 5001-001002 YELLOW 1L 12 UN







Primer/adhesion promoter. It has an excellent adhesion especially on white sanded metal, e.g. steel sheet, as well as aluminum, galvanized, and zinc-coated. Active anti-corrosion pigments provide the best protection. Fast drying. Can also be used as a welding primer.

For an optimal preparation of the damaged area on metal surfaces, it must be thoroughly cleaned with a silicon remover beforehand.

REFERENCE	COLOUR	CAPACITY	вох
5011-001065	WHITE	400 ML	6 UN
5011-001066	BLACK	400 ML	6 UN
5011-001067	GREY	400 ML	6 UN





Ultra fast drying, multi-surface, high solids acrylic primer for bodywork with high filler, sandability and anti-corrosion properties.

This filler has excellent drying speed, high verticality and low finish absorption. It can be applied in double coat and direct gloss cycles.

Drying at room temperature: 60 min at 20°C. Cabin drying: 10 min at 60°C.

REFERENCE	DESCRIPTION	CAPACITY	вох
5009-001240	BLACK FILLER	3.6 L	4 UN
5009-001241	GREY FILLER	3.6 L	4 UN
5009-001242	WHITE FILLER	3.6 L	4 UN
5009-001243	HARDENER	900 ML	4 UN





Two-component textured HE ultra tex 2K.

It stands out for its excellent physical, mechanical and adhesive resistance without primer or adhesion promoters for plastics and its homogeneous and original textured finish.

In addition, it provides great hardness and resistance to friction and deterioration, which allows a very good protection against exposure and environmental impact suffered by this type of components.

The drying time at 20° is 1h, while the drying time in the booth at 60° is reduced to 20 minutes.

REFERENCE	COLOUR	CAPACITY	вох
5004-001061	BLACK	1 L	6 UN
5004-001060	GREY	1 L	6 UN
5004-001062	HARDENER	0,25 L	6 UN





HE TOP HARDENER

Hardener for HE TOP CLEAR UHS Varnish.

For application at high temperatures and on large surfaces, we recommend using *HETop Slow Hardener* with a catalyst ratio of 2:1 by volume.

REFERENCE	DESCRIPTION	CAPACITY	вох
5009-001131	FAST	2.5 L	4 UN
5009-001132	NORMAL	2.5 L	4 UN
5009-001133	SLOW	2.5 L	4 UN





HE TOP CLEAR GLOSS

Fast drying and UV resistant varnish, applicable on all existing solventbased paints. Due to its finish and ease of polishing, HE Top Clear Gloss is well suited for spot repairs with solvent-based paints.

Currently available in a gloss finish.

REFERENCIA COLOUR CAPACITY BOX 5009-001136 TRANSPARENT 400 ML 6 UN





HE APPLE EXTREME DEGREASER

High-Efficiency HE Apple Extreme degreaser with a pleasant Apple aroma coatble of removing common contaminants from the body.

Indicated as a universal degreaser for water or solvent based systems.

With medium evaporation it is recommended to use in environments between 10-28 °C.

REFERENCE COLOUR CAPACITY BOX 5009-001028 COLOURLESS 5 L 4 UN



POLYESTER COVERALL HIGH EFFICIENCY

This polyester painter's coverall has High Efficiency features that make it ideal for work in the workshop.

- Ideally fitting hood with 100% field of vision.
- Zip with protective flap.
- Adjustable elasticated cotton cuffs.

REFERENCE	SIZE	ВОХ
2009-010030	S	1 UN
2009-010031	M	1 UN
2009-010032	L	1 UN
2009-010033	XL	1 UN
2009-010034	XXL	1 UN









FILLER & PRIMERS

Filler and Primers brings together in one family our latest generation fillers and primers, characterised mainly by their high filling power and anti-corrosion properties.

SUBFAMILY	NAME	COLOUR	APPLICATION MEDIUM	MIXING RATIO	REDUCTION	POT LIFE	MICRAGE	TIME TO RECOATING /SANDING	DRYING TIME	PAGE
	QUICK ZINC	0	Manual	Ready to use			25 μ/coat (2 coats)	10′	30′ a 20°C	5
PRIMERS	QUICK ZINC ALU	0	Manual	Ready to use			25 μ/coat (2 coats)	10′	30′ a 20°C	5
	QUICK BODYPRIMER HS	0	Manual	Ready to use			30 μ (2 coats)	15′	2H a 20°C	6
	HS FILLER 540	•••	Spray gun (Nozzle 1.6- 2.0 mm)	4:1	0-20%	90′	60-180 μ (1-3 coats)	20/40′ a 60°C	20/40′ a 60°C	7
FILLERS	EASY FILLER 4000		Spray gun (Nozzle 1.6- 2.0 mm)	5:1	0-20%	30′	65-190 μ (1-3 coats)	120′ a 20°C 20/30′ 60°C	120′ a 20°C 20/30′ 60°C	8
	QUICK 1K EASY FILLER		Manual	Ready to use			70-80 μ/coat (1-3 coats)	60′ a 20°C	60′ a 20°C	9



Semi-glossy, epoxy-based zinc spray to be used on metals.

Specially indicated as a current conductor.

High zinc content (90,5 % once dry).

Excellent anti-corrosive properties. Very fast drying, good adhesion and high gloss durability.

REFERENCE COLOUR CAPACITY BOX 5011-001073 SILVER 400 ML 12 UN





Silver-coloured, satin paint that provides great anti-corrosive protection for metals, thanks to its high pure zinc VOC content and its aluminium pigments.

Excellent anti-corrosive properties. Very fast drying, good adhesion and high gloss durability.

REFERENCE COLOUR CAPACITY BOX 5011-001075 SILVER 400 ML 12 UN





HS flexible spray primer for use on metal, wood and plastics. Excellent filling properties, can also be used as an adhesive base. Made of modified nitro synthetic resins for excellent recoatability

Ideal for repairing small surfaces without sanding.

REFERENCE COLOUR CAPACITY BOX
5011-001057 MEDIUM GREY 500 ML 12 UN



HS Filler 540 due to its high solids content has a very high filling power.

High spreading and application rate of 1-3 coats ensures good surface coverage and does not cause polishing difficulties.

The use of a 1.5-2.5 mm nozzle helps to avoid droplets.

Its use ensures high finishing safety even when applying thick coats, excellent corrosion protection and optimum adhesion.

REFERENCE	DESCRIPTION	CAPACITY	вох
5009-001146	WHITE FILLER	3.6 L	4 UN
5009-001147	GREY FILLER	3.6 L	4 UN
5009-001150	BLACK FILLER	3.6 L	4 UN
5009-001154	EXTRA FAST HARDENER	900 ML	4 UN
5009-001159	STANDARD HARDENER	900 ML	4 UN



FILLER AND SURFACER HS 540 1L + HARDENER

HS Filler 540 due to its high solids content has a very high filling power.

High spreading and application rate of 1-3 coats ensures good surface coverage and does not cause polishing difficulties.

The use of a 1.5-2.5 mm nozzle helps to avoid droplets.

Its use ensures high finishing safety even when applying thick coats, excellent corrosion protection and optimum adhesion.

REFERENCE	COLOUR	CAPACITY	BOX
5009-001160	GREY	1 L + 250 ML	6 UN
5009-001161	BLACK	1 L + 250 ML	6 UN
5009-001163	WHITE	1 L + 250 ML	6 UN





Grey two-component polyurethane filler with a VOC content of less than 540 g/l, the limit established by European regulations for its category.

It can be applied on old paint or any other type of surface, including galvanised sheet metal or aluminium.

Mixed in a 5:1 ratio with the easy filler catalysts (standard or extra fast).

REFERENCE	DESCRIPTION	CAPACITY	вох
5009-001218	WHITE FILLER	4 L	4 UN
5009-001219	BLACK FILLER	4 L	4 UN
5009-001220	LIGHT GREY FILLER	4 L	4 UN
5009-001221	DARK GREY FILLER	4 L	4 UN
5009-001222	STANDARD HARDENER	800 ML	6 UN
5009-001223	EXTRA FAST HARDENER	800 ML	6 UN

FILLERS SPRAY FILLERS





The 1K Easy Filler is a 1K acrylic filler with the best filling capacity and coverage possible.

High layer thickness only one pass.

Adheres very well to steel, aluminum, polyester filler and many plastics.

REFERENCE	COLOUR	CAPACITY	вох
5011-001060	WHITE	400 ML	6 UN
5011-001061	GREY	400 ML	6 UN
5011-001062	BLACK	400 ML	6 UN









CLEAR COAT, THINNERS & DEGREASERS

In this family you will find all our clearcoats (conventional, air drying, matt finishes, spray, headlight...) specifically indicated for bodywork refinishing.

SUBFAMILY	NAME	APPLICATION MEDIUM	MIXING RATIO	REDUCTION	POT LIFE	COATS	NOZZLE AND PRESSUR	DRYING E TIME	PAGE
	STAR LACK CLEAR COAT UHS 4000	Spray gun	2:1	0-5%	45′	1/2 + 1	1.2-1.3 mm 2-3 bar	20/30′ a 60°C	5
	STAR LACK CLEAR COAT HS 4050 PLUS	Spray gun	2:1	0-5%	45′	2	1.3 mm 2-2.5 bar	1/2 H a 20°C 20′ A 60°C	6
	KIT STAR LACK 4050 PLUS	Spray gun	2:1	0-5%	45′	2	1.3 mm 2-2.5 bar	90/120′ a 20°C 20′ a 60°C	6
	STAR LACK AIR DRY	Spray gun	2:1		30′	2	1.2 mm 2.2 bar	90′ a 20°C 5/10′ a 40/50°C	7
	STAR LACK EXPRESS	Spray gun	1:1	No thinner	30′	2	1.2 mm 2-2.5 bar	40′ a 20°C 15′ a 60°C	7
CLEAR COAT	KIT STARMATE 2:1	Spray gun	2:1	No thinner	45′	2	1.3 mm 2.2 bar	3 H a 20°C 30′ a 60°C	8
	HEADLIGHTS KIT	Spray gun	Varnish: 100 Hardener: 50 Hardener: 50		2 H	2 coats	1.0-1.2 mm 1.5 bar	2-3 H a 20°C IR 10-12′	9
	STARLIGHT	Spray gun	2:1	No thinner	4 H	2	1.2-1.3 mm 1.7-2.2 bar	40′ a 20°C 30′ a 60°C	9
	QUICK CLEAR LACQUER	Manual	Ready to use	No thinner		1-3		15-20′ a 20°C	10
	ACRYLIC ACCELERATOR	Manual	*IMPORTANT Consult technical data sheet						11
	THINNER UNIVERSAL		Consult technical data sheet						12
	IONIZADOR WB		Consult technical data sheet						13
THINNERS AND DEGREASERS	QUICK SPOTBLENDER	Manual, Pressurised pulveriser							14
	DEGREASER	Hitex 4000, Polytex, Pressurised pulveriser							15
	QUICK HYDROCLEANER	Hitex 4000, Polytex, Pressurised pulveriser							16





STAR LACK CLEAR COAT **UHS 4000**

It's a UHS (ultra high solid) two-component acrylic clearcoat 420, for the car refinish sector. Easy application and fast drying. Suitable for processes requiring a high quality finish with high gloss and resistance. Particularly recommended for two-coat waterborne cycles, due to its minimal absorption.

Excellent finish, deep gloss and very clear appearance. Thanks to its versatility and its different catalysts, it can be used in any refinish.

REFERENCE	DESCRIPTION	CAPACITY	вох
5009-001110	CLEAR COAT	5 L	4 UN
5009-001111	HARDENER UHS 1000 FAST	2,5 L	4 UN
5009-001112	HARDENER UHS 2000 STANDARD	2,5 L	4 UN
5009-001113	HARDENER UHS 3000 SLOW	2,5 L	4 UN
5009-001116	CLEAR COAT	1 L	6 UN
5009-001117	HARDENER UHS 2000 STANDARD	0,5 L	6 UN
5009-001118	HARDENER UHS 1000 FAST	0,5 L	6 UN





It's a two-component high solid acrylic lacquer with scratch resistant properties. It is characterised by a long service life and easy application without additional thinner. The resulting coating is smooth, distinguished by its high gloss and very good chemical, mechanical and weather resistance as well as UV resistance. The antiscratch clear coat HS / P is designed for water- and solvent-based basecoats.

Mixing proportion 2:1. There is a large range of compatible hardeners for this product.

REFERENCE	DESCRIPTION	CAPACITY	вох
5009-001022	CLEAR COAT	5 L	4 UN
5009-001138	HARDENER HS 2010 SLOW	2,5 L	4 UN
5009-001026	HARDENER HS 2020 STANDARD	2,5 L	4 UN
5009-001141	HARDENER HS 2030 FAST	2,5 L	4 UN



KIT STAR LACK 4050 PLUS+ **HARDENER STANDARD**

HS Clear Coat Kit with anti-scratch properties. Fast air drying. Allows a very productive finish. Easy to apply. No thinner required. Currently available with standard catalyst.

Fast drying. Produces a highly effective finish. Does not require thinner.

REFERENCE DESCRIPTION CAPACITY BOX
5009-001010 CLEAR COAT HS + 1 L + 500 ML 12 UN
HARDENER STANDARD





Fast-drying acrylic coating, without the need for forced heat. Ideal to save costs added to the repair and reduce repair times. Recommended use in partial or general repairs at ambient temperatures between 15 and 28 °C.

Resistant to UV rays, chemical agents as well as scratching. The turnaround time of a vehicle in service is only 90 minutes from the application of the clearcoat.

2:1 mixing ratio.

REFERENCE	DESCRIPTION	CAPACITY	вох
5009-001101	CLEAR COAT	5 L	4 UN
5009-001102	HARDENER	2,5 L	4 UN



STAR LACK EXPRESS

Last generation clear coat with air drying technology, with no need to use heat drying systems altough the products allows it perfectly. Especially developed for all kind of painting works, including flat parts such as roofs, hoods, complete sides, etc. Allows to paint one part after another thanks to its spraying acceptance time of a standard clear coat.

The use of this product allows a significant saving in energy costs due to the external heat.

1:1 mixing ratio.

REFERENCE	DESCRIPTION	CAPACITY	BOX
5009-001164	CLEAR COAT	1L	4 UN
5009-001165	HARDENER	1 L	4 UN







KIT STARMATE 2:1 Y HARDENER

The Kit Starmate 2: 1 of last generation acrylic bicomponent and of transparent matte finish, designed for the finishing of automobiles. It is characterized by high chemical and mechanical resistance to weathering, as well as high hardness and resistance to scratches and UV rays.

Designed for use on solvent- and waterborne base coats.

 REFERENCE
 DESCRIPTION
 CAPACITY
 BOX

 5009-001308
 KIT STARMATE (10)
 1 L + 500 ML
 12 UN

 5009-001310
 KIT STARMATE (30)
 1 L + 500 ML
 12 UN



Kit including a high resistant clear coat with its hardener and an additive especially suitable for UV light-protection. This additive protects the polycarbonate panels after repair.

The Headlight Restoration Kit has excellent strength and adhesion on plastics and polycarbonates as well as resistance to micro-impacts from gravel and insects.

Allows the repair of badly damaged optics after a suitable sanding and restoration process.

REFERENCE	DESCRIPTION	CAPACITY	вох
5006-001101	KIT	-	1 UN
5006-001102	CLEAR COAT	250 ML	1 UN
5006-001103	HARDENER	125 ML	1 UN
5006-001104	ACTIVATOR	125 MI	1 UN



STARLIGHT

Two-component polyester with anti-scratch effect to protect polycarbonate surfaces. Creates a shield over the windscreen. Protects from gravel and insects. Guarantees clear visibility.

It can be dried at room temperature or cooker dried. Use whenever high mechanical and chemical resistance is required.

Extra-fast hardener.

 REFERENCE
 DESCRIPTION
 CAPACITY
 BOX

 5009-001001
 CLEAR COAT
 1 L
 1 UN

 5009-001002
 HARDENER
 500 ML
 1 UN







QUICK CLEAR LACQUER

Monocomponent acrylic clear coat spray with a new formula last generation product. General use for two layers based-water or solvent paints process. High quality resin that guarantees a high level repair.

Gloss, satin or matt finish.

REFERENCE	COLOUR	CAPACITY	BOX
5011-006019	MATT	500 ML	12 U
5011-006020	SATIN	500 ML	12 U
5011-006021	GLOSS	500 ML	12 U
5011-006050	GLOSS	400 ML	12 U





ACELERATOR FOR ACRYLICS

Accelerating additive for paints, fillers and primers. Reduces drying time.

Reduces the drying time of acrylic coatings and fillers by at least 15 %.

It can be used with standard and slow catalysts. The use of fast and very fast catalysts does not speed up the drying time.

REFERENCE COLOUR CAPACITY BOX
5009-001155 COLOURLESS 1000 ML 12 UN





THINNER UNIVERSAL

Acrylic thinner for acrylic paints, varnishes and acrylic fillers, specifically for use in single and two-coat acrylic paints and enamels. Medium-slow evaporation, suitable for primers, varnishes, acrylic paints and enamels.

Suitable for CRS line chemicals.

REFERENCE	DESCRIPTION	CAPACITY	вох
5009-001018	SLOW	1 L	12 UN
5009-001016	SLOW	5 L	4 UN
5009-001019	STANDARD	1 L	12 UN
5009-001020	STANDARD	5 L	4 UN
5009-001023	STANDARD	25 L	1 UN

All Products





IONISER WB

Thinner for water-based paint. It is a solution ionised with magnetic charges so that when in contact with paint, positive charges are transferred to the mixture, obtaining a higher paint transfer to the surface being painted.

Considerably reduces drying time and prevents stains and streaks from appearing.

Compatible with all water-based systems that admit thinning.

REFERENCE COLOUR CAPACITY BOX
5009-001190 COLOURLESS 1L 14 UN
5009-001189 COLOURLESS 5 L 4 UN





QUICK SPOTBLENDER

Mixture of high-quality thinners to be used for paint blending during rePairs. Fine mist spray.

To be used with an application gun or directly with the spray.

 REFERENCE
 DESCRIPTION
 CAPACITY
 BOX

 5011-001155
 SPRAY
 400 ML
 6 UN

 5011-001156
 BOTTLE
 1000 ML
 12 UN





DEGREASER

Cleaner for use on surfaces to be repainted. Suitable for the first degreasing step to remove tar, grease and silicone residues from vehicles to be repainted. The product can also be used for the initial degreasing of composite plastics. It can be used for degreasing untreated metal surfaces as well as original OEM finishes to be repaired.

This degreaser has a high drag-out power and a slow evaporation without leaving traces.

REFERENCE	DESCRIPTION	CAPACITY	вох
5009-001144	9410 SLOW	1 L	12 UN
5009-001145	9410 SLOW	5 L	4 UN
5009-001033	0467 FAST	1 L	12 UN
5009-001025	0467 FAST	5 L	4 UN
5009-001024	0467 FAST	25 L	1UN

15





QUICK HYDROCLEANER

Water-based cleansing degreasers for cleaning the surface before painting with hydrosoluble products. It incorporates charges with antistatic effect to help remove dust during painting. This product has been developed to clean all types of substrates and existing paints.

It is recommended to use together with Hitex 4000.

REFERENCE **COLOUR** CAPACITY BOX 5009-001194 COLOURLESS 5 L 4 UN











PAINT PREPARATION SYSTEM





SOFTEX

Special non-woven cloth for polishing and buffering. Strong absorption power and very soft.

Does not leave dust. Antistatic.

Roll of 250 units.

REFERENCE COLOUR SIZE BOX 2003-001010 WHITE 28 CM x 40 CM 250 CLEANING CLOTHS



HITEX 4000

Degreasing cloth made of a non-woven fabric. Especially resistant to thinners, degreasers and antisilicone products.

Strong absorption power and resistance.

BOX REFERENCE COLOUR SIZE 38 CM x 30 CM 150 UN 2003-001050 BLUE



POLYTEX CARS

Cleaning and degreasing cloth for painting process. Its structure is composed by inserted polypropylene making the cloth more adaptable and elastic. Excellent absorption.

Useful roll of 500 precut 320 x 380 mm cloths. Dispenser for paper rolls and polytex available.

REFERENCE DESCRIPTION **CAPACITY** BOX 2003-001040 CLEANING CLOTH 32 CM x 38 CM 500 UN

1)2004-000001 DISPENSER FOR PAPER ROLLS











TACK RAG

White anti-dust cloth. Does not leave resin nor fibre marks.

Comes in individual bags.

 REFERENCE
 COLOUR
 SIZE
 BOX

 2003-001030
 WHITE
 50 CM x 75 CM
 50 UN



TACK RAG SPECIAL WATER-BASED PAINT

Anti-dust cloth for cleaning surfaces to be painted with water-based paint.

Does not leave resin. Porous fabric designed to trap dust.

Comes in individual bags.

 REFERENCE
 COLOUR
 SIZE
 BOX

 2003-002550
 BLUE
 32 CM x 40 CM
 50 UN

CLEANING





PRESSURISED PULVERISER

Blue Pressure Sprayer, resistant to degreasers and chemicals.

Pressure sprayer with safety valve and seals resistant to many chemicals, including acids, solvents and alkalis. The sprayer has a regulator to adjust the spray flow rate. It has a maximum pressure of 3 bar.

REFERENCE COLOUR CAPACITY BOX 2004-000028 WHITE 1L 1UN





Disposable 150 gr paper paint strainers with nylon mesh, available in two micron sizes: 125 and 190 micron.

Valid for water based products and solvent based products.


REFERENCE	COLOUR	SIZE	BOX
2006-070125	BLUE	125 µm	1000 UN
2006-070190	RED	190 μm	1000 UN



Washable and reusable plastic strainers for paint, with a nylon mesh.

REFERENCE	DESCRIPTION	BOX
2006-002590	For water-based paint – Net 2000	25 UN
2006-001060	For two-coat/solvent base coat – Net 5000	25 UN
2006-001070	For clearcoats – Net 10000	25 UN





MIXING RULER CRS 2:1 / 5:1

Mixing ruler for HS Filler 5:1 and Star Lack LVC 2:1. Double-sided.

REFERENCE BOX 2012-001332 5 UN





MULTI-HOLE MIXING STICKS

Disposable paint mixing sticks.

It has a curved and ergonomic design with multiple holes to facilitate the dragging and mixing of the product.

It allows maximum profitability and utilisation of the product to be used.

REFERENCE	SIZE	CAPACITY	вох
2012-001344	20 CM	вох	500 UN
2012-001345	30 CM	вох	300 UN





PAPER MIXING CUP

Disposable paper mixing cup.

REFERENCE DESCRIPTION CAPACITY BOX
2012-002390 CUP 600 ML 200 UN







MIXING CUPS AND LIDS

Disposable mixing cups for precise preparation of all types of paint. Air-tight seal.

Available mixing scales: 1:1, 2:1, 3:1, 4:1, 5:1, 6:1 and 7:1. Each scale includs the unit of measure in ml and the percentage of dilution.

REFERENCE	DESCRIPTION	CAPACITY	вох
2012-001410	CUP	290 ML	200 UN
2012-001420	CUP	385 ML	200 UN
2012-001440	CUP	750 ML	200 UN
2012-001500	CUP	1400 ML	200 UN
2012-001520	CUP	2300 ML	100 UN
2012-001430	LID	290-385 ML	200 UN
2012-001450	LID	750 ML	200 UN
2012-001510	LID	1400 ML	200 UN
2012-001530	LID	2300 ML	200 UN

MIXING CUPS AND LIDS

Disposable Mixing Cups for the preparation of all types of paints. Available sizes: 290 ML, 385 ML, 750 ML, 1400 ML and 2300 ML, with respective lids. Mixing scale available: 2:1, 3:1, 4:1, 5:1, 6:1, 7:1, 8:1, 9:1, 10:1 and 12:1, each with dilution percentage and scale in ml. Hermetic seal.

REFERENCE	DESCRIPTION	CAPACITY	BOX
2012-001301	CUP	385 ML	200 UN
2012-001302	CUP	750 ML	200 UN
2012-001303	CUP	1400 ML	200 UN
2012-001304	CUP	2300 ML	100 UN
2012-001305	LID	385 ML	200 UN
2012-001306	LID	750 ML	200 UN
2012-001307	LID	1400 ML	200 UN
2012-001308	LID	2300 ML	200 UN

PAINT PLASTIC CUP AND LID

Opaque cup for preparing paint according to weight, and for conserving it.

Light resistant. Ensures a safe transport.

REFERENCE	DESCRIPTION	CAPACITY	BOX
2012-001421	CUP + LID	500 ML	100 UN
2012-001422	CUP + LID	1 L	100 UN
2012-001423	CUP + LID	1,8 L	100 UN





KIT CAR REFINISH EASY CLICK

It consists of rigid regulated glass, closing ring, 50 exible glasses, 50 caps with filters and 20 hermetic plugs.

An easy and simple system for the preparation and improvement in the application of repainting, with a significant saving of solvents as well as a reduction in cleaning times, obtaining greater productivity and profitability.

REFERENCE	DESCRIPTION	CAPACITY	BOX
2012-001700	CUP KIT	180 ML 125 μm	50 UN
2012-001701	CUP KIT	400 ML 125 μm	50 UN
2012-001702	CUP KIT	650 ML 125 μm	50 UN
2012-001703	CUP KIT	650 ML 190 μm	50 UN
2012-001704	CUP KIT	850 ML 125 μm	50 UN
2012-001705	CUP KIT	850 ML 190 μm	50 UN
2012-001730	LID KIT	$650/850~\text{ML}190~\mu\text{m}$	100 UN
2012-001731	LID KIT	650/850 ML 125 μm	100 UN

EASY CLICK ADAPTERS





ADAPTER ALUMINIUM EASY CLICK

Adapter for Car Refinish Easy Click System.

REFERENCE	DESCRIPTION	вох
2012-001820	CRS/IWATA W400	1 UN
2012-001821	DEVILBISS GTI/PRO/LITE/DV1	1 UN
2012-001822	SATA QCC	1 UN
2012-001823	IWATA WS-400/KREMLIN	1 UN
2012-001824	DEVILBISS SLG/SATA/WALKOM	1 UN
2012-001825	CRS MINI	1 UN
2012-001826	SAGOLA EXTREM 4400/4500/4100 GTO	1 UN
2012-001827	OPTIMA	1 UN
2012-001828	SAGOLA 3300/4100/MINI EXTREM	1 UN
2012-001829	SRI DEVILBISS	1 UN





NEW KIT CAR REFINISH SYSTEM

It consists of a rigid, regulated cup, a sealing ring, 50 flexible cups, 50 caps with filters and 20 hermetic caps.

An easy and simple system for the preparation and improvement in the application of repainting, with significant savings in solvents as well as a reduction in cleaning times, obtaining greater productivity and profitability.

REFERENCE	DESCRIPTION	CAPACITY	вох
2012-001600	CUP	180 ML 125 μm	50 UN
2012-001601	CUP	400 ML 125 μm	50 UN
2012-001602	CUP	650 ML 125 μm	50 UN
2012-001603	CUP	650 ML 190 μm	50 UN
2012-001604	CUP	850 ML 125 μm	50 UN
2012-001605	CUP	850 ML 190 μm	50 UN





ADAPTER ALUMINIUM NEW KIT CAR REFINISH SYSTEM

Adapter for new Kit Car Refinish System.

REFERENCE	DESCRIPTION	вох
2012-001640	CRS/IWATA W400	1 UN
2012-001641	DEVILBISS	1 UN
2012-001642	SATA QCC	1 UN
2012-001643	IWATA WS-400/KREMLIN	1 UN
2012-001644	DEVILBISS SLG/SATA	1 UN
2012-001645	CRS MINI	1 UN
2012-001646	SAGOLA	1 UN
2012-001647	IWATA	1 UN
2012-001648	WALCOM GEO	1 UN
2012-001649	SRI DEVILBISS	1 UN
2012-001650	SAGOLA 3300	1 UN
2012-001651	SATA MINIJET 4600/5500	1 UN
2012-001652	SATA MINIJET 4/3000B	1 UN
2012-001653	SATA KLC/LM	1 UN
2012-001654	IWATA LPH 80 MINI	1 UN
2012-001655	IWATA W300/LPH300	1 UN







COMPOUNDING REPAIR

Compounding Repair offers you a wide range of products for polishing, shining and protection of the vehicle. Among them, you can find berets, sponges, cloths, plates, polishers and protectors.





The simple handling and easy application of these polishing products will facilitate greater efficiency and time savings in the body shop, thus offering a wide range of alternatives for multiple polishing processes and needs.

Due to the formulation and development of the SPA (Smart Progressive Abrasion) system, we avoid the chemical filling of abrasive defects in paint refinishing, which traditionally reappear in the form of shading or visual marks, achieving incredible and long-lasting results in car refinishing.

ADVANTAGES

These polishes are developed with a technology of spherical abrasive micro particles of different sizes of fast cutting which intervene in the polishing process, causing a progressive cutting action.

It is no longer necessary to have different polishes for the same 2 - PLUS: polishing process. This avoids complex processes that lead to application errors and unsatisfactory results.

With the SPA PLUS system, we achieve savings and efficiency 3 - PLUS: in the workshop when looking for processes focused on profitability.

These polishes are specially indicated for varnishes and finishes of the latest generation, including fast drying or air drying systems. We can also achieve a higher resolution and quality in complex colours.

nishing.				
	CAZ 1944 1944		CAN CAN A	
	NIX	DIAMOND 7234	Calgarat	
N. C.	ONIX	DIAMOND	CRYSTAL	NANO FLASH
CUTTING POWER	5	4	2	0
GLOSS LEVEL	4	4	5	5
PROTECTION LEVEL	1	1	1	5
ABRASIVE GRAIN	P 1000	P 1500	P 6000	-



DIAMOND



DIAMOND PLUS

Fast cut polishing compound especially indicated for

new generation clear coats and finishes. Used with the

Diamond 1500 pad, its chemical property as emulsion

permits to obtain a perfect cut and high gloss finish in

Removes easily any sanding marks from grit 1500.

ONIX PLUS is an emulsion polish with micro abrasive particles with maximum cutting power and gloss especially suitable for paint finishing work on freshly painted and cured, deep scratch resistant surfaces. Maximum cutting power and gloss.

- Smart Progressive Abrasion Technology (SPA) Plus.
- · No drying out of the polishing paste.
- · Low temperature emission.
- The paste is free of waxes, silicones and unpleasant odours. Its composition allows a great cutting power and speed. Easily removes sanding marks from P1000 and above.

COLOUR CAPACITY BOX REFERENCE WHITE 1 KG 6 UN 5010-000018



REFERENCE DESCRIPTION CAPACITY BOX 6 UN 5010-000001 **POLISHING** 1 KG 5010-000012 **POLISHING** 500 GR 10 UN

(1) WOOL ORANGE PAD **COMPOUNDING REPAIR**

FOAM PAD HIGH CUT **COMPOUNDING REPAIR**



Provides a deep brightness.

one step.






FOAM PAD EXTRA HIGH CUT COMPOUNDING REPAIR



SMART PROGRESSIVE





Micro fine finishing polish based on highly refined aluminium

Thanks to SPA (Smart Progressive Abrasion) technology, Crystal Plus efficiently removes micro fine scratches, swirl

The simple handling and easy application of Crystal Plus will provide increased efficiency and time savings in the

DESCRIPTION CAPACITY BOX 6 UN

(2) FINISHING: FOAM PAD FINISHING COMPOUNDING REPAIR










NANO FLASH PROTECT

A liquid compound for protection and finish. This incredible product provides a quick layer of protection to any surface of the vehicle thanks to its nanoparticles that repel water, dust and environmental pollutants, which promote longer life on the treated surface. Its formulation contains nano-particles that repel water, dust and environmental pollutants and protect the treated surface.

REFERENCE DESCRIPTION CAPACITY BOX 5010-000005 POLISHING 500 ML 6 UN





QUICK POLISH MOON

It's an exceptional liquid wax with outstanding 'wet look' clarity and depthof gloss for use in all paint systems including waterborne, solid colours and clear single coat finishes.

Removes polish residues while providing long-lasting protection, giving a deep, long-lasting shine (wet-look).

Recommended for hand use with a microfibre cloth.

 REFERENCE
 DESCRIPTION
 CAPACITY
 BOX

 5010-001124
 SPRAY
 1 L
 12 UN


 5010-001046
 BOTTLE
 5 L
 6 UN

2003-007029

MICROFIBRE CLOTH

COMPOUNDING REPAIR







LAMBSWOOL PAD VELCRO

Woollen pad with velcro made of top quality Australian wool.

It has a high heat resistance and a great cutting power.

It is recommended for use with rotary polishers.

REFERENCE SIZE BOX 2004-007078 150 MM / 6" 1 UN



KNITTED WOOL PAD VELCRO

Woollen pad for polishing processes.

Removes deep marks and scratches, sanding marks and heavy oxidation.

High heat resistance and high cutting power.

It is recommended for the use with rotary polishers.

REFERENCE SIZE BOX 2004-007079 185 MM / 7" 1 UN



POLISHING LAMBSWOOL PAD

Polishing pad made of fine wool for polishing and buffing in combination with polishing compound.

Available in three sizes, 203, 150 and 80 mm.

Velcro backing.

REFERENCE SIZE BOX 2004-007060 203 MM 6 UN 2004-007070 150 MM 6 UN 2004-007080 80 MM 6 UN





NATURAL WOOL PAD HEAVY CUT

Natural wool pad made of premium Australian wool. It has a high heat resistance as well as good stability and flexibility.

They have an extreme cutting power.

REFERENCE DESCRIPTION SIZE **BOX** 1 UN 2004-007074 ONE FACE 2004-007077 DOBLE FACE 8" 1UN

POLISHING FOAM

BOX

1 UN





CARS POLISHING WHITE PAD

White polishing pad. Hook & Loop system, that ensures the correct centring of plate and isolate it from possible friction by contact.

REFERENCE SIZE BOX 2004-007000 6" 12 UN



FOAM PAD EXTRA HIGH CUT GREEN


Green high cut sponges with extreme cutting power specifically for polishing and removal of deep damage.


Available in five different sizes.

Their velcro is reinforced to withstand the force exerted by professional polishers.

REFERENCE	SIZE	HOLE	вох
2004-007061	56 MM / 2"	-	1 UN
2004-007066	75 MM / 3"	-	1UN
2004-007081	100 MM / 4"	-	1 UN
2004-007084	155 MM / 6"	22 MM	1UN
2004-007087	180 MM / 7"	22 MM	1 UN

REFERENCE	SIZE	VELCRO	FRONT SIDE	THICKNESS	HOLE
2004-007061	2"	56 mm	56 mm	10 mm	-
2004-007066	3"	75 mm	75 mm	25 mm	-
2004-007081	4"	76 mm	100 mm	25 mm	-
2004-007084	6"	127 mm	150 mm	25 mm	22 mm
2004-007087	7"	152 mm	180 mm	25 mm	22 mm








Yellow and blue medium cutting power sponges specifically for polishing and rectifying medium damage.


Available in five sizes.

The velcro is reinforced to withstand the force exerted by professional polishers.

REFERENCE	SIZE	HOLE	вох
2004-007062	56 MM / 2"	-	1 UN
2004-007065	75 MM / 3''	-	1 UN
2004-007082	100 MM / 4"	-	1 UN
2004-007085	155 MM / 6"	22 MM	1 UN
2004-007088	180 MM / 7"	22 MM	1 UN

REFERENCE	SIZE	VELCRO	FRONT SIDE	THICKNESS	HOLE
2004-007062	2"	56 mm	56 mm	10 mm	
2004-007065	3"	<i>7</i> 5 mm	<i>7</i> 5 mm	25 mm	-
2004-007082	4"	76 mm	100 mm	25 mm	-
2004-007085	6"	127 mm	150 mm	25 mm	22 mm
2004-007088	7 "	152 mm	180 mm	25 mm	22 mm







FOAM PAD FINISHING RED


Red finishing sponges.


Available in five different sizes.

Its velcro is reinforced to withstand the force exerted by professional polishers in car refinishing.

REFERENCE	SIZE	HOLE	вох
2004-007063	56 MM / 2"	-	1 UN
2004-007066	75 MM / 3''	-	1 UN
2004-007083	100 MM / 4"	-	1 UN
2004-007086	155 MM / 6"	22 MM	1 UN
2004-007089	180 MM / 7"	22 MM	1 UN

REFERENCE	SIZE	VELCRO	FRONT SIDE	THICKNESS	HOLE
2004-007063	2"	56 mm	56 mm	10 mm	•
2004-007066	3"	75 mm	75 mm	25 mm	•
2004-007083	4"	76 mm	100 mm	25 mm	•
2004-007086	6"	127 mm	150 mm	25 mm	22 mm
2004-007089	7"	152 mm	180 mm	25 mm	22 mm









CARS BUFFING PAD

Black buffing pad. Hook & Loop System, that ensures the correct centring of plate and isolate it from possible friction by contact.

REFERENCE SIZE BOX 2004-007001 6" 12 UN





MICRO FIBER RED PAD FINAL FINISHING

Red nano-microfibre applicators for finishing polishing processes with three different sizes.

Their velcro is reinforced to withstand the force exerted by professional polishers for automotive refinishing.

REFERENCE SIZE BOX 2004-007055 90 MM / 3" 1 UN 2004-007056 140 MM / 5" 1 UN 2004-007057 165 MM / 6" 1 UN





STRIPED SHORT-NAP WOOL PAD BLUE

Fine woollen pads specifically for polishing processes.

It has a high heat resistance as well as good stability and flexibility.

REFERENCE SIZE BOX 2004-007052 85 MM / 3" 1 UN 2004-007053 135 MM / 5" 1 UN 2004-007054 160 MM / 6" 1 UN



PLATE 30MM MINI SANDER-POLISHER

30 mm pad for Kit Smart Repair mini sander-polisher.

Thread: M6.

REFERENCE BOX 9004-001072 1 UN



PLATE 75MM MINI SANDER-POLISHER

75 mm pad for Kit Smart Repair mini sander-polisher.

Thread: M6.

REFERENCE BOX 9004-001071 1UN



FLEXIBLE BACKING PAD 75 MM FOR POLISHER

Flexible velcro plate with a diameter of 75mm. Thread: M14.

REFERENCE BOX 2004-007094 1UN



FLEXIBLE BACKING PAD 50 MM FOR POLISHER

Small flexible velcro plate with a diameter of 50mm, ideal for small repairs in hard-to-reach areas.

Thread: M14.

REFERENCE BOX 2004-007093 1UN



POLISHER PLATE 125 MM

Plate recommended for the use of polishing and bung pads. Hook & Loop System, that ensures the correct centring of plate and isolate it from possible friction by contact.

Thread: M14.

REFERENCE SIZE BOX 2004-007002 14 MM 6 UN







They are suitable for sponges and polishing pads.

Thread: M14.





BACKING PLATE 6" POLISHER BPC 7121

The Foam Plate 6" 150mm, for polisher SPC/BPC 7121 is especially important for the broken orbital system. It is constructed of polyurethane foam with a very good mechanical strength to withstand lateral and rotational movements.

This plate in conjunction with our CRS conical polishing sponges preforms a gentle and comfortable polishing. The holes in the plate allow to keep the working area clean while promoting better cooling.

The plate is perfectly designed to obtain a perfect anchorage between the sponge and its base.

REFERENCE DESCRIPTION BOX 1014-006019 150 MM 1 UN







Multiple microfibre woven cloth with different functions: cleaning, polishing and absorption. Protected seams so as not to leave marks. Allows the application of polishes by hand. The most recommended option for the final cleaning of polished surfaces. Washable and very durable.

 REFERENCE
 DESCRIPTION
 SIZE
 BOX

 2003-007029
 YELLOW
 40 CM X 40 CM
 10 UN

 2004-000108
 BLUE
 40 CM X 40 CM
 10 UN





The Soft Finishing cleaning cloth is woven with ultra-fine yarns, consisting of 80% polyester and 20% polyamide, which provides superior stability.

It is ideal for applications in critical environments. The ultra-soft, non-abrasive texture cleans surfaces without scratching, especially on dark colours.

Good residue absorption.

REFERENCE COLOUR SIZE BOX 2003-007034 BLUE 40 CM X 40 CM 10 UN 2003-007035 GREY 40 CM X 40 CM 10 UN









MASKING SYSTEM AND PROTECTION

Protect the surfaces you are going to work on thanks to *Masking System and Protection*. In this family you will find all types of masking, weatherstripping, masking tape and products for booth protection.







PLASTIC FILM WITH MASKING TAPE

Double protection plastic film whose inner side adheres electrostatically to the surface to be protected.

- Temperature resistant up to 120 °C.
- It is designed for painting with any type of paint system.
- With 25 mm tape resistant to humidity. Does not leave glue residues.

REFERENCE	SIZE	BOX
2001-001330	35 CM X 25 YDS	20 UN
2001-001340	60 CM X 25 YDS	20 UN
2001-001350	90 CM X 25 YDS	20 UN
2001-001360	120 CM X 25 YDS	20 UN
2001-001370	180 CM X 25 YDS	20 UN

MASKING PLASTICS MASKING FILM





MASKING FILM

Plastic film of 8 microns and different sizes for quick masking of car bodywork.

The outside has been treated with special products so as to guarantee paint spray adhesion. The inside sticks electrostatically to the car body. The outside has the brand's name printed on so as to allow for correct laying.

REFERENCE	SIZE	ВОХ
2001-001587	400 CM X 150 M	1 UN
2001-001588	400 CM X 300 M	1 UN
2001-001589	500 CM X 150 M	1 UN





GREEN PREMIUM MASKING FILM

Plastic film of 4 metre wide and 12 micron for rapid masking of car bodies, especially suitable for masking vehicles with humidity.

- Specially treated to guarantee the adherence of the paint spray, preventing the introduction of dust and paint spray.
- Resistant to temperature cycles up to 120°C.
- Does not leave marks on vehicles with wet surfaces.
- Time saving compared to the use of masking paper.

REFERENCE SIZE BOX 2001-001584 400 CM X 150 M 1 UN



CUTTING PLASTIC"POLYCUT" BLADE

Blade designed especially for precise cutting of masking plastic film.

REFERENCE BOX 2004-004010 10 UN





DOOR SKIN PLASTIC SHEET AND FILM

Pre-cut plastic sheet for protecting interior door panels so as to obtain an original finish. Protects against humidity and soundproofs the vehicle.

Film plastic in roll of 650 mm x 50 m.

 REFERENCE
 DESCRIPTION
 CAPACITY
 BOX

 2001-001490
 SHEET
 600 MM X 50 M
 1 UN

 2001-001480
 FILM
 650 MM X 50 M
 1 UN



WHEEL COVER-PLASTIC

Disposable wheel cover made of transparent plastic.

REFERENCE CAPACITY BOX 2001-001410 1 ROLL 250 UN



TYRE COVERS FOR WHEEL RIM PAINTING

An electrostatic masking/protection film to make the wheel rim paintwork clean while protecting the tyre.

Keeps all excess paint off the tyre, infrared resistant and slightly transparent.

This solution allows you to isolate the tyre without having to dismount it in a single action. All you have to do is deflate the tyre slightly, fit the edge of the inner hole of the cover and pull until it fits over the entire rim. No need to use insulating tape or paper, reducing operation time between 15 to 20 minutes, thanks to the elasticity of the polyethylene compound. Fits any type of rim, including truck and bus rims.

REFERENCE SIZE BOX 2011-001380 140 CM X 20 MIC 20 UN 170 CM X 20 MIC 20 UN 2011-001381



SEAT COVER

The Plastic Seat Cover provides complete protection for the car seat. It not only keeps the seat clean, but also protects it against oil stains, paint or dust. Easy to install and remove. Its size makes it easy to store without taking up too much space.

The Cover is suitable for workshops, dust protection, car washing and car refinishing.

- Very strong PE plastic material, with 18 microns.
- Convenient format for installing and removing from the car seat.
- Disposable product, hygienic, clean and practical.
- Protects against most solvents and pollutants.
- Economic, saves work, time and money.

SIZE REFERENCIA BOX 2011-001383 80 CM x 130 CM x 18μ 500 UN







PROTECTING CARPET

Disposable 13-micron rug for protecting rugs and carpets during repair.

Roll of 500 units.

REFERENCE CAPACITY BOX
2011-001395 400 MM X 550 MM 500 UN





Masking paper. Treated so as not to let paint or clear coat pass through.

Each measure comes in an individual bag. Weight: 40 g/m2.

REFERENCE	DESCRIPTION	SIZE	вох
2001-001860	40 G	45 CM X 300 M	1 UN
2001-001870	40 G	60 CM X 300 M	1 UN
2001-001880	40 G	90 CM X 300 M	1 UN
2001-001890	40 G	120 CM X 300 M	1 UN



MASKING PAPER KRAFT PREMIUM EXTRA 32G

Premium quality kraft paper. This Kraft paper is made with 100% virgin pulp, so it does not contain recycled materials and leads to excellent uniformity in the quality of work.

It has a special Kraft sealing treatment that guarantees its use in masking during vehicle refinishing and a very good cut without loosening of residues.

REFERENCE	DESCRIPTION	SIZE	вох
2001-001960	32 G	45 CM X 300 M	1 UN
2001-001970	32 G	60 CM X 300 M	1 UN
2001-001980	32 G	90 CM X 300 M	1 UN
2001-001990	32 G	120 CM X 300 M	1 UN



MASKING PAPER

Masking paper of 50 g / m2 and 300 m long, treated to prevent the transfer of paint or varnish.

It is a high performance mixed paper with a waxed and tear resistant coat. Due to its high resistance to moisture, it is suitable for use with varnishes, acrylics and primers. It has a smooth, non-porous surface.

It is supplied in a single bag in all sizes.

REFERENCE	DESCRIPTION	SIZE	вох
2001-050021	50 G	21 CM X 300 M	1 UN
2001-050037	50 G	37,5 CM X 300 M	1 UN
2001-050045	50 G	45 CM X 300 M	1 UN
2001-050060	50 G	60 CM X 300 M	1 UN
2001-050090	50 G	90 CM X 300 M	1 UN
2001-050120	50 G	120 CM X 300 M	1 UN
2001-050140	50 G	140 CM X 300 M	1 UN





PERFECT FOAM "T"

Auto-adhesive masking foam tape in the shape of "T". The middle of its basis is composed by an adhesive part resisting to drying temperatures of infrared dryers, endothermic panels or air heating. Both sides of the "T" are lightly elevated to obtain an homogeneous and invisible spray application.

Ideal for areas with small spaces.

REFERENCE SIZE BOX 2001-002440 25 M 1 UN



TRIANGULAR MASKING FOAM TAPE

Adhesiveless foam tape in the shape of a triangle and indicated to avoid the fillers spraying to pass through the panels gaps such as doors gaps, hoods, car boots.

To apply it easily, place it into the gaps and just pressure on it with no need of opening the doors. The few remaining spray mist would be easily removed during the sanding process.

REFERENCE SIZE BOX 2001-002450 50 M 1 UN



AUTOADHESIVE MASKING FOAM TAPE

Self-adhesive polyester foam weatherstrip, density 28 kg/m3, for masking doors, boots, bonnets or any other vehicle opening.

REFERENCE SIZE BOX 2001-002460 13 MM X 50 M 1 UN 2001-002470 18 MM X 35 M 1 UN



MASKING TAPES MASKING TAPES



EU ORANGE MASKING TAPE

High performance tape for vehicle masking.

- Strong adhesion on metal, glass, plastic and rubber.
- Resists UV rays.
- Does not leave glue residue, even after a 6-month application period.
- Resists up to 100 °C for 30 minutes.

REFERENCE	SIZE	BOX
2002-001000	19 MM X 50 M	48 UN
2002-000012	50 MM X 50 M	16 UN



ORANGE MASKING TAPE

High-performance masking tape especially suitable for masking of metal, plastic parts and other automotive surfaces in the automotive sector prior to refinishing.

- Water-resistant
- Quick stick
- Easy peel and easy tear

REFERENCE	SIZE	вох
2002-000018	18 MM X 50 M	48 UN
2002-00048	48 MM Y 50 M	16 I I N



MASKING TAPE

Professional tape for vehicle masking.

Resists up to 80 °C for 30 minutes.

Does not leave glue residue.

REFERENCE	SIZE	BOX
2002-001730	18 MM X 45 M	96 UN
2002-001740	24 MM X 45 M	72 UN
2002-001750	36 MM X 45 M	48 UN
2002-001760	48 MM X 45 M	36 UN



MASKING TAPES MASKING TAPES





Professional Masking Tape for cars with a crepe paper backing and solvent-based adhesive, designed for any type of paintwork and applications with high temperature drying cycles, up to 80°C for 60 min.

Our 8010 Masking Tape is highly adaptable to uneven surfaces and guarantees smooth edges. It works with tape overlay, with paper and masking film with good holding power. Easy and clean removal, without leaving glue residues on the application surface.

REFERENCE	SIZE	BOX
2002-003018	18 MM X 45 M	96 UN
2002-003024	24 MM X 45 M	72 UN
2002-003036	36 MM X 45 M	48 UN
2002-003048	48 MM X 45 M	36 UN



TOP MASKING TAPE

Professional tape for vehicle masking.

Resists up to 100 °C for 30 minutes.

Does not leave glue residue.

REFERENCE	SIZE	BOX
2002-007020	18 MM X 45 M	48 UN
2002-007021	24 MM X 45 M	36 UN
2002-007022	36 MM X 45 M	24 UN
2002-007023	48 MM X 45 M	24 UN



GREEN PREMIUM TAPE

Bodybuilder tape for the most demanding masks. Especially indicated for humid environments as well as direct contact with water-based paints.

- Adhesion: 4.8 N / 25 mm.
- Total thickness: 0.13 mm.
- Temperature resistance: 90 ° C 30 min.

REFERENCE	SIZE	BOX
2002-009018	18 MM X 50 M	48 UI
2002-009024	24 MM X 50 M	36 UI
2002-009036	36 MM X 50 M	24 UN



DOUBLE-SIDED ACRYLIC TAPE

Double-sided adhesive tape recommended for fixing moulds, emblems and accessories. Resists high temperatures. Strong adhesion on metal, glass and most plastics.

REFERENCE	SIZE	BOX
2002-005006	9 MM X 10 M	10 UN
2002-005007	12 MM X 10 M	10 UN
2002-005008	19 MM X 10 M	10 UN



DOUBLE-SIDED TRANSPARENT ACRYLIC TAPE

Double Sided Transparent Acrylic Tape is especially designed for permanent bonding in interior and exterior applications. This can replace riveting, welding, liquid glues and other permanent fasteners. It is also suitable for various kinds of substances, such as metal, wood, glass and many plastics.

It has a total thickness of 1MM resistant to temperatures between -40 $^{\circ}$ C and 120 $^{\circ}$ C.

REFERENCE SIZE BOX 2002-005000 19 MM X 10 M 10 UN




DOUBLE-SIDED TAPE

Double-sided adhesive tape recommended for fixing moulds, emblems and accessories.

REFERENCE	SIZE	BOX
2002-001780	6 MM X 10 M	10 UN
2002-000910	9 MM X 10 M	10 UN
2002-001210	12 MM X 10 M	10 UN
2002-001910	19 MM X 10 M	10 UN
2002-002510	25 MM X 10 M	10 UN



PROFILING TAPES





LIFTING TAPE

Outlining tape for vehicle masking.

Does not crumple nor fold up at corners. Follows curves perfectly and adapts to any shape. Little paint accumulation.

REFERENCE	SIZE	вох
2002-011921	3 MM X 66 M	10 UN
2002-011922	6 MM X 66 M	10 UN
2002-011923	9 MM X 66 M	10 UN
2002-011924	12 MM X 66 M	10 UN
2002-011925	19 MM X 66 M	10 UN
2002-011926	25 MM X 66 M	10 UN





BROWN LIFTING TAPE

Tape removes high quality rubber for the masking of rubber from the body of the car, easily separating the rubber from the surface to be painted to achieve a clean and original factory spraying, without generating paint rims between joints of rubber and bodywork.

REFERENCE	SIZE	BOX
2002-004071	10 MM X 10 M	12 UN
2002-004072	15 MM X 10 M	12 UN
2002-004073	20 MM X 10 M	12 UN

MASKING TAPES SPECIAL TAPES







LOGO TAPE

Adhesive strips for recovering logos and emblems.

By placing the logo removed prior to repair on the adhesive surface of Logo Tape, the adhesive bonds to the old contact surface, allowing it to adhere again.

REFERENCE SIZE BOX 2002-001980 50 MM X 300 MM 10 UN

ALU TAPE

Silver, woven tape, covered by a protective film with strong adhesion power.

Waterproof and abrasive-resistant.

REFERENCE SIZE BOX 2002-001990 50 MM X 50 M 18 UN

FLEXTAPE

Masking tape. Facilitates, improves, and increases the possibilities of masking in the repainting of areas with geometric diculty in the bodywork. It allows multiple advantages like cutting longitudinally and vertically.

It also stands out, its special adhesive of great resistance that leaves no remains in combination with a rigid part.

REFERENCE SIZE BOX 2002-000001 75 MM X 20 M 12 UN





PARKING SENSOR PROTECTOR

Adhesive product specially indicated to protect the parking sensors during the process of painting works.

Makes the work of the operator easier by saving time and retouching operations.

REFERENCE SIZE BOX
2011-001398 18 MM 150 UN
2011-001399 13 MM 150 UN





QUICK PRO-PEEL CABIN

It's a sprayable water-based product that creates a masking film for the protection of spray booth surfaces. It protects walls from overspray and paint overspray. The dry product is completely transparent, preventing the distortion of brightness inside the booth.

Used for the protection of paint booth interiors.

REFERENCE CAPACITY BOX 5012-000024 5 L 4 UN



QUICK GEL CABIN

Transparent water-based emulsion for protection of painting cabins. Creates an adhesive layer on which dust and paint spray can stick. Biodegradable.

REFERENCE CAPACITY BOX 5012-001070 5 L 4 UN



FIRE BLANKET

Ideal for protecting areas that may cause sparks, flames or explosions.

- Weight: 850gsm.
- Thickness: 0.8mm.
- Standing Temperature 600°C

REFERENCE SIZE BOX 5001-001119 2 M X 2 M 1 UN









PERSONAL PROTECTION

Personal Protection has all the necessary products to ensure full protection of the operator, such as coveralls, painters' coats, gloves, masks or disinfectants products.





MASK 5260 FFP2 WITH VALVE

The 5260 FFP2 is a self-filtering respirator proportionally designed for the user with a comfortable and lightweight protection.

- It is a very effective filtering facepiece for filtration of solid and liquid non-volatile particles.
- It is developed with a convex design and two adjustment bands.
- It is designed to fit all facial sizes.
- It has a ventilation valve that allows exhalation

REFERENCE COLOUR BOX 2015-001012 WHITE 20 UN



MASK 5270 FFP3 WITH VALVE

The 5270 FFP3 is a self-filtering respirator proportionally designed for the user with a comfortable and lightweight protection.

- It is a very effective filtering facepiece for filtration of solid and liquid non-volatile particles.
- · It is developed with a convex design and two adjustment bands.
- It is designed to fit all facial sizes.
- It has a ventilation valve that allows exhalation

COLOUR REFERENCE BOX 2015-001013 WHITE 20 UN



MASK 5280 FFP2 WITH VALVE

The 5280 FFP2 is a self-filtering respirator proportionally designed for the user with a comfortable and lightweight protection

The 5280 mask has all the features of the 52 Series masks and in addition the filtering and breathing capacity is improved to further minimise the fogging of working glasses. It contains a wider and more comfortable nasal panel that favours facial adaptation and fit. Its three-part design makes it more comfortable and reliable than traditional non-foldable spectacles.

REFERENCE COLOUR BOX 2015-001014 WHITE 20 UN





Painter's hooded coverall with elastic at wrists, waist and hood.

REFERENCE	COLOUR	SIZE	BO
2009-010000	BLUE	S	1 UI
2009-010005	BLUE	M	1 UI
2009-010006	BLUE	L	1 UI
2009-010012	BLUE	XL	1 UI
2009-010007	GREY	S	1 UI
2009-010008	GREY	M	1 UI
2009-010009	GREY	L	1 UI
2009-010010	GREY	XL	1 UI
2009-010011	GREY	XXL	1 UI





This polyester painter's coverall has High Efficiency features that make it ideal for work in the workshop.

- Ideally fitting hood with 100% field of vision.
- · Zip with protective flap.
- Adjustable elasticated cotton cuffs.

REFERENCE	SIZE	ВОХ
2009-010030	S	1UN
2009-010031	M	1UN
2009-010032	L	1UN
2009-010033	XL	1UN
2009-010034	XXL	1 UN







BREATHABLE BASIC COVERALL

This painter coverall offers the best protection against liquid splashes and dust and is designed for working in warm environments thanks to its breathable back panel, which offers exceptional comfort without compromising protection.

- White microporous fabric.
- Breathable back panel.
- Elasticated waist, cuffs and ankles.
- Front zip protection flap.
- Water repellency and anti-bacterial protection.

REFERENCE	SIZE	BOX
4005-001533	S	1UN
4005-011533	M	1UN
4005-021533	L	1UN
4005-031533	XL	1UN
4005-041533	XXL	1 UN





Breathable polyester coat with adjustable sleeves and front pocket.

REFERENCE	SIZE	BOX
2009-001005	M	1 UN
2009-001006	L	1 UN
2009-001007	XL	1 UN
2009-001008	XXL	1 UN



Shoe covers for painter protection during work.

REFERENCE DESCRIPTION BOX
2009-001680 NON WOVEN 50 PAIRS
2009-002310 PLASTIQUE PP 50 PAIRS
2009-002320 TYVECK 50 PAIRS



Hood for painter protection during work.

 REFERENCE
 DESCRIPTION
 BOX

 2009-002330
 PLASTIQUE PP
 100 UN

 2009-002340
 TYVECK
 100 UN





SUPER TOP PRO GLOVES

Reinforced elastic latex gloves highly resistant to chemical products, especially cleaning solvents. Thickness: 13 Microns.

Fits either hand.

REFERENCE	SIZE	вох
2010-001714	M	50 UN
2010-001715	L	50 UN
2010-001716	XL	50 UN



NITRILE GLOVES EXTRA T-GRIP

They feature a diamond texture on the surface that channels fluids and promotes a better grip in all conditions to reduce hand strain and increase operator safety. They are made of 100% nitrile, highly resistant to puncture.

They are developed without powder and plasticizers to avoid skin allergies related to glove use. Longer cuffs with antislipping capacity to provide better protection to the user.

REFERENCE	SIZE	BOX
2010-001720	M	50 UN
2010-001721	L	50 UN
2010-001722	XL	50 UN







COMFORT PROTECT GLOVES

Comfort protect gloves with sanded nitrile palm coating, ultra-light and comfortable. Comfort protect gloves are suitable for mechanical hazards, assembly, preparation and painting. They have excellent tactile properties.

- Fabric type: Nylon yarn
- Coating type: Nitrile sanded coating

REFERENCE	SIZE	BOX
2010-002510	S	240 PAIRS
2010-002511	M	240 PAIRS
2010-002512	1	240 PAIRS



ANTI CUT PROTECT GLOVES

Protective gloves with cut, abrasion and tear resistant lining and grey PU coating. The protect cut-resistant gloves are especially suitable for the protection against cuts and injuries to the hands during pre-painting, dismantling and assembly of sheet metal as well as car sanding.

The gloves offer high grip, breathability and durability, providing a high level of comfort during the work process.

- Fabric type: HPPE + fibreglass lining.
- Coating type: PU palm coating, smooth.

REFERENCE	SIZE	BOX
2010-002520	S	240 PAIRS
2010-002521	M	240 PAIRS
2010-002522	L	240 PAIRS







SANDING PROTECT GLOVES

Sanding protect gloves with sanded nitrile palm coating, ultra-light and comfortable. The comfort protect gloves are suitable for abrasion, mechanical hazards, assembly, preparation and painting. They have excellent tactile properties.

- Fabric type: Nylon lining.
- Coating type: PU palm coating, smooth.

REFERENCE	SIZE	вох
2010-002530	S	240 PAIR
2010-002531	M	240 PAIR
2010-002532	1	2/0 0/10



ANTI-STATIC PROTECT GLOVES

Guantes de protección anti estáticos para la Antistatic protective gloves for handling parts with static charges, precision assembly. They facilitate the dissipation of static electricity, caused by the friction of non-conductive bodies.

They are designed without seams for greater operator comfort and have a polyurethane reinforcement to extend their useful life.

- Fabric type: Polyester + carbon.
- Coating type: PU palm coating, smooth.

REFERENCE	SIZE	BOX
2010-002540	S	240 PAIRS
2010-002541	M	240 PAIRS
2010-002542	L	240 PAIRS





QUICK SPECIAL HAND CLEANER

Fluid hand cleaner with great cleansing action for all types of cleaning. Contains a pleasant apple fragrance that lingers on the skin long after washing hands with it.

This ester addition in combination with the natural oil makes the hand cleaner more skinfriendly than a hand cleaner based on common solvents

Apply a measure of Quick Hand Cleaner over wet hands, extend and rinse off with abundant water. Does not contain mineral abrasives. 90% biodegradable.

REFERENCE	DESCRIPTION	CAPACITY	BOX
5013-001155	QUICK SPECIAL	3 KG	6 UI
5013-001156	DISPENSER	_	1111








ABRASIVES

Abrasives offers you a wide range of abrasives (paper, film, ceramic) that will be your greatest ally in the sanding processes in the workshop. Find the abrasive that best suits your needs and optimise your sanding work.

SUBFAMILY	NAME	SIZE	MATERIAL	HOLES	GRAIN	APPLICATION	PAGE
	CERAMIC LINE DISC	150 MM	Ceramic	Multi-holes	P80, P120, P180, P220, P320, P400, P500, P600, P800	For all substrates and processes	5
F1 BLUE LINE DISC	F1 BLUE LINE DISC	150 MM	Flexible plastic	15	P60, P80, P100, P120, P150, P180, P220, P240, P280, P320, P360, P400, P500, P600, P800, P1200, P12500	For all substrates and processes	6
	F1 GOLD LINE DISC	75 / 150 MM	Aluminium oxide	15	P80, P100, P120, P150, P180, P220, P240, P320, P360, P400, P500, P600, P800	For all substrates and processes	7
	F1 SKYLON DISC	75 / 150 MM	Foam and abrasive	-	P2000, P3000	Bent surfaces	8
	FOAM F1 LINE DISC	5-10 MM	Sponge	15	Fine, Microfine, Superfine	Shading	9
	STAR BRITE DISC	150 MM	Synthetic felt	-	Very fine, Ultra fine	Shading	10
MACHINE ABRASIVES	CARBON FIBRE DISC	115 / 178 MM	Special fibre	-	P16, P24, P36, P60,	Removing residue and waste as well as oxide and paint	11
	CARBON FIBRE DISC TOP	50 / 80 / 150 /115 MM	Nylon and tungsten	-		Roughing, grinding and surface preparation	12
	STARFILM	35 MM / 114 x 700 MM	Adhesive film	15	P1500, P2000, P2500, P3000	Rectification and removal of paint defects	13
	SUNDUST	75 / 150 / 130 x 170 MM	Latex	15	P800, P1000, P1500	Preparation of surfaces for repainting	13
	STARDUST	75 / 150 / 130 x 170 MM	Latex	15	P2000, P2500, P3000, P4000, P5000	Preparation of surfaces prior to polishing	14
	SURFACE PREPARATION DISC	50 MM	Aluminium oxide	-	Extrafine, fine, medium, coarse	Roughing	15
	SANDING DISCS ZC	50 MM	Zirconia, Corundum	-	P36, P60	Rectification	16
	F1 GOLD LINE FOAM SANDPAPER	115 MM x 25 M	Roll of sandpaper on foam backing	-	P240, P320, P400, P500, P600, P800	Sanding and nuanced	17
	F1 GOLD LINE DRY SANDPAPER	115 MM x 25 M	Sandpaper	-	P40, P60, P80, P120, P240	Sanding	18
	ABRASIVE SPONGE	115 MM x 140 MM	Sponge	-	Fine, Superfine, Microfine, Ultrafine	Sanding and nuanced	19
HAND ABRASIVES	DOUBLE-SIDED ABRASIVE SPONGE	100 MM x 120 MM	Sponge	-	Medium, Fine, Superfine, Microfine, Ultrafine	Sanding and nuanced	20
	STAR BRITE SHEET	150 MM x 250 MM	Synthetic felt	-	Very fine, Ultra fine	Nuanced	21
	STAR BRITE ROLL	115 MM x 10 M	Synthetic felt	-	Very fine, Ultra fine	Nuanced	21
	ABRASIVE SHEET F1 GOLD LINE	70 x 420 MM / 198 MM / 125 MM / 115 x 230 MM	Artificial corundum	-	P80, P120, P150, P180, P220, P320	Sanding	22
	STARFILM	32 x 26 MM	Adhesive film	-	P800, P1000, P1200, P1500, P2000, P2500, P3000	Rectification and removal of paint defects	23





Multi-hole ceramic abrasive discs on high quality plastic backing. Due to its ceramic composition, it is extremely resistant, which means a long service life of the abrasive. The contribution of aluminium oxide allows, due to its crystalline composition, to maintain a sharp, precise and homogeneous sanding. Applicable to any type of surface.

Due to their properties and technical characteristics, they are especially recommended for use on surfaces that are harder and more resistant to sanding, such as ceramic varnishes, cataphoresis, epoxy resins, etc.

REFERENCE	SIZE	GRAIN	вох
2014-001810	150 MM	P80	50 UN
2014-001811	150 MM	P120	50 UN
2014-001812	150 MM	P180	50 UI
2014-001813	150 MM	P220	50 UI
2014-001814	150 MM	P320	50 UI
2014-001815	150 MM	P400	50 UI
2014-001818	150 MM	P500	50 UN
2014-001816	150 MM	P600	50 UI
2014-001817	150 MM	P800	50 UN






15-hole abrasive disc on a high quality, high performance flexible plastic backing. Among the main qualities of this backing is the better evacuation of the heat generated during the sanding friction and the higher cutting speed thanks to the rigidity of the film. All this increases the performance of this disc compared to conventional paper. Velcro system.

Diameter: 150 mm. Discs available in boxes of 100 units, except P60 grit which comes in 50 units. Sales units: 6 boxes.

REFERENCE	SIZE	HOLES	GRAIN	вох
2014-006135	150 MM	15	P60	50 UN
2014-006114	150 MM	15	P80	100 UN
2014-006115	150 MM	15	P100	100 UN
2014-006116	150 MM	15	P120	100 UN
2014-006117	150 MM	15	P150	100 UN
2014-006118	150 MM	15	P180	100 UN
2014-006119	150 MM	15	P220	100 UN
2014-006120	150 MM	15	P240	100 UN
2014-006121	150 MM	15	P280	100 UN
2014-006122	150 MM	15	P320	100 UN
2014-006133	150 MM	15	P360	100 UN
2014-006123	150 MM	15	P400	100 UN
2014-006124	150 MM	15	P500	100 UN
2014-006125	150 MM	15	P600	100 UN
2014-006126	150 MM	15	P800	100 UN
2014-006127	150 MM	15	P1200	100 UN
2014-006153	150 MM	15	P1500	100 UN





Abrasive disc system on reinforced paper backing of new generation. Aluminium oxide with open structure. Thanks to the new protective coating from the grain will reduce the possible strap residue from sanding.

Velcro system.

REFERENCE	SIZE	HOLES	GRAIN	BOX
2014-006134	150 MM	15	P60	100 UN
2014-006136	150 MM	15	P80	100 UN
2014-006137	150 MM	15	P100	100 UN
2014-006138	150 MM	15	P120	100 UN
2014-006139	150 MM	15	P150	100 UN
2014-006140	150 MM	15	P180	100 UN
2014-006141	150 MM	15	P220	100 UN
2014-006142	150 MM	15	P240	100 UN
2014-006144	150 MM	15	P320	100 UN
2014-006145	150 MM	15	P360	100 UN
2014-006146	150 MM	15	P400	100 UN
2014-006147	150 MM	15	P500	100 UN
2014-006148	150 MM	15	P600	100 UN
2014-006149	150 MM	15	P800	100 UN
2014-007080	75 MM	-	P80	50 UN
2014-007120	75 MM	-	P120	50 UN
2014-007150	75 MM	-	P150	50 UN
2014-007240	75 MM	-	P240	50 UN
2014-007320	75 MM	-	P320	50 UN
2014-007360	75 MM	-	P360	50 UN
2014-007400	75 MM	-	P400	50 UN
2014-007500	75 MM	-	P500	50 UN
2014-007600	75 MM	-	P600	50 UN
2014-007800	75 MM	-	P800	50 UN





Foam disc and abrasive fabric that provides a smooth backing on the working surface. Allows the sanding residues to pass through its composition. Can be used in dry or wet sanding system. Highly recommended on bent surfaces.

Discs of 150 mm are available in 10 units'box. Discs of 75 mm are available in 20 units'box.

Sales unit: 8 Boxes for 150 mm and 75 mm.

REFERENCE	SIZE	GRAIN	вох
2014-006036	150 MM	P2000	15 UN
2014-006037	150 MM	P3000	15 UN
2014-006038	75 MM	P2000	20 UI
2014-006039	75 MM	P3000	20 UI





15 holes abrasive disc on blue sponge backing of new technology and high exibility. Composed by the same abrasive as for the double-sided abrasive sponges. This latest technology abrasive provides an even smoother finish.

Diameter: 150mm.

Discs are available in 15 units boxes.

REFERENCE	SIZE	GRAIN	вох
2014-006195	10 MM	FINE	15 UN
2014-006196	10 MM	MICROFINE	15 UN
2014-006197	10 MM	SUPERFINE	15 UN
2014-006180	5 MM	FINE	15 UN
2014-006181	5 MM	MICROFINE	15 UN
2014-006185	5 MM	SUPERFINE	15 UN





Synthetic felt for use with water or dry. Ideal for shading.


Available in sheet, disc and roll.

 REFERENCE
 COLOUR
 SIZE
 GRAIN
 BOX

 2007-001110
 RED
 150 MM
 VERY FINE
 10 UN

 2007-001100
 GREY
 150 MM
 ULTRA FINE
 10 UN






Fibre disk specifically used for removing residue and waste as well as oxide and paint.

Diameter: 115 mm and 178 mm.

REFERENCE	SIZE	GRAIN	вох
2007-002090	115 MM	16	25 UN
2007-002130	178 MM	16	25 UN
2007-002150	178 MM	36	25 UN
2007-002160	178 MM	60	25 UN





CARBON FIBRE DISC TOP WITH SUPPORT

Carbon fibre disc for grinding. Ideal for surface preparation. Made of tungsten impregnated nylon. Allows high performance in roughing, grinding and surface preparation work. Optimum for welding, aluminium, rusty surfaces, paint removal on bare metal, fibre, etc. A fine, clean finish is achieved fine and clean finish without leaving steps or irregularities.

Use: Drill or pneumatic tool.

REFERENCE **DESCRIPTION BOX** 2013-001161 DISC 115 MM 6 UN



DISC 80 MM

DISC 50 MM

SUPPORT DISC

SUPPORT CARBON DISC

2013-001142 2013-001143

2013-001150


2013-001150

10 UN

1UN

TOOLS &






SUNDUST

Adhesive discs and films with high abrasive power on a flexible base that allows a homogeneous sanding on any paint surface. Due to its structural and flexible composition, it is perfectly suited to adapt to all geometrical shapes of the bodywork, obtaining a reliable preparation for the coating of metallic and complex colours. High abrasive power.

- · Low dust emission.
- · Reduced clogging.
- · Precise and homogeneous sanding.
- · Long abrasive life.

REFERENCE	SIZE	GRAIN	вох
2014-003319	150 MM	800	25 UN
2014-003320	150 MM	1000	25 UN
2014-003321	150 MM	1500	25 UN
2014-003420	75 MM	1000	50 UN
2014-003421	75 MM	1500	50 UN
2014-005030	130 MM x 170 MM	800	25 UN
2014-005031	130 MM x 170 MM	1000	25 UN
2014-005032	130 MM x 170 MM	1500	25 UN





STARDUST

Discs and films on a flexible dry abrasive base. It allows us to carry out a preparatory work prior to polishing, rectifying marks of abrasives with higher grains and obtaining an optimum preparation for the rectification of imperfections in the repainting. Dry sanding allows us to have references of the imperfections to be corrected at all times.

- Good cutting and shading power.
- Ideal preparation prior to polishing.
- Polishing time is greatly reduced.

REFERENCE	SIZE	GRAIN	вох
2014-003322	150 MM	2000	25 UN
2014-003323	150 MM	2500	25 UN
2014-003324	150 MM	3000	25 UN
2014-003325	150 MM	4000	25 UN
2014-003326	150 MM	5000	25 UN
2014-003422	75 MM	2000	50 UN
2014-003423	75 MM	2500	50 UN
2014-003424	75 MM	3000	50 UN
2014-003425	75 MM	4000	50 UN
2014-003426	75 MM	5000	50 UN
2014-005070	130 MM x 170 MM	2000	25 UN
2014-005071	130 MM x 170 MM	2500	25 UN
2014-005072	130 MM x 170 MM	3000	25 UN
2014-005073	130 MM x 170 MM	4000	25 UN
2014-005074	130 MM x 170 MM	5000	25 UN





Aluminium oxide discs for surface preparation. This compound increases the performance stability compared to other discs and improves the preparation and fineness of surface finishing. The system is easier and quicker to change between grits.

Use: drill or pneumatic tool.

REFERENCE	COLOUR	DESCRIPTION	вох
2013-001170	BROWN	COARSE	25 UN
2013-001171	RED	MEDIUM	25 UN
2013-001172	BLUE	FINE	25 UN
2013-001173	GREY	EXTRAFINE	25 UN
2013-001174	ALUMINIUM	ADAPTATOR	1 UN (1)
2013-001175	-	ADAPTATOR ROD 30 MM	1 UN (2)

1) 2013-001174

DISC ADAPTATOR

TOOLS & ACCESORIES



2) 2013-001175

ROD ADAPTATOR 30 MM

TOOLS & ACCESORIES








Sanding Discs ZC, composed of Zirconia and Corundum, a material with excellent cutting perfoarmance, flexibility and noise reduction.

Car Repair System Sanding Discs ZC, for rectification, provide an even finish, low vibration and long life.

ZC discs are available in two different abrasion grades, 36 and 60, with a size of 50mm, for use on any surface.

Diameter: 50 mm.

REFERENCE	COLOUR	GRAIN	вох
2013-001180	BLUE	P36	50 UN
2013-001181	BLUE	P60	50 UN





F1 GOLD LINE FOAM SANDPAPER

Roll of sandpaper on foam backing. Especially suitable in work of sanding or nuanced hand where you need a high homogeneity. The foam provides the operator a better grip and improves comfort during operation.

REFERENCE	SIZE	GRAIN	вох
2007-007085	115 MM X 25 M	P240	1 UN
2007-001290	115 MM X 25 M	P320	1 UN
2007-001300	115 MM X 25 M	P400	1 UN
2007-001310	115 MM X 25 M	P500	1 UN
2007-006014	115 MM X 25 M	P600	1 UN
2007-001320	115 MM X 25 M	P800	1 UN





Roll of sandpaper for dry-sanding.

REFERENCE	SIZE	GRAIN	вох
2014-006159	115 MM X 25 M	P40	1 UN
2014-006154	115 MM X 25 M	P60	1 UN
2014-006155	115 MM X 25 M	P80	1 UN
2014-006156	115 MM X 25 M	P120	1 UN
2014-006158	115 MM X 25 M	P240	1 UN







Abrasive sponge for sanding of hard-to-reach areas.

REFERENCE	SIZE	GRAIN	BOX
2007-001200	115 MM X 140 MM	FINE	100 UN
2007-001210	115 MM X 140 MM	SUPERFINE	100 UN
2007-001220	115 MM X 140 MM	MICROFINE	100 UN
2007-001240	115 MM X 140 MM	ULTRAFINE	100 UN

19



Very flexible abrasive sponge allowing the sanding on any working area, even on the most difficult ones. Two sides, both recovered by an abrasive surface.

Fine and perfect finishing.

REFERENCE	COLOUR	SIZE	GRAIN	BOX
2007-001249	BROWN	100 MM X 120 MM	FINE	50 UN
2007-001250	GREEN	100 MM X 120 MM	SUPERFINE	50 UN
2007-001248	BLUE	100 MM X 120 MM	SUPERFINE	50 UN
2007-001251	VIOLET	100 MM X 120 MM	MICROFINE	50 UN



High quality abrasive sponges with different grains.

Due to its composition, it is extremely resistant, which means a longer operating life of the abrasive.

It is washable and reusable. Can be used on any type of surface with wet and dry cloths.

REFERENCE	COLOUR	SIZE	GRAIN	BOX
2007-001345	BLACK	100 MM X 120 MM	MEDIUM	50 UN
2007-001346	BLUE	100 MM X 120 MM	FINE	50 UN
2007-001347	GREEN	100 MM X 120 MM	SUPERFINE	50 UN
2007-001348	VIOLET	100 MM X 120 MM	MICROFINE	50 UN



Synthetic felt for use with water or dry. Ideal for shading.

Available in sheet, disc and roll.

 REFERENCE
 COLOUR
 SIZE
 GRAIN
 BOX

 2007-001090
 RED
 150 MM x 250 MM
 VERY FINE
 10 UN

 2007-001080
 GREY
 150 MM x 250 MM
 ULTRA FINE
 10 UN



Synthetic felt for use with water or dry. Ideal for shading.

Available in sheet, disc and roll.


 REFERENCE
 COLOUR
 SIZE
 GRAIN
 BOX

 2007-001125
 RED
 115 MM X 10 M
 VERY FINE
 1 UN


 2007-001120
 GREY
 115 MM X 10 M
 ULTRA FINE
 1 UN




70 MM X 420 MM




70 MM X 198 MM



70 MM X 230 MM



70 MM X 125 MM






ABRASIVE SHEET F1 GOLD LINE

High quality, high performance, flexible abrasive strip.

- · Velcro system.
- Abrasive: artificial corundum.
- Bond: polymerised phenolic resin.
- Bond additive: calcium carbonate.
- Grits available: from P80 to P320.

REFERENCE	SIZE	HOLES	GRAIN	вох
2014-006060	70 MM X 420 MM	14	P80	100 UN
2014-006061	70 MM X 420 MM	14	P120	100 UN
2014-006062	70 MM X 420 MM	14	P150	100 UN
2014-006063	70 MM X 420 MM	14	P180	100 UN
2014-006064	70 MM X 420 MM	14	P220	100 UN
2014-010320	70 MM X 420 MM	14	P320	100 UN
2014-006070	70 MM X 198 MM	8	P80	100 UN
2014-006071	70 MM X 198 MM	8	P120	100 UN
2014-006072	70 MM X 198 MM	8	P150	100 UN
2014-006073	70 MM X 198 MM	8	P180	100 UN
2014-006074	70 MM X 198 MM	8	P220	100 UN
2014-020320	70 MM X 198 MM	8	P320	100 UN
2014-006065	70 MM X 125 MM	8	P80	100 UN
2014-006066	70 MM X 125 MM	8	P120	100 UN
2014-006067	70 MM X 125 MM	8	P150	100 UN
2014-006068	70 MM X 125 MM	8	P180	100 UN
2014-006080	115 MM X 230 MM	10	P80	100 UN
2014-006081	115 MM X 230 MM	10	P120	100 UN
2014-006082	115 MM X 230 MM	10	P150	100 UN
2014-006083	115 MM X 230 MM	10	P180	100 UN
2014-006084	115 MM X 230 MM	10	P220	100 UN
2014-030320	115 MM X 230 MM	10	P320	100 UN





STARFILM

Flexible adhesive films with high abrasive power designed for faster and more uniform dry cutting of paint defects, dust specks, sagging, etc.

- Faster cutting speed.
- Easy and efficient.
- Very homogeneous cutting.

REFERENCE	SIZE	GRAIN	вох
2014-004060	32 MM x 26 MM	800	25 UN
2014-004061	32 MM x 26 MM	1000	25 UN
2014-004062	32 MM x 26 MM	1200	25 UN
2014-004063	32 MM x 26 MM	1500	25 UN
2014-004064	32 MM x 26 MM	2000	25 UN
2014-004065	32 MM x 26 MM	2500	25 UN
2014-004066	32 MM x 26 MM	3000	25 UN

23



ADHESIVE REMOVAL RUBBER DISC STANDARD

Rubber disk for removing adhesives and moulding residues without scratching nor damaging paint work.

Diameter: 10 cm.

REFERENCE BOX 2013-001111 6 UN



ADHESIVE REMOVAL RUBBER DISC VENTILATED

Rubber disk for removing adhesives and moulding residues without scratching nor damaging paint work.

The fan system makes work easier and cleaner.

Diameter: 10 cm.

REFERENCE BOX 2013-001114 1 UN



ADAPTER FOR REMOVAL DISCS

Handy adapter for placing decal or adhesive removal discs.

REFERENCE BOX 2013-001113 1 UN







STRIPPING GEL

Stripping gel to remove paints, primers, putties and powder coatings.

Available in 1kg and 5kg.

 REFERENCE
 CAPACITY
 BOX

 5015-000001
 TIN 1 KG
 12 UN

 5015-000002
 CYLINDER 5 KG
 3 UN









TOOLS & ACCESSORIES

Tools & Accessories brings together in a single family all the accessories you will need to complement the products in the rest of the catalogue, as well as essential bodywork tools such as polishers, sanders and spray guns for car refinishing.





CARTRIDGE DISPENSER

Cartridge dispenser for the following fillers:

- Fill Multisoft: Dispenser for 3 KG cartridges.
- Fill Multilight plus: Dispenser for 1100 ML cartridges.

 REFERENCE
 DESCRIPTION
 BOX

 5001-001080
 DISPENSER 3 KG
 1 UN (1)

 5001-006109
 DISPENSER 1100 ML
 1 UN (2)

1 5001-001078 FILL MULTISOFT 3K



2 5001-006108 FILL MULTILIGHT PLUS 1100 ML FILLING REPAI ?







WHITE RUBBER SPATULAS

Flexible rubber spatula used for applying filler on curved surfaces.

It adapts to the shape making for an even spread. Resistant to cleaning solvents.

REFERENCE SIZE BOX 2004-001540 100 MM 24 UN

SET OF 10 PLASTIC SPATULAS

Set of 10 hard plastic spatulas for filler application. Best used for the application of adhesives and stickers.

REFERENCE SIZE BOX 2004-001621 5 X 100 MM 10 UN





CATALYST FOR POLYESTER FILLERS

Benzoyl peroxide-based drying agent for catalysing polyester putties and resins 1-3 %.

REFERENCE COLOUR CAPACITY BOX 5001-001071 WHITE 50 GR 1 UN





SPATULA CLEANER

Bodyworker's spatula cleaning container designed to ensure fast and effective cleaning. Compatible with all cleaning solvents.

The spatulas are cleaned by passing through the inner fibre immersed in solvent, leaving them completely free of residues.

REFERENCE DESCRIPTION BOX 2004-001700 CONTAINER 2 UN



STAR BRITE PARA SPATULA CLEANER

Compacted polyester fibre for cleaning spatulas with solvent. Ideal for shading.

REFERENCE DESCRIPTION BOX 2004-001701 STAR BRITE 5 UN





Manual gun for the application of cartridges, sealant bags and window adhesives.

For cartridges up to 590 ml.

- · Material: Aluminum.
- Weighs: 670g.
- Apply Sausage Pack Material.
- 15 Inches For 590ML Sausage.
- Zinc Coated Smooth Rod.
- Big Ladder Hook.
- Aluminum Handle+Plastic cap.

REFERENCE BOX 1010-007523 1 UN



SPRAY GUN CRS 2000

Pneumatic gun for the application of sprayable body sealers. Easy to use and graduate to reproduce original stops.

REFERENCE BOX 1010-007529 1 UN





Multi-function pneumatic spray gun for the application of bodywork sealants.

Easy to use and graduate to reproduce original patterns. For cartridges and bags up to 320ml.

- Mode of operation: pneumatic on 60mm piston/ push rod.
- Pressure regulating unitwith pressure relief valve.
- Front cap made of plastic with coarse thread.
- Especially suitable for high viscosity sealants and adhesives.

REFERENCE BOX 1010-007530 1 UN



ADJUSTABLE PNEUMATIC GUN

9" pneumatic sealing gun, suitable for professional use.

The pneumatic gun is a lightweight gun with a safety valve to expel the air as soon as the trigger is released.

It is highly recommended for bonding, sealing and beading applications on bodywork, as well as PU sealants and glass adhesives.

REFERENCE BOX 1010-007531 1 UN



AUTO WINDSHIELD REMOVER TOOL

Suitable for all automotive brands.

Steel cable puller (aluminium) facilitates clean and precise work without scratching glass or bodywork.

Cuts the adhesive caulking compound (window glue) around the windows with a specially designed hardened steel blade.

REFERENCE BOX 2004-004041 1 UN



AUTO WINDSHIELD REMOVER TOOL 3PCS

This tool includes:

- 2 stainless steel grips with sturdy T-handle grip.
- 22 x 0.6mm x 0.6mm square stainless steel windshield wire.

The wire is designed with extremely sharp edges that make it possible to easily cut the cord of the glass glue.

 REFERENCE
 DESCRIPTION
 BOX

 2004-004042
 TOOL 3PCS
 3 PCS

 2004-004043
 COUT-OUT WIRE
 1 UN



TRIPLE STRAND BRAIDED WINDSHIELD CUT-OUT WIRE

Braided design quickly slices through urethane and silicone windshield adhesives.

Each braided helix acts like a cutting saw tooth.

72 feet * 0.015inch (22m * 0.4mm) of wire per hank. Copper Clad Steel Wire.

REFERENCE SIZE BOX 2004-004044 22 M X 0,4 MM 1 UN



LOCKING LEVER SUCTION LIFTERS

- Material: ABS plastic handle.
- · Length: 118 mm.
- Type: suction cups 4-1/2" diameter. The articulated suction cups adapt to all curved surfaces of car windscreens.
- Weight capacity: 22 Kg.

REFERENCE SIZE BOX 2004-004045 118 MM 1 UN



QUICK GLUE

Adhesive spray to be used on fabric, felt, tapestry, rubber, plastic, vinyl, polystyrene foam, cardboard, paper as well as on carpets and rugs.

REFERENCE CAPACITY BOX 5011-001077 400 ML 12 UN



CLEANING CLOTH

Cleaning and degreasing wipe.

REFERENCE BOX 2003-002400 12 UN



COTTON SWAB

Cotton swab for applying *Quick Primer Glass* and *Activ Glass*.

REFERENCE BOX 2004-001160 100 UN



DOUBLE NYLON BRUSH

Hard nylon fibre brush especially designed for applying watertightness sealers and permitting to obtain a new perfect finish.

REFERENCE BOX 2004-004030 12 UN



TRIPLE BRUSH

Triple brush N14/30MM.

REFERENCE BOX 2004-004031 12 UN



MIXER 50 ML BLUE

The Roller for the application of Seam Sealer Tape allows the cord to be fixed and adapted to the contour of the plate, ensuring its correct installation.

REFERENCE DESCRIPTION BOX SEAM SEALER TAPE ROLLER 2008-056296 SEAM SEALER BEVELLED TAPE 1UN **ROLLER**

Dynamic tip to be used with Quick Mix. For 50 ml cartridge.

It reduces the consumption of residual product.

REFERENCE BOX 5006-001097 12 UN





MIXER QUICK MIX MULTIFIX

Mixers for Quick Mix Multifix cyanoacrylate adhesive.

REFERENCE BOX 5006-001095 10 UN



MIXER METAL BONDING 220ML

Mixers for *Quick Metal Bonding* two-component adhesive.

REFERENCE BOX 5006-006030 10 UN

PROTECT REPAIR TOOLS





STONE CHIP GUN GODZILLA

Spray gun designed for the application of stone chip, as well as, underbody protection with cans of 1 litre capacity.

Its mode of operation is based on negative pressure. The spraying compound is sucked in and sprayed out through the nozzle by the air flow, making full use of its contents.

Our new spray gun is ideal for use with our Godzilla Kit.

REFERENCE BOX 1009-007525 1UN

REFERENCE BOX 1009-007522 1 UN





DISPOSABLE LIDS FOR STONE CHIP GUN

Disposable caps for QS 2K stone chip gun.

For 500 ml and 1000 ml.

 REFERENCE
 DESCRIPTION
 BOX

 1009-003090
 LID FOR 500 ML
 12 UN

 1009-007521
 LID FOR 1000 ML
 12 UN



QUICK MIX PLUS GUN 50 ML

The Quick Mix Plus 50ML gun is a new generation cartridge applicator; an affordable and durable tool.

- · High strength and durability.
- · Ergonomic grip.
- Suitable for all 50ml cartridges.
- High power for easy adhesive removal.
- 1:1 and 2:1 ratio.





SP WELDING

Welding machine for plastic. Can fix any piece of car or motorbike bodywork (bumpers, aisles, headlights, footrests, grills, dashboards, mouldings, wheel arches, etc.) Easily and rapidly fixes, strengthens or redesigns any of these elements.

You can fix without dismantling. Reduces work time and material costs.

There are 9 compatible shapes of stainless staples, 3 intensities and 3 repair angles, which allow for access to any damaged area, even ones in hard-to-reach areas. Includes:

- SP WELDING Controller and rod.
- 100 pcs Staples SPW16 (Standard fine).
- 100 pcs Staples SPW18 (Standard coarse).
- 100 UN Staples SPW26 (Fine Reinforcement).
- 200 UN Staples SPW28 (Thick Reinforcement).
- 10 UN Staples SPW38 (Internal Angles).
- · Diagonal cutter.
- · Storage box.

REFERENCE BOX

1016-010001 1 UN

BOX

100 UN

25 UN

STAPLES SPW

Staples SPW16 (Standard fine)

Staples SPW18 (Standard coarse)

Staples SPW38 (Internal angles)

Staples SPW47 (External angles)

Staples SPW58 (for reconstruction)

Staples SPW68 (Double int. angle)

Staples SPW78 (Double ext. angle)


Staples SPW100 (Adaptable)

Staples SPW99 (Adaptable)

Staples SPW26 (Fine reinforcement)

Staples SPW28 (Coarse reinforcement) 100 UN

DESCRIPTION



SPW16



SPW18



SPW26



SPW28





SPW47



SPW99



SPW58







SPW68



SPW100





ADHESIVE FIBRE

Adhesive fibre roll to reinforce during repairs.

REFERENCE SIZE BOX 5006-001085 45 M X 48 MM 10 UN





COATING THICKNESS GAUGE

A portable coating thickness gauge with a high definition colour display that can quickly, non-destructively and accurately measure the thickness of any type of coating on metal surfaces.

REFERENCE BOX 2004-001650 1 UN





DUST REMOVAL NEEDLES KIT 10 NEEDLES + PEN

Stand-alone, flexible steel needles with a microscopic tip for removing dust particles, hairs, insects or other objects that might stick to fresh paint.

Kit of 10 needles + Pen

REFERENCE BOX 2004-001770 1 UN



REPLACEMENT 10 DUST REMOVAL NEEDLES

Stand-alone, flexible steel needles with a microscopic tip for removing dust particles, hairs, insects or other objects that might stick to fresh paint.

REFERENCE DESCRIPTION BOX 2004-000080 REPLACEMENT 1UN

23



POCKET AIR BLOW PEN

Pocket blower pen for very precise air pressure control. It has a clip that allows it to be carried safely in the pocket.

The air blowing can be adjusted by turning it.

REFERENCE BOX 2004-001082 1 UN



LID FOR MIXING MACHINE 3.5 L

Mixing cap and shaker for 3.5L containers for all types of coatings, paints, resins, fillers, etc.

They facilitate mixing sediment and deposits in the products, for a better, easier and more comfortable way of dispensing paints and fillers.

REFERENCE BOX 2004-000070 1UN





CRS-PRO 2017 GUN HVLP **AND PROJECTION KIT**

Professional gravity guns with painting technology M.P. (medium pressure) and HVLP for any base application or ended, that combines the conventional atomization and system H.V.L.P. Ergonomically designed free of joints of rubber, anodized finish, and aluminum chassis. Peak and needle in stainless steel.

- Air consumption: 400 l/m.
- Working pressure: 2.0 bar / 29 PSI.
- Air entry: 1/4.
- · Deposit capacity: 600 ml
- Transfer rate: 200-400 mm.
- · Opening width: 1.3 mm.

REFERENCE	DESCRIPTION	PEAK	вох
1001-000001	HVLP GUN	1.3 MM	1 UN
1002-000002	CUP PVC 600 ML	-	1 UN
1002-000004	PROJECTION KIT HVLP	1.2 MM	1 UN
1002-000005	PROJECTION KIT HVLP	1.3 MM	1 UN
1002-000012	MAINTENANCE KIT	1.3 MM	1 UN
	MP/HVLP		



CRS-PRO 2017 GUN MP **AND PROJECTION KIT**

Professional gravity guns with painting technology M.P. (medium pressure).

Ergonomically designed free of joints of rubber, anodized finish, and aluminum chassis. Peak and needle in stainless steel.

- Air consumption: 300 l/m.
- Working pressure: 2.5 bar / 36 PSI.
- Air entry: 1/4.
- Deposit capacity: 600 ml
- Transfer rate: 240-280 mm.
- Opening width: 1.3 mm.

REFERENCE	DESCRIPTION	PEAK	BOX
1001-000002	MP GUN	1.3 MM	1UN
1002-000002	CUP PVC 600 ML	-	1 UN
1002-00006	PROJECTION KIT MP	1.2 MM	1 UN
1002-000007	PROJECTION KIT MP	1.3 MM	1 UN
1002-000012	MAINTENANCE KIT	1.3 MM	1UN
	MP/HVLP		



25





CRS-PRO MP 1.7 GUN FOR FILLER

Professional gravity spray guns with MP (medium pressure) and HVLP spraying technology to cover any base or finish application. Combines the conventional atomization with the HVLP system. Ergonomic design, free of rubber seals, anodised finish and aluminium chassis. Fluid tips and needles in stainless steel.

- Air consumption: 300 l/m.
- Working pressure: 2.5 bar / 36 PSI.
- Air entry: 1/4.
- Deposit capacity: 600 ml
- Transfer rate: 240-280 mm.
- Opening width: Filler: 1.7mm; Polyester filling: 2.5mm

REFERENCE	DESCRIPTION	PEAK	вох
1001-000003	MP GUN	1.7 MM	1 UN
1002-000002	CUP PVC 600 ML	-	1 UN
1002-000008	PROJECTION KIT MP	1.7 MM	1 UN
1002-00011	PRO IECTION KIT MP	2.5 MM	1 I I I



TOUCH GUN CRS-PRO MINI 2017 1.0

Mini gravity spray gun for small painting areas or smart repair.

MP technology.

- Air consumption: 200 l/m.
- Working pressure: 1.5 bar.
- Air entry: 1/4.
- Deposit capacity: 100 ml.
- Transfer rate: 140-180 mm.
- Opening width: 1.0 mm.

REFERENCE	DESCRIPTION	PEAK	ВОХ
1001-000004	GUN	1.3 MM	1 UN
1002-000003	CUP PVC 300 ML	-	1 UN
1002-000001	CUP PVC 100 ML	-	1 UN
1002-000009	PROJECTION KIT	0.8 MM	1 UN
1002-000010	PROJECTION KIT	1.0 MM	1 UN
1002-000015	MAINTENANCE KIT	1.0 MM	1 UN



CRS AIR REGULATOR

Analog air pressure regulator for painting guns.

Includes a new pressure indicating manometer more compact and resistant, as well as a forged aluminum body. Its new fixing system enables to fix the regulator to the gun without the need of any tools.

REFERENCE BOX 1002-007102 1 UN



MAGNETIC GUN BRACKET

Magnetic bracket for two gravity guns.

Provides a reliable fix on metals.

REFERENCE BOX 2004-003000 1UN





AIR HOSE

The Air Hose consists of antistatic rubber, nozzle and safety coupling, for supplying air from spray guns and compressed air driven tools.

Features:

- Size: 9 x 16 mm.
- Lenght: 12,5 m.
- Max. air pressure: 12 bar.
- · Inner tube: black EPDM.
- Outer tube: blue EPDM

REFERENCE BOX 1002-000030 1 UN



LED FOR SPRAY GUN 12W 6000K

Our LED for spray gun is lightweight, durable, and is built from chemical-resistant and chemical-proof components. Equiped with a short-circuit, discharge and overcharge protection technology. The LED comes with a rechargeable 1000 mAh battery.

- Rechargeable battery type PP3 Li-ion 9V 1000 mAH.
- C-connection usb DC 5V 1A.
- Analogue on/off switch.
- Painted PA12 nylon.
- Flexible polycarbonate protection glass.
- 2 magnets.

REFERENCE BOX 1002-000031 1 UN





ANTIDRIP PVC CUP

CRS gravity cup for spray gun.

REFERENCE SIZE BOX 1 UN 1002-000002 600 ML 1002-000003 300 ML 1 UN 1002-000001 100 ML 1UN



MAINTENANCE KIT CRS GUN (MP/HVLP)

Maintenance Kit for CRS MP/HVLP Gun and CRS mini gun.

REFERENCE	DESCRIPTION	вох
1002-000012	CRS GUN (MP/HVLP)	1 UN
1002-00015	CRS GUN MINI	1 UN



PROJECTION KIT CRS

Projection Kit for CRS MP/HVLP Gun and CRS mini gun.

REFERENCE	DESCRIPTION	BOX
1002-000004	PROJECTION KIT CRS HVLP 1.2	1 UN
1002-000005	PROJECTION KIT CRS HVLP 1.3	1UN
1002-000006	PROJECTION KIT CRS MP 1.2	1 UN
1002-000007	PROJECTION KIT CRS MP 1.3	1 UN
1002-000008	PROJECTION KIT CRS MP 1.7	1 UN
1002-000011	PROJECTION KIT CRS MP 2.5	1UN
1002-000009	PROJECTION KIT CRS MINI 0.8 MM	1UN
1002-000010	PROJECTION KIT CRS MINI 1.0 MM	1 UN





SPRAY GUN CLEANER KIT

Gun cleaner set made of different-sized brushes.

REFERENCE BOX 2004-003020 5 UN



SPRAY GUN CLEANER

Water-based soap for cleaning guns, application equipment and water-based clear coats.

Spray directly on paint residue, even dry ones, the soap will dissolve them easily without damaging the equipment.

REFERENCE DESCRIPTION BOX 5012-001000 CYLINDER 25 L 1 UN 5012-001001 CYLINDER 5 L 4 UN

31





CRS-BG1 AIR GUN

Drying gun with abundant air flow and acute blowing precision.

Includes a plastic tip to protect bodywork while blowing.

REFERENCE BOX 1008-007109 1 UN



DUSTER CRS-2012 AIR GUN

Complete blow gun.

REFERENCE BOX 1008-007518 1 UN



HIGH VOLUME AIR GUN

High volume blow gun.

REFERENCE BOX 1008-007550 1 UN



VENTURI AIR GUN

Venturi air gun for drying of water-borne paints.

The channeling of the compressed air creates turbulence (Venturi) that directly impacts the surface to dry, reducing significantly waiting times.

REFERENCE BOX 1011-001185 1 UN



MICROBRUSH REGULAR BLUE

Disposable brushes with a flexible tip for precision retouching work.

Securely capped to guarantee hygiene.

Dispenser of 100 units.

REFERENCE DESCRIPTION BOX
1008-002000 BRUSHES WITH DISPENSER 100 UN



PAINT SAMPLE PLATE

105 mm x 150 mm metal plates with black intermediate band for paint samples.

Available in three colours.

REFERENCE COLOUR BOX 2004-001690 WHITE 50 UN 2004-001670 DARK GREY 50 UN 2004-001680 LIGHT GREY 50 UN



OX-EAR HAIR PAINT BRUSHES

Paint brushes for retouching.

Available in different sizes.

REFERENCE DESCRIPTION BOX PAINT BRUSH N°0 12 UN 2004-004040 2004-004050 PAINT BRUSH N°1 12 UN 2004-004060 PAINT BRUSH N°2 12 UN 2004-004070 PAINT BRUSH N°4 12 UN 2004-004080 PAINT BRUSH N°6 12 UN 2004-004090 PAINT BRUSH N°8 12 UN 2004-005000 PAINT BRUSH N°10 2004-005010 PAINT BRUSH N°12 2004-005020 PAINT BRUSH N°14 12 UN



CRS MIX BUCKET DISPENSER

Dispenser for CRS mixing cups. For the following measurements:

- 290/385 ml cup dispenser.
- 750 ml cup dispenser.
- 1400 ml cup dispenser.
- 2300 ml cup dispenser.

REFERENCE DESCRIPTION BOX 2012-001400 DISPENSER 1 UN



MINI BOTTLE FOR PAINT SAMPLE 60 ML

Bottle for paint samples: 60 ml.

Box of 50 units.

REFERENCE DESCRIPTION BOX
2004-007025 BOTTLE WITH PAINT BRUSH 50 UN



POT FOR PAINT SAMPLES 20 ML

Kit composed of:

- 100 bottles with lid, brush and mixing ball.
- 1 funnel to fill.
- 100 adhesive labels
- 100 accessories to remove excess paint.

REFERENCE DESCRIPTION BOX
2004-007026 POT+FUNNEL 100 UN







UNIVERSAL SUCTION FILTER

GRAVITY FILTER

METAL SUCTION FILTER

Filter for universal suction gun.

Filter for paint gravity gun.

Metallic suction filter.

REFERENCE DESCRIPTION BOX 2006-001040 MEDIUM FILTER 12 UN

REFERENCE BOX 2006-001050 12 UN

REFERENCE BOX 2006-002290 12 UN



ELECTRIC POLISHER SPC 7102

Rotative polisher for professional use for works of polishing and buering in body workshops, washing and polishing, industry, etc. Ergonomic design and light weight. Includes a plate and a travel bag. Valid for SPC 7102 – SPC 7121.

- · Voltage: 220/240.
- Power: 1150 W.
- Frequency: 50 Hz.
- Speed: 1000-3500 -r.p.m.
- · Weight: 2.2 KG.
- Axis: M14.
- Lenght: 6 m.
- · Accessories: Sided handle.

REFERENCE BOX 1014-005002 1 UN



ELECTRIC ROTATING ORBITAL POLISHER SPC 7121

Random orbital polisher for professional use with 150 mm plate and 21 mm orbit. Low vibrations technology that reduces the physical work of the operator. Ideal for polishing works that require an important roughing and for buering process to avoid holograms. Includes a plate and a travel bag. Valid for SPC 7102 - SPC 7121.

- · Voltage: 220/240.
- · Power: 1150 W.
- Speed: 1000-3500 -r.p.m.
- · Weight: 2.5 KG.
- Orbit: 21 mm.
- · Accessories: Sided handle, plate 150 mm

REFERENCE BOX 1014-005006 1 UN









ELECTRIC ROTARY POLISHER EPR 8194

The EPR 8194 electric polisher is specially built for demanding professional automotive polishing jobs.

It has a motor stabilizer to provide a smooth and constant rotation. In addition, it incorporates a locking system for easy change of the back plate.

- Backing plate: 6".
- Input power: 1050W-1500W.
- Foam pad: 7".
- Speed: 700-2500/min.
- Gear system: Double reduction.
- · Weight: 2.2 KG.
- Axis: M14.
- Accessories: 6" back plate, fixed spanner, spare carbon brush, side handle.

REFERENCE BOX 1014-005050 1 UN



ELECTRIC ROTARY POLISHER EPRO 8121

The EPRO 8121 is a roto-orbital electric polisher, designed for precisa, comfortable and demanding polishing. Especially suitable for precision work, dark colours and removing optical marks and holograms.

It is equipped with a multi-hole plate to keep the temperature of the foam pad low and, thus, reduce expansion in the polishing area and prevent further wear of the pad.

EPRO 8121 is equipped with a carbon brush motor and a speed stabiliser, which provides a constant speed output.

- Backing plate: 6".
- Input power: 500W-750W.
- Foam pad: 7".
- Speed: 2500-4500/min.
- · Gear system: Double reduction.
- · Weight: 2.6 KG.
- Axis: M8.
- · Orbit: 21 mm.
- Accessories: Fixed spanner, spare carbon brush, side handle, foam pad 7" x 2.

REFERENCE BOX 1014-005080 1 UN









POLISHER BPC 7121

The polisher BPC 7121 is a cordless machine, it is designed and built for Lithium battery, professionally manufactured. 5.0 Ah battery not included.

- Voltage: 18 VDC.
- Backing plate: 3" / 5" / 6".
- Foam pad: 4"/6"/7".
- Unloaded speed: 2000-5000 OPM.
- Weight: 1,83-2,14 KG.
- Orbit: 12 mm/ 15mm / 21 mm.
- Recommended temperature: +4 °C a +40 °C.
- Accessories: Back plate.

REFERENCE BOX 1014-006021 1 UN



POLISHER BPC 7102

The BPC 7102 rotary cordless polisher is professionally designed and manufactured for polishing work in the automotive and industrial sectors.

5.0 Ah battery not included

- Voltage: 18 VDC.
- Backing plate: 5" / 6".
- Foam pad: 6" / 7".
- Unloaded speed: 700-1500 OPM.
- Weight: 1,70-1,73 KG.
- Gear system: Double reduction.
- Axis: M14.
- Recommended temperature: +4 °C a +40 °C.
- Accessories: 5" back plate, side handle.

REFERENCE BOX 1014-006040 1 UN



39





POLISHER BPC 6012

The BPC 6012 polisher is a lightweight, ergonomic and easy to handle battery-powered rotatory polisher. Its design allows it to work comfortably in all areas of the vehicle with less operator fatigue and saturation.

Particularly effective due to its light size, especially in polishing work in limited or small areas.

2.5 Ah battery not included.

- Backing plate: Max. 123 mm (5").
- Foam pad: Max. 150 mm (6").
- Weight: 1,60 KG.
- Unloaded speed: 500-1800 OPM.
- Tension: 18VDC.
- Axis: M14.
- Accessories: 5" back plate, side handle.

REFERENCE BOX 1014-006060 1 UN







RECHARGEABLE BATTERIES FOR BPC POLISHERS


Battery charging system for BPC cordless polishing machines. Dual charging for 100-240 VAC 18VDC 6.5Amp lithium batteries.

The charger is equipped with unique digital communication to optimise the charging and discharging process for optimum power tool performance.

Full charging time: 60 min.

REFERENCE	DESCRIPTION	BOX
1014-006010	DUAL-CHANNEL RAPID CHARGER	1UN
1014-006011	LI-ION BATTERY PACK 18VDC, 5.0 Ah	1 UN
1014-006012	LI-ION BATTERY PACK 18VDC, 2.5 Ah	1UN





WALL MOUNTED POLISHER STAND

Support and stand for CRS polishing machines, with an elegant and modern design, for the organization and better arrangement of your CRS polishers in your workshop.

The stand can organise up to 6 polishers.

REFERENCE SIZE BOX 1014-005030 450 X 900 MM 1 UN



CRS POLISHER WALL MOUNT STAND

Support for CRS polishing machines, with an elegant and modern design, for the organization and better arrangement of your CRS polishers in your workshop.

REFERENCE DESCRIPTION BOX 1014-005031 SUPPORT 1 UN



DECONTAMINANT DISC

Ergonomic clay-based decontamination disc for removing all types of overspray from bodywork paintwork. Easily removes roughness, external sprayed and chemical impregnations, tree resins and others. Easy to apply with Velcro and foam base for better adaptation to the geometry of the bodywork.

Apply by orbital sander or also by hand.

It is necessary to apply *Easy sanding* lubricant for better lubrication, performance and effectiveness.

REFERENCE	COLOUR	GRAIN	SIZE	ВО
2004-001080	BLUE	MEDIUM	150 MM	1UI
2004-001081	GREEN	HARD	150 MM	1 U



HYDRA FLEXI BLADE

Specific tool for drying all types of surfaces. Save time in auto drying thanks to its flexible double-lip silicone blade that adapts to any surface.

REFERENCE BOX 2004-002670 1UN





EASY SANDING

Lubricating spray to be used with water-based, manual or power abrasives as well as with spray removal abrasive rubbers.

When used with finish sandpapers like Skylon, it reduces temperature during sanding, therefore, increasing output and improving finish.

 REFERENCE
 DESCRIPTION
 BOX

 2007-001150
 CYLINDER 5 L
 6 UN

 2007-002520
 SPRAYER 1 L
 12 UN



MINI SANDING BLOCK

Mini sanding block of 35-mm diameter for adhesive discs or Velcro discs.

REFERENCE SIZE BOX 2007-002190 35 MM 5 UN



ABRASIVE RUBBER

Abrasive rubber for removing paint spray, metal dust, from painted surfaces without damage. Provided in a 385 ml mixing cup with its lid.

- Blue: fine grain.
- Pink: medium grain.

REFERENCE COLOUR BOX 2007-055330 BLUE 3 UN 2007-055340 PINK 3 UN



CRS DECONTAMINATION MITT

One side, microfiber mitt and the other side, rubber mitt coated with high technology polymer for eliminating contaminants during the car wash.

Suitable for eliminating contaminants before painting, polishing or waxing.

REFERENCE BOX 8010-000001 1 UN



ADAPTOR 5/8"-11 (M14) FOR DOUBLE SIDE WOOL PADS

Adaptor for double-sided berets M14.

REFERENCE BOX 2004-007073 1 UN





Cleaning brush for polishing sponges and polishing wool. Removes excess polishing residue build-up.

REFERENCE BOX 2004-002671 1UN



TOOLS AND UTENSILS BAG

Bag for storage and transport of polishing tools and utensils, such as polishers, polishing plates, polishing caps or accessories.

Available in two sizes: small and large.

 REFERENCE
 DESCRIPTION
 SIZE
 BOX

 2004-007075
 SMALL
 41,5 x 23,5 x 31 CM
 1 UN

 2004-007076
 LARGE
 47,5 x 27,5 x 33 CM
 1 UN



PAINT RUN REMOVER

Entirely redesigned blade made of a special material, used to cut off and remove drops, runs and specks from painted surfaces.

REFERENCE BOX 2004-085840 1 UN



Polishing tool kit with flexible shaft and multiple accessories, designed for polishing details in polishing processes with a high possibility of access to difficult areas of the bodywork, e.g. door and interior.

Accessories: Foam pads, wool pads and cones.

Recommended for rotary polishers.

REFERENCE	DESCRIPTION	вох
1014-006065	EXTENDABLE MICRO POLISHING KIT	1 UN
1014-006066	YELLOW MEDIUM CUT CONE	1 UN
1014-006067	RED ULTRA FINE CUT CONE	1 UN
1014-006068	APPLICATOR KIT 27 MM	1 UN
1014-006069	APPLICATOR KIT 17 MM	1 UN
1014-006063	MEDIUM POLISHING YELLOW BALL 3MM	5 UN
1014-006064	ULTRA THIN POLISHING CONE RED 3MM	5 UN



KIT OF 3 EXTENSIONS FOR POLISHERS

Kit of 3 extensions made of metal equipped with M14 male and female threads.

Extensions of 50, 80 and 120 mm long.

Ideal for reaching difficult access areas such as spoilers, rear-view mirrors, optical parts of the headlamp.

Compatible with any diameter of plate equipped with a M14 metric.

BOX REFERENCE 2004-000005 1UN





ROTO-ORBITAL ELECTRIC SANDER

The Roto-orbital Electric Sander offers a state-of-the-art technology thanks to the brushless motor, featuring an ergonomic design with a weight of approximately 1.3kg.

These sanders are very easy to use and have 6 adjustable speeds with a maximum speed of up to 10,000 rpm. Diameter of 150MM with orbit 5.0 or 2.5.

Our Sanders are designed for efficient, comfortable and lightweight sanding. They are equipped with a brushless motor that maintains a constant speed even during heavy-duty work.

- Input power: 350/400 W.
- Pad size: 150 mm (6").
- Speed: 4000-10.000 r.p.m.
- Weight: 1.3 kg.
- · Accessories: Hex key.
- Power cord: 5 m.

REFERENCE	ÓRBITA	ВО
1014-000040	5 MM	1 UI
1014-000085	2.5 MM	1 UI







SANDER BSO 4103

Mini cordless battery sander machine, including 31mm velcro pad and 31mm PSA pad.

It is a very lightweight sander with ergonomic handling, which facilitates mobility and time for easy and simple removal of defects in repainting.

Its low weight of 470 grams allows full mobility around the object without laziness or fatigue.

REFERENCE	DESCRIPTION	вох
1014-004100	ELECTRIC SANDER	1 UN
1014-004148	BACKING PLATE 31MM 1/4"-20 PSA	1 UN
1014-004149	BACKING PLATE 31MM 1/4"-20 VELCRO	1 UN





RAPID CHARGER SANDER BSO 4103

Rapid charger with charging capacity for one battery. Total recharge time 50 minutes.

• Input power: 100-240VDC.

• Output power: 10.8 VDC, 3.0Amps.

REFERENCE BOX 1014-004145 1 UN



LI-ION BATTERY PACK SANDER BSO 4103

Lithium battery with 2.5Ah and 10.8VDC. It has an autonomy of 14 intermittent working hours and 80 continuous minutes.

REFERENCIA BOX 1014-004147 1 UN







BACKING PLATE 31MM 1/4"-20 PSA SANDER BSO 4103

PSA backing pad for BSO 4103 mini sander machine, with 31mm diameter and 1/4" soft thread.

REFERENCE BOX 1014-004148 1 UN





BACKING PLATE 31MM 1/4"-20 VELCRO SANDER BSO 4103

Velcro backing pad for BSO 4103 mini sander machine, with 31mm diameter and 1/4" soft thread.

REFERENCE BOX 1014-004149 1 UN





MINI ANGLE POLISHER + PLATE 75 MM

The mini angle polisher is an ergonomic and light pneumatic machine with a 75 mm plate.

Its size makes it handy and light for small repairs to correct defects in the repainting process, such as dust specks, silicones, drops, etc.

DESCRIPTION BOX REFERENCE POLISHER 9004-001013 9004-001071 PLATE 75 MM 1 UN



PLATE 75 MM

TOOLS & ACCESORIES



53





TWISTER PLATE 15/97

Revolutionary plate that provides almost total elimination of dust from the working surface and even part from the atmosphere. Universal system of 15 holes combined with a multi-holes system (97 holes in total). Provided with two screws: 5/16" and M8.

Available in two harnesses: medium or hard.

Diameter 150 mm.

REFERENCE DESCRIPTION COLOUR HARDNESS BOX 2004-002700 150 MM BLACK MEDIUM 1 UN 2004-002701 150 MM BLUE HARD 1 UN



MULTI-HOLES PLATE 150/51 A

Medium multi-hole hardness plate, 51 in total.

Thread: M8.

REFERENCE SIZE BOX 2004-002703 150 MM 1 UN



PLATE AND INTERFACE 75 MM

Hard velcro plate for mini sanding machine of 75 mm diameter.

Sponge interface to be placed between the abrasive and the plate. Enables a finer cut and therefore a better finish. For an optimum result with this interface, it is recommended to use fine grain (P220 and above).

Velcro system. Thickness: 10 mm. Thread: M8.

REFERENCE	DESCRIPTION	HOLES	ВОХ
2004-007099	PLATE 75 MM	3	1 UN
2004-002580	INTERFACE 75 MM	_	1 UN



INTERFACE TWISTER 15/97

Sponge disc to be placed between the abrasive and the disc. Its use during sanding allows a finer cut and therefore a better finish. When working with these interfaces, it is advisable to use fine grits (P220 and following). Velcro system.

Thickness 5 and 10 mm.

Also available interface protector twister 15/97.

REFERENCE	DESCRIPTION	HOLES	вох
2004-002540	INTERACE 5 MM	15/97	10 UN
2004-002541	INTERACE 10 MM	15/97	10 UN
2004-002542	INTERFACE PROTECTOR		10 UN







SANDING PAD ASSY 6" 150MM ROTO-ORBITAL ELECTRIC SANDER

150 mm velcro pad for orbital electric sander.

REFERENCE DESCRIPTION BOX 1014-000043 150 MM 1 UN





SANDING BLOCKS

Sanding block with Velcro fixing system for discs of 150-mm diameter.

Available: plane and concave.

 REFERENCE
 DESCRIPTION
 BOX

 2004-001790
 PLANE
 6 UN

 2004-002350
 CONCAVE
 6 UN



STARBLOCK

Rigid block for adhesive Starfilm sandpaper. This combination of rigid rubber block with adhesive Starfilm makes it an effective and particularly aggressive method to cut any defect, speck, drop, impurity in the repainting process.

REFERENCE SIZE BOX 2014-001400 32 MM x 26 MM 8 UN



NYLON SANDING BLOCK

Nylon sanding block.

Dimensions: 210 mm x 105 mm.

REFERENCE BOX 2004-002360 1UN



RUBBER SANDING BLOCK

Rubber sanding block for wet-sanding.

REFERENCE COLOUR BOX 2004-002451 RED 1 UN 2004-002450 BLACK 5 UN





SANDING PLANE WITH DUST EXTRACTION

Hand-operated screw. Velcro system with suction.

Available sizes:

- 70 mm x 400 mm
- 70 mm x 198 mm
- 70 mm x 125 mm
- 100 mm x 120 mm
- 115 mm x 230 mm

REFERENCE	SIZE	BOX
2004-002260	70 MM X 400 MM	1 UN
2004-002620	70 MM X 198 MM	1 UN
2004-002610	70 MM X 125 MM	1 UN
2004-002270	81 MM X 153 MM	1 UN
2004-002280	115 MM X 230 MM	1 UN







Hand-operated, manually adjustable 70 x 400 mm suction garloop for flat, concave or convex surfaces.

Easily adjustable with its millimetric mechanism that allows it to be fixed in the desired position for greater safety.

REFERENCE SIZE BOX 2004-002635 70 MM X 400 MM 1 UN



SUCTION HOSE CRS

Connection pipe for the suction of CRS holds.

REFERENCE SIZE BOX 2004-002630 21 MM X 4 M 1 UN





SANDING SHIM KIT WITH SUCTION

Wedge kit, manual wedge with 70 mm x 198 mm suction. It has 4 interchangeable bases, one flat and 3 rounded to be able to sand flat, concave and convex surfaces, allowing the user to adapt to any work surface.

Suction system with different connectors for the suction hoses.

REFERENCE SIZE BOX 2004-002625 70 MM X 198 MM 1 UN





Adapter for Rupes sanding discs with larger than standard dimensions.

REFERENCE BOX 2004-002702 1 UN



CONTROL DRY COAT NEW (SANDING GUIDE)

Control Dry Coat, with powder deposit of graphite separated from the applicator pad. It allows reducing the size of the applicator device by not having the graphite deposit inside it.

More agile and practical.

REFERENCE BOX 2004-000012 1 UN



QUICK SANDING CONTROL

Easy sanding acrylic paint for the preparation of surfaces, where the location and correction of unevenness and imperfections is required, in order to obtain a smooth and flawless finish.

- Quick drying.
- Contains no lead or other heavy metals.
- · Easy sanding.
- · Good adhesion.
- Excellent hiding power.
- · Ease of application and recoating.

REFERENCE CAPACITY BOX 5011-006022 500 ML 12 UN





ELECTRIC VACUUM CLEANER CRS E38

The CRS E38 professional electric vacuum cleaner is an L-class vacuum cleaner with a high motor and turbine suction performance what provides a 210mbar suction with an air flow of 3900 l / min. The autostart function extends the life of the engine and reduces the noise. Manual filter cleaning function.

It has a high protection for the user and allows a good maneuverability for the operator in the workshop thanks to its ergonomics, its large rear wheels and the cable length of 5 meters. The surface of the vacuum cleaner allows to place tool boxes or accessory shelf for the placement of abrasives and power tools.

REFERENCE	DESCRIPTION	вох
1014-005020	VACUUM CRS E38	1 UN
1014-005100	VACUUM DUST BAG	1 UN
1014-005101	ANTISTATIC LENGHT HOSE 5M	1 UN
1014-005104	EPN L CONNECTOR	1 UN
1014-005103	TOOL BOX CRS	1 UN
1014-005102	TOOL RACK VACUUM	1 UN
1014-005108	FILTER DUST EXTRATOR CRS	1 UN



PNEUMATIC VACUUM CLEANER CRS EPN38

The CRS EPN38 professional electric vacuum cleaner is an L-class vacuum cleaner with a high motor and turbine suction performance what provides a 210mbar suction with an air flow of 3900 l/min. The autostart function extends the life of the engine and reduces the noise. Manual filter cleaning function.

It has a high protection for the user and allows a good maneuverability for the operator in the workshop thanks to its ergonomics, its large rear wheels and the cable length of 5 meters. The surface of the vacuum cleaner allows to place tool boxes or accessory shelf for the placement of abrasives and power tools.

REFERENCE	DESCRIPTION	вох
1014-005040	VACUUM CRS EPN 38	1 UN
1014-005100	VACUUM DUST BAG	1 UN
1014-005109	NTISTATIC LENGHT HOSE 5M	1 UN
1014-005104	EPN L CONNECTOR	1 UN
1014-005103	TOOL BOX CRS	1 UN
1014-005102	TOOL RACK VACUUM	1 UN
1014-005105	OIL WATER SEPARATOR	1 UN
1014-005108	FILTER DUST EXTRATOR CRS	1 UN





OPTIMUM LIGHT PLUS COLOUR

Portable lamp for colour evaluation and coverage control in refinishing processes. It has a lithium battery with charge indicator. It allows excellent colour perception thanks to its light intensity regulator. Thanks to the characteristics of its LEDs, it is ideal for preparation, painting, polishing or cleaning of vehicles.

Optimum Light Plus Colour features three colour temperature and UV options, quickly switching from warm light to cool white ultra-high quality colour matching. It is highly impact resistant, IP65 waterproof and dustproof, and has an easily removable and cleanable lens. 360 degree folding swivel hook and 180 degree folding magnetic base.

REFERENCE BOX 1008-001804 1 UN





INFRARED CRS-1C

This infrared system (CRS-1C) is suitable for drying two-component products used in bodywork repair.

Its main characteristics are deep reach, reduced drying time, low power consumption, maximum adaptability and use efficiency. Highly flexible and easy to move.

The CRS-1C lamp is equipped with a timer that determines both drying level and time. The equipment distance and height can be easily adjusted.

Height is comprised between 20 cm and 160 cm.

- Input power: 4,6 A.
- Voltage: 220-240 V / 50 HZ.
- Short-wave infrared quartz halogen emitter: 1 x 1050 W.
- Maximum power: 1100 W.
- Time ranges: 2 x 35 min.
- Drying surface: 0.6 x 0.4 m.
- Drying temperature: 60°C 70°C

REFERENCE DESCRIPTION BOX 1011-007769 INFRARED 1 UN





INFRARED CRS-3C WITH DISTANCE SENSOR

This short-wave infrared system (CRS-3C) is suitable for drying two-component products used in bodywork repair. Its main characteristics are deep reach, reduced drying time, low power consumption, maximum adaptability and use eciency. Highly exible and easy to move.

Equipped with distance sensor.

The CRS-3C lamp is equipped with a timer that determines both drying level and time. The equipment distance and height can be easily adjusted. Heights: 40 and 200 cm. Comes with 4 digital memories that store drying time for each product.

Input power: 13.7 A.

Voltage: 220-240 V / 50 HZ.

• Short-wave infrared quartz halogen emitter : 3×1050 W.

Maximum power: 3200 W.

Time ranges: 2 x 35 min.

• Drying surface: 1.0 x 0.8 m.

Drying temperature: 60°C – 70°C

REFERENCE DESCRIPTION BOX 1011-007768 INFRARED 1 UN



INFRARED CRS-4C WITH DISTANCE SENSOR

The short wave infrared model CRS -4C is suitable for drying bi-component products used in body repair. This infrared has maximum flexibility and great ease of movement.

The height of the lamp: from 40 cm to 200 cm. Maximum adaptability and cost-effectiveness of use.

The body of each of the screens can be tilted to different angles.

4 separately controllable spotlights can dry one or more at the same time.

- Input power: 18.3 A.
- Voltage: 220-240 V / 60 HZ.
- Short-wave infrared quartz halogen emitter: 4 x 1050 W.
- Maximum power: 4200 W.
- Time ranges: 15 x 30 min.
- Drying surface: 1.35 x 0.8 m.
- Drying temperature: 60°C 100°C

REFERENCE DESCRIPTION BOX 1011-007770 INFRARED 1 UN











BODYSHOP EQUIPMENT

With *Bodyshop Equipment* we aim to optimise the organisation of the workshop by providing the operator with all the products and equipment necessary to optimise his work in his workplace, such as supports, trolleys, dispensers and much more.



BODYSHOP EQUIPMENT



MASKING PAPER DISPENSER DELUXE

It has 5 supports for rolls between 120 cm and 30 cm. Each dispenser contains a micro-toothed cutting saw and a paper holding spring, for optimal use of the product.

The Deluxe masking paper cart is equipped with large wheels that facilitate, together with its attachment, an easy movement for the operator.

Dimensions: 158 cm x 133 cm x 49 cm.

REFERENCE BOX 2004-000020 1UN



FILM DISPENSER TROLLEY

Mobile dispenser for film reels. Easy and comfortable to transport.

High resistance.

REFERENCE BOX 2004-001186 1 UN





JUMBO STAND

Support designed for horizontal treatment of all types of parts. Made of galvanized steel.

Storage dimension: 125 x 55 x10 cm.

Adjustable to 9 difeerent heights (from 60 cm to 117 cm).

REFERENCE BOX 2004-001810 1 UN





Dispenser for the convenient and simple supply of solvent to drums, without the need for loss and weight movement.

REFERENCE BOX 2004-001812 1 UN



STAND FOR DISMANTLED PARTS

Mobile trolley for storing dismantled pieces during repair in bodyshop.

REFERENCE BOX 2004-001813 1 UN



HOLDING STAND

Stand for horizontal and vertical holding of door panels and other items. Equipped with a rotating system (up to 360°) controlled by a pedal. Includes an extension that allows working with 2 items at a time.

Dimensions, including extension: 2100 mm x 810 mm x 1050 mm.

REFERENCE BOX 2004-002060 1UN

BODYSHOP EQUIPMENT





PAPER ROLL DISPENSER

Wall-mounted dispenser for cleaning paper rolls.

With cutting blade.

REFERENCE BOX 2004-002051 1 UN

