

**POLYESTER PUTTY HARDENER**

Code : 5001-001071




Version: 2

Revision: 04/08/2023





Previous revision: 12/09/2021

Date of printing: 04/08/2023

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

- 1.1** PRODUCT IDENTIFIER:  
POLYESTER PUTTY HARDENER  
Code : 5001-001071      UFI: PROVI
- 1.2** RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST:  
Intended uses (main technical functions): ☒ Industrial ☒ Professional ☐ Consumers  
Catalyst, mainly for the hardening of unsaturated polyesters.  
Sectors of use:  
Professional uses (SU22).  
Types of PCN use:  
Other products for chemical or technical processes.  
Uses advised against:  
This product is not recommended for any use or sector of use (industrial, professional or consumer) other than those previously listed as "Intended or identified uses". This product is for the professional painting of vehicles only after reference to the manufacturer's data sheet.  
Restrictions on manufacture, placing on market and use, according to Annex XVII of Regulation (EC) No. 1907/2006:  
Not restricted.
- 1.3** DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET:  
CAR REPAIR SYSTEM S.A.  
Pol.Ind. 2 de Octubre, c/ José Muñoz 6 - 18320 Santa Fe - Granada ESPAÑA  
Phone number: (+34) 95 8431792 - www.carrepairsystem.eu  
- E-mail address of the person responsible for the Safety Data Sheet:  
info@carrepairsystem.eu
- 1.4** EMERGENCY TELEPHONE NUMBER:  
(+34) 95 8431792 L-J 8:30-14 / 15-18 h. V 8:30-14:30 h.  
 National Poisons Information Service (NPIS) - In England, Wales or Scotland: dial 111 - In N Ireland: contact your local GP or pharmacist during normal hours.

**SECTION 2 : HAZARDS IDENTIFICATION**

- 2.1** CLASSIFICATION OF THE SUBSTANCE OR MIXTURE:  
Classification of mixtures is carried out in accordance with the following principles: a) when data (tests) for the classification of mixtures are available, generally is carried out based on these data, b) in the absence of data (tests) for mixtures are generally used interpolation or extrapolation methods of assessing the risk, using the available data for mixtures similarly classified, and c) in the absence of tests and information which would allow to apply interpolation or extrapolation techniques, methods are used to classify risk assessment based on the data of the individual components in the mixture.  
Classification in accordance with Regulation (EU) No. 1272/2008~2021/849 (CLP):  
WARNING:Self-react. E:H242|Eye Irrit. 2:H319|Aquatic Acute 1:H400|Aquatic Chronic 1:H410|Skin Sens. 1A:H317
- | Danger class   | Classification of the mixture                        | Cat.           | Routes of exposure | Target organs | Effects    |
|--|--|----------------|--------------------|---------------|------------|
| Physicochemical:  | Self-react. E:H242 c)                                | -              | -                  | -             | -          |
| Human health:     | Eye Irrit. 2:H319 c)<br>Skin Sens. 1A:H317 c)        | Cat.2<br>Cat.1 | Eyes               | Eyes          | Irritation |
| Environment:      | Aquatic Acute 1:H400 c)<br>Aquatic Chronic 1:H410 c) | Cat.1<br>Cat.1 | -                  | -             | -          |
- Full text of hazard statements mentioned is indicated in section 16.
- Note: When in section 3 a range of percentages is used, the health and environmental hazards describe the effects of the highest concentration of each component, but below the maximum value.
- 2.2** LABEL ELEMENTS:
- 

This product is labelled with the signal word WARNING in accordance with Regulation (EU) No. 1272/2008~2021/849 (CLP).
- Hazard statements:
- H242 Heating may cause a fire.  
H319 Causes serious eye irritation.  
H317 May cause an allergic skin reaction.  
H410 Very toxic to aquatic life with long lasting effects.
- Precautionary statements:
- P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P280 Wear protective gloves, clothing and eye protection. In case of inadequate ventilation wear respiratory protection.  
P302+P352 IF ON SKIN: Wash with plenty of water and soap.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P403+P235 Store in a well-ventilated place. Keep cool.  
P501 Dispose of contents/container in accordance with local regulations.
- Supplementary statements:

	<div>POLYESTER PUTTY HARDENER</div> <div>Code : 5001-001071</div>	
---	---	---

Version: 2

Revision: 04/08/2023

Previous revision: 12/09/2021

Date of printing: 04/08/2023

	<div>- <a href="#">Substances that contribute to classification:</a></div> <div>Dibenzoyl peroxide</div>						
2.3	<div><a href="#">OTHER HAZARDS:</a></div> <div>Hazards which do not result in classification but which may contribute to the overall hazards of the mixture:</div> <div>- <a href="#">Other physicochemical hazards:</a></div> <div>One of the most characteristic properties common to all organic peroxides, because of their chemical structure,</div> <div>- <a href="#">Other adverse human health effects:</a></div> <div>Prolonged exposure to vapours may produce transient drowsiness. Prolonged contact may cause skin dryness.</div> <div>- <a href="#">Other negative environmental effects:</a></div> <div>Does not contain substances that fulfil the PBT/vPvB criteria.</div> <div><a href="#">Endocrine disrupting properties:</a></div> <div>This product does not contain substances with endocrine disrupting properties identified or under evaluation.</div>						
<b>SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS</b>							
3.1	<div><a href="#">SUBSTANCES:</a></div> <div>Not applicable (mixture).</div>						
3.2	<div><a href="#">MIXTURES:</a></div> <div>This product is a mixture.</div> <div><a href="#">Chemical description:</a></div> <div>Hardener</div> <div><a href="#">HAZARDOUS INGREDIENTS:</a></div> <div>Substances taking part in a percentage higher than the exemption limit:</div> <table><tr><td>40 &lt; C &lt; 50 %</td><td>Dibenzoyl peroxide CAS: 94-36-0, EC: 202-327-6, REACH: 01-2119511472-50 CLP: Danger: Org. Perox. B:H241   Eye Irrit. 2:H319   Skin Sens. 1:H317   Aquatic Acute 1:H400 (M=10)   Aquatic Chronic 1:H410 (M=10)</td><td>REACH</td></tr><tr><td>2,5 &lt; C ≤ 5 %</td><td>Ethyleneglycol CAS: 107-21-1, EC: 203-473-3, REACH: 01-2119456816-28 CLP: Warning: Acute Tox. (oral) 4:H302 (ATE=500 mg/kg)   STOT RE 2:H373</td><td>REACH</td></tr></table> <div><a href="#">Impurities:</a></div> <div>Does not contain other components or impurities which will influence the classification of the product.</div> <div><a href="#">Stabilizers:</a></div> <div>None.</div> <div><a href="#">Reference to other sections:</a></div> <div>For more information on hazardous ingredients, see sections 8, 11, 12 and 16.</div> <div><a href="#">SUBSTANCES OF VERY HIGH CONCERN (SVHC):</a></div> <div>List updated by ECHA on 14/06/2023.</div> <div><a href="#">Substances SVHC subject to authorisation, included in Annex XIV of Regulation (EC) no. 1907/2006:</a></div> <div>None.</div> <div><a href="#">Substances SVHC candidate to be included in Annex XIV of Regulation (EC) no. 1907/2006:</a></div> <div>None.</div> <div><a href="#">PERSISTENT, BIOACCUMULABLE AND TOXIC PBT, OR VERY PERSISTENT AND VERY BIOACCUMULABLE VPVB SUBSTANCES:</a></div> <div>Does not contain substances that fulfil the PBT/vPvB criteria.</div>	40 < C < 50 %	Dibenzoyl peroxide CAS: 94-36-0, EC: 202-327-6, REACH: 01-2119511472-50 CLP: Danger: Org. Perox. B:H241   Eye Irrit. 2:H319   Skin Sens. 1:H317   Aquatic Acute 1:H400 (M=10)   Aquatic Chronic 1:H410 (M=10)	REACH	2,5 < C ≤ 5 %	Ethyleneglycol CAS: 107-21-1, EC: 203-473-3, REACH: 01-2119456816-28 CLP: Warning: Acute Tox. (oral) 4:H302 (ATE=500 mg/kg)   STOT RE 2:H373	REACH
40 < C < 50 %	Dibenzoyl peroxide CAS: 94-36-0, EC: 202-327-6, REACH: 01-2119511472-50 CLP: Danger: Org. Perox. B:H241   Eye Irrit. 2:H319   Skin Sens. 1:H317   Aquatic Acute 1:H400 (M=10)   Aquatic Chronic 1:H410 (M=10)	REACH					
2,5 < C ≤ 5 %	Ethyleneglycol CAS: 107-21-1, EC: 203-473-3, REACH: 01-2119456816-28 CLP: Warning: Acute Tox. (oral) 4:H302 (ATE=500 mg/kg)   STOT RE 2:H373	REACH					



POLYESTER PUTTY HARDENER

Code : 5001-001071



Version: 2

Revision: 04/08/2023

Previous revision: 12/09/2021



Date of printing: 04/08/2023

## SECTION 4: FIRST AID MEASURES

4.1

DESCRIPTION OF FIRST AID MEASURES:

Symptoms may occur after exposure, so that in case of direct exposure to the product, when in doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. Lifeguards should pay attention to self-protection and use the recommended protective equipment if there is a possibility of exposure. Wear protective gloves when administering first aid.

Route of exposure	Symptoms and effects, acute and delayed	Description of first-aid measures
Inhalation:	It is not expected that symptoms will occur under normal conditions of use.	Remove the patient out of the contaminated area into the fresh air. If breathing is irregular or stops, administer artificial respiration. If the person is unconscious, place in appropriate recovery position. Keep the patient warm and at rest until medical attention arrives.
Skin: 	Skin contact causes redness.	Remove immediately contaminated clothing. Wash thoroughly the affected area with plenty of cold or lukewarm water and neutral soap, or use a suitable skin cleanser. Apply lanolin ointment. In the event of cutaneous eruptions contact a doctor.
Eyes: 	Contact with the eyes produces redness and pain.	Remove contact lenses. Rinse eyes copiously by irrigation with plenty of clean, fresh water for at least 15 minutes, holding the eyelids apart, until the irritation is reduced. If possible, alternate the rinsing with a 5% solution of sodium ascorbate in water or a 2% solution of sodium bicarbonate in water. Both solutions should not be more than 4 weeks old. Do not apply oils. Call a physician immediately.
Ingestion:	If swallowed, may cause irritation of the mouth, throat and oesophagus.	If swallowed, seek medical advice immediately and show container or label. If there has been any contact with the mouth, rinse out with large quantities of water only. Do not induce vomiting, due to the risk of aspiration. Keep the patient at rest.

4.2

MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED:

The main symptoms and effects are indicated in sections 4.1 and 11.1

4.3

INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED:Notes to physician:

Treatment should be directed at the control of symptoms and the clinical condition of the patient..

Antidotes and contraindications:

Specific antidote not known.

## SECTION 5: FIREFIGHTING MEASURES

5.1

EXTINGUISHING MEDIA:

Extinguishing powder or CO<sub>2</sub>. Do not use for extinguishing: halon.

5.2

SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE:

As consequence of combustion or thermal decomposition, hazardous products may be produced: carbon monoxide, Carbon dioxide. Exposure to combustion or decomposition products may be a hazard to health.

5.3

ADVICE FOR FIREFIGHTERS:Special protective equipment:

Depending on magnitude of fire, heat-proof protective clothing may be required, appropriate independent breathing apparatus, gloves, protective glasses or face masks and boots. If the fire-proof protective equipment is not available or is not being used, combat fire from a sheltered position or from a safe distance. The standard EN469 provides a basic level of protection for chemical incidents.

Other recommendations:

Cool with water the tanks, cisterns or containers close to sources of heat or fire. Bear in mind the direction of the wind. Do not allow fire-fighting residue to enter drains, sewers or water courses.

**POLYESTER PUTTY HARDENER**

Code : 5001-001071



Version: 2

Revision: 04/08/2023

Previous revision: 12/09/2021

Date of printing: 04/08/2023

**SECTION 6: ACCIDENTAL RELEASE MEASURES**

- 6.1** PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:  
Eliminate possible sources of ignition and when appropriate, ventilate the area. Do not smoke. Avoid direct contact with this product. Avoid breathing vapours. Keep people without protection in opposition to the wind direction.
- 6.2** ENVIRONMENTAL PRECAUTIONS:  
Avoid contamination of drains, surface or subterranean water and soil. In the case of large scale spills or when the product contaminates lakes, rivers or sewages, inform the appropriate authorities in accordance with local regulations.
- 6.3** METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP:  
Contain and mop up spills with non-combustible absorbent materials (earth, sand, vermiculite, diatomaceous earth, etc.). Do not use rags. The peroxide impregnated absorbent must be placed in a safe place and not put into a container.
- 6.4** REFERENCE TO OTHER SECTIONS:  
For contact information in case of emergency, see section 1.  
For information on safe handling, see section 7.  
For exposure controls and personal protection measures, see section 8.  
For waste disposal, follow the recommendations in section 13.

**SECTION 7: HANDLING AND STORAGE**

- 7.1** PRECAUTIONS FOR SAFE HANDLING:  
Comply with the existing legislation on health and safety at work.  
- General recommendations:  
Use in areas free from sources of ignition and away from heat or electrical sources. Do not smoke. Do not weight it in the storage area. Avoid friction, rough handling or strong impacts. Avoid any type of leakage or escape. Keep the container tightly closed.  
- Recommendations for the prevention of fire and explosion risks:  
Vapours are heavier than air, may spread along floors to a considerable distance, can form explosive mixtures with air and are able to reach distant ignition sources and flame up or explode. Due to its flammability, this material should only be used in areas from which all naked lights and other sources of ignition have been excluded and away from other heat or electrical sources. Do not smoke.  
Flashpoint 195 °C CLP 2.6.4.3.  
Autoignition temperature: -9,999 °C  
- Recommendations for the prevention of toxicological risks:  
Do not eat, drink or smoke while handling. After handling, wash hands with soap and water. For exposure controls and personal protection measures, see section 8.  
- Recommendations for the prevention of environmental contamination:  
Avoid any spillage in the environment. Pay special attention to the cleaning water. In the case of accidental spillage, follow the instructions indicated in section 6.
- 7.2** CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES:  
Forbid the entry to unauthorized persons. Keep out of reach of children. This product should be stored isolated from heat and electrical sources. Do not smoke in storage area. Avoid direct contact with sunlight. Avoid extreme humidity conditions. Keep container in a well-ventilated place. In order to avoid leakages, the containers, after use, should be closed carefully and placed in a vertical position. For more information, see section 10.  
- Class of store:  
According to current legislation.  
- Maximum storage period:  
6 Months.  
- Temperature interval:  
min:5 °C, max:40 °C (recommended).  
- Incompatible materials:  
Keep away from oxidizing agents, acids, alkalis, reducing agents, amines, metals, heavy-metal compounds.  
- Type of packaging:  
According to current legislation.  
- Limit quantity (Seveso III): Directive 2012/18/EU:  
- Named dangerous substances/mixtures: None  
- Hazard categories and lower-/upper threshold quantities in tonnes (t):  
  
· Physical hazards: Heating may cause a fire. (P6b) (50t/200t).  
· Health hazards: Not applicable  
· Environmental hazards: Very toxic to aquatic life with long lasting effects. (E1) (100t/200t).  
· Other hazards: Not applicable  
- Threshold quantity for the application of lower-tier requirements: 50 tons  
- Threshold quantity for the application of upper-tier requirements: 200 tons  
  
- Remarks:  
The qualifying quantities set out above relate to each establishment. The quantities to be considered for the application of the relevant Articles are the maximum quantities which are present or are likely to be present at any one time. Dangerous substances present at an establishment only in quantities equal to or less than 2 % of the relevant qualifying quantity shall be ignored for the purposes of calculating the total quantity present, if their location within an establishment is such that it cannot act as an initiator of a major accident elsewhere at that establishment. For more details, see note 4 of Annex I of the Seveso Directive.
- 7.3** SPECIFIC END USE(S):  
For the use of this product particular recommendations apart from that already indicated are not available.



## POLYESTER PUTTY HARDENER

Code : 5001-001071



Version: 2

Revision: 04/08/2023

Previous revision: 12/09/2021

Date of printing: 04/08/2023

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1

CONTROL PARAMETERS:

If a product contains ingredients with exposure limits, may be necessary a personnel monitoring, work place or biological, to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to EN689, EN14042 and EN482 standard concerning methods for assessing the exposure by inhalation to chemical agents, and exposure to chemical and biological agents. Reference should be also made to national guidance documents for methods for the determination of dangerous substances.

- OCCUPATIONAL EXPOSURE LIMIT VALUES (WEL)

EH40/2005 WELs (United Kingdom) 2018	Year	WEL-TWA	WEL-STEL	Remarks
		ppm	mg/m3	
Dibenzoyl peroxide	1990	0,5	5	A4
Ethyleneglycol	2017	25	62,5	A4, Vapours

WEL - Workplace Exposure Limit, TWA - Time Weighted Average (8 hours), STEL - Short Term Exposure Limit (15 min).

A4 - Non classified as carcinogenic in humans.

- BIOLOGICAL LIMIT VALUES:

Not established

- DERIVED NO-EFFECT LEVEL (DNEL):

Derived no-effect level (DNEL) is a level of exposure that is considered safe, derived from toxicity data according to specific guidances included in REACH. DNEL values may differ from a occupational exposure limit (OEL) for the same chemical. OEL values may come recommended by a particular company, a government regulatory agency or an organization of experts. Although considered protective of health, the OEL values are derived by a process different of REACH.

- DERIVED NO-EFFECT LEVEL, WORKERS:-

Systemic effects, acute and chronic:

	DNEL Inhalation mg/m3	DNEL Cutaneous mg/kg bw/d	DNEL Oral mg/kg bw/d
Dibenzoyl peroxide	- (a) 11,75 (c)	- (a) 6,6 (c)	- (a) - (c)
Ethyleneglycol	- (a) - (c)	- (a) 106 (c)	- (a) - (c)

- DERIVED NO-EFFECT LEVEL, WORKERS:- Local effects, acute and chronic:

	DNEL Inhalation mg/m3	DNEL Cutaneous mg/cm2	DNEL Eyes mg/cm2
Dibenzoyl peroxide	- (a) - (c)	- (a) - (c)	- (a) - (c)
Ethyleneglycol	- (a) 35 (c)	- (a) - (c)	- (a) - (c)

- Derived no-effect level, general population:

Not applicable (product for professional or industrial use).

(a) - Acute, short-term exposure, (c) - Chronic, long-term or repeated exposure.

(-) - DNEL not available (without data of registration REACH).

- PREDICTED NO-EFFECT CONCENTRATION (PNEC):- PREDICTED NO-EFFECT CONCENTRATION, AQUATIC ORGANISMS:- Fresh water, marine water and intermittent release:

	PNEC Fresh water mg/l	PNEC Marine mg/l	PNEC Intermittent mg/l
Dibenzoyl peroxide	0.0006	0	0.0006
Ethyleneglycol	10	1	10

- WASTEWATER TREATMENT PLANTS (STP) AND SEDIMENTS IN FRESH- AND MARINE WATER:

	PNEC STP mg/l	PNEC Sediments mg/kg dw/d	PNEC Sediments mg/kg dw/d
Dibenzoyl peroxide	0.35	0.338	0.0338
Ethyleneglycol	199.5	37	3.7

- PREDICTED NO-EFFECT CONCENTRATION, TERRESTRIAL ORGANISMS:- Air, soil and effects for predators and humans:

	PNEC Air mg/m3	PNEC Soil mg/kg dw/d	PNEC Oral mg/kg dw/d
Dibenzoyl peroxide	-	0.0758	6.67
Ethyleneglycol	s/r	1.53	-7

(-) - PNEC not available (without data of registration REACH).

s/r - PNEC not derived (not identified hazard).

8.2

EXPOSURE CONTROLS:ENGINEERING MEASURES:

Provide adequate ventilation. Where reasonably practicable, this should be achieved by the use of local exhaust ventilation and good general extraction. If these measures are not sufficient to maintain concentrations of particulates and vapours below the Occupational Exposure Limits, suitable respiratory protection must be worn.

- Protection of respiratory system:

Avoid the inhalation of vapours.

- Protection of eyes and face:

It is recommended to install water taps, sources or eyewash bottles with clean water close to the working area.

- Protection of hands and skin:

**POLYESTER PUTTY HARDENER**

Code : 5001-001071



Version: 2

Revision: 04/08/2023




Previous revision: 12/09/2021

Date of printing: 04/08/2023

It is recommended to install water taps or sources with clean water close to the working area. Barrier creams may help to protect the exposed areas of the skin. Barrier creams should not be applied once exposure has occurred.

[OCCUPATIONAL EXPOSURE CONTROLS: REGULATION \(EU\) NO. 2016/425:](#)

As a general measure on prevention and safety in the work place, we recommend the use of a basic personal protection equipment (PPE), with the corresponding marking. For more information on personal protective equipment (storage, use, cleaning, maintenance, type and characteristics of the PPE, protection class, marking, category, CEN norm, etc.), you should consult the informative brochures provided by the manufacturers of PPE.

Mask:	No.
Safety goggles: 	Safety goggles with suitable lateral protection (EN166). Clean daily and disinfect at regular intervals in accordance with the instructions of the manufacturer. ✓
Face shield:	Face shield against liquid splashes (EN166), advisable when peroxides are handled in large amounts.
Gloves: 	Gloves resistant against chemicals (EN374). When repeated or prolonged contact with the product is expected, gloves of protection level 5 or higher should be used, with a breakthrough time of >240 min. When short contact with the product is expected, use gloves with a protection level 2 or higher should be used, with a breakthrough time >30 min. The breakthrough time of the selected glove material should be in accordance with the pretended period of use. There are several factors (for example, temperature), they do in practice the period of use of a protective gloves resistant against chemicals is clearly lower than the established standard EN374. Due to the wide variety of circumstances and possibilities, the instructions/specifications provided by the glove supplier should be taken into account. Use the proper technique of removing gloves (without touching glove's outer surface) to avoid contact of the product with the skin. The gloves should be immediately replaced when any sign of degradation is noted. ✓
Boots:	No.
Apron:	No.
Clothing: 	Put away work clothes under control and separately from the rest. Do not take contaminated clothing home. Wash contaminated work clothes before wearing them again. ✓

[- Thermal hazards:](#)

Not applicable (the product is handled at room temperature).

[ENVIRONMENTAL EXPOSURE CONTROLS:](#)

Avoid any spillage in the environment. Avoid any release into the atmosphere.

[- Spills on the soil:](#)

Prevent contamination of soil.

[- Spills in water:](#)

Do not allow to escape into drains, sewers or water courses.

[-Water Management Act:](#)

This product does not contain any substance included in the list of priority substances in the field of water policy under Directive 2000/60/EC~2013/39/EU.

[- Emissions to the atmosphere:](#)

Because of volatility, emissions to the atmosphere while handling and use may result. Avoid any release into the atmosphere.





## POLYESTER PUTTY HARDENER

Code : 5001-001071



Version: 2

Revision: 04/08/2023

Previous revision: 12/09/2021

Date of printing: 04/08/2023

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

## 9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES:

Appearance

Physical state: Paste  
 Colour: Red  
 Odour: Characteristic  
 Odour threshold: Not available (mixture).

Change of state

Softening point/range: Not available (mixture).  
 Initial boiling point: Not available.

- Flammability:

Flashpoint 195 °C CLP 2.6.4.3.  
 Lower/upper flammability or explosive limits: Not available  
 Autoignition temperature: -9,999 °C

Stability

Decomposition temperature: -9,999,00 °C

pH-value

pH: 4,5 at 20°C

- Viscosity:

Dynamic viscosity: Not available.

Kinematic viscosity: Not available.

- Solubility(ies):

Solubility in water Immiscible  
 Liposolubility: Not applicable (inorganic product).  
 Partition coefficient: n-octanol/water: Not applicable (mixture).

- Volatility:

Vapour pressure: 0,0253\* mmHg at 20°C  
 Vapour pressure: 1 hPa at 20°C  
 Vapour pressure: 0,0367\* kPa at 50°C  
 Evaporation rate: Not available (lack of data).

Density

Relative density: 1,241\* at 20/4°C Relative water  
 Relative vapour density: 2,38\* at 20°C 1 atm. Relative air

Particle characteristics

Particle size: Not available.

- Explosive properties:

Vapours can form explosive mixtures with air and are able to flame up or explode in presence of an ignition source.

- Oxidizing properties:

Not classified as oxidizing product.

\*Estimated values based on the substances composing the mixture.

## 9.2 OTHER INFORMATION:

Information regarding physical hazard classes

Self-reactive substances and mixtures: Heating may cause a fire.

Other security features:

Heat of combustion: 6193 Kcal/kg  
 VOC (supply): Not available.  
 VOC (supply): 1,030,2 g/l  
 Nonvolatile: -9,999,00 % Weight 1h. 60°C  
 Active oxygen: 3,17 % O2

The values indicated do not always coincide with product specifications. The data for the product specifications can be found in the corresponding technical data sheet. For additional information concerning physical and chemical properties related to safety and environment, see sections 7 and 12.



## POLYESTER PUTTY HARDENER

Code : 5001-001071



Version: 2

Revision: 04/08/2023

Previous revision: 12/09/2021

Date of printing: 04/08/2023

## SECTION 10: STABILITY AND REACTIVITY

10.1	<b>REACTIVITY:</b> <u>- Corrosivity to metals:</u> It is not corrosive to metals. <u>- Pyrophorical properties:</u> It is not pyrophoric.
10.2	<b>CHEMICAL STABILITY:</b> Stable under recommended storage and handling conditions.
10.3	<b>POSSIBILITY OF HAZARDOUS REACTIONS:</b> Possible dangerous reaction with oxidizing agents, acids, alkalis, reducing agents, amines, metals, heavy-metal compounds. Special care must be taken under all circumstances that there is no direct contact with accelerators, given that a violent decomposition could take place or even an explosion.
10.4	<b>CONDITIONS TO AVOID:</b> <u>- Heat:</u> This preparation is quite stable at normal temperatures (around 20°C). However, at higher temperatures an exo-thermic decomposing reaction takes place. In the event of the decomposition taking place so fast that the heat only partially dissipates, an increased acceleration of the product's temperature occurs. Depending on the circumstances, eg. the amount, the degree of containment, etc., intense decomposition, auto-ignition or even an explosion may take place. <u>- Light:</u> Avoid direct contact with sunlight as this could cause a rise in temperature, with the subsequent danger of the peroxide decomposing. <u>- Air:</u> The product is not affected by exposure to air, but should not be left the containers open. <u>- Humidity:</u> Avoid extreme humidity conditions. <u>- Pressure:</u> Not relevant. <u>- Shock:</u> The product is not sensitive to shocks, but as a recommendation of a general nature should be avoided bumps and rough handling to avoid dents and breakage of packaging, especially when the product is handled in large quantities, and during loading and download operations.
10.5	<b>INCOMPATIBLE MATERIALS:</b> Keep away from oxidizing agents, acids, alkalis, reducing agents, amines, metals, heavy-metal compounds.
10.6	<b>HAZARDOUS DECOMPOSITION PRODUCTS:</b> As consequence of thermal decomposition, hazardous products may be produced: oxygen. The vapours given off on decomposing are inflammable, therefore any source of ignition could cause a fire.

## SECTION 11: TOXICOLOGICAL INFORMATION

	No experimental toxicological data on the preparation is available. The toxicological classification for these mixture has been carried out by using the conventional calculation method of the Regulation (EU) No. 1272/2008~2021/849 (CLP).			
11.1	<b>INFORMATION ON HAZARD CLASSES AS DEFINED IN REGULATION (EC) NO 1272/2008 :</b> <b>ACUTE TOXICITY:</b>			
	Dose and lethal concentrations for individual ingredients:	DL50 (OECD401) mg/kg bw Oral	DL50 (OECD402) mg/kg bw Cutaneous	CL50 (OECD403) mg/m <sup>3</sup> ·4h Inhalation
	Dibenzoyl peroxide	7710 Rat		> 24300 Rat
	Ethyleneglycol	7712 Rat	9530 Rabbit	> 20000 Rat
	Estimates of acute toxicity (ATE) for individual ingredients:	ATE mg/kg bw Oral	ATE mg/kg bw Cutaneous	ATE mg/m <sup>3</sup> ·4h Inhalation
	Dibenzoyl peroxide	-	-	24300
	Ethyleneglycol	* > 500	-	-
	(*) - Point estimates of acute toxicity corresponding to the classification category (see GHS/CLP Table 3.1.2). These values are designed to be used in the calculation of the ATE for classification of a mixture based on its components and do not represent test results. (-) - The components that are assumed to have no acute toxicity at the upper threshold of category 4 for the corresponding exposure route are ignored.			
	<u>- No observed adverse effect level</u> Not available			
	<u>- Lowest observed adverse effect level</u> Not available			
	<b>INFORMATION ON LIKELY ROUTES OF EXPOSURE: ACUTE TOXICITY:</b>			
	Routes of exposure	Acute toxicity	Cat.	Main effects, acute and/or delayed
	Inhalation: Not classified	ATE > 5000 mg/m <sup>3</sup>	Not available.	Not classified as a product with acute toxicity if inhaled (based on available data, the classification criteria are not met).
	Skin: Not classified	ATE > 2000 mg/kg bw	Not available.	Not classified as a product with acute toxicity in contact with skin (based on available data, the classification criteria are not met).
				Criteria GHS/CLP 3.1.3.6.





## POLYESTER PUTTY HARDENER

Code : 5001-001071



Version: 2

Revision: 04/08/2023

Previous revision: 12/09/2021

Date of printing: 04/08/2023

Eyes: Not classified	Not available.	-	Not classified as a product with acute toxicity by eye contact (lack of data).	GHS/CLP 1.2.5.
Ingestion: Not classified	ATE > 5000 mg/kg bw	-	Not classified as a product with acute toxicity if swallowed (based on available data, the classification criteria are not met).	GHS/CLP 3.1.3.6.

GHS/CLP 3.1.3.6: Classification of mixtures based on ingredients of the mixture (additivity formula).

CORROSION / IRRITATION / SENSITISATION :

Danger class	Target organs	Cat.	Main effects, acute and/or delayed	Criteria
- Respiratory corrosion/irritation: Not classified	-	-	Not classified as a product corrosive or irritant by inhalation (based on available data, the classification criteria are not met).	GHS/CLP 1.2.6. 3.8.3.4.
- Skin corrosion/irritation: Not classified	-	-	Not classified as a product corrosive or irritant in contact with skin (based on available data, the classification criteria are not met).	GHS/CLP 3.2.3.3.
- Serious eye damage/irritation: 	Eyes 	Cat.2	IRRITANT: Causes serious eye irritation.	GHS/CLP 3.3.3.3.
- Respiratory sensitisation: Not classified	-	-	Not classified as a product sensitising by inhalation (based on available data, the classification criteria are not met).	GHS/CLP 3.4.3.3.
- Skin sensitisation: 	Skin 	Cat.1A	SENSITISING: May cause an allergic skin reaction.	GHS/CLP 3.4.3.3.

GHS/CLP 3.2.3.3: Classification of the mixture when data are available for all components or only for some components.

GHS/CLP 3.3.3.3: Classification of the mixture when data are available for all components or only for some components.

GHS/CLP 3.4.3.3: Classification of the mixture when data are available for all components or only for some components.

GHS/CLP 3.8.3.4: Classification of the mixture when data are available for all components or only for some components.

- ASPIRATION HAZARD:

Danger class	Target organs	Cat.	Main effects, acute and/or delayed	Criteria
- Aspiration hazard: Not classified	-	-	Not classified as a product hazardous by aspiration (based on available data, the classification criteria are not met).	GHS/CLP 3.10.3.3.

GHS/CLP 3.10.3.3: Classification of the mixture when data are available for all components or only for some components.

SPECIFIC TARGET ORGANS TOXICITY (STOT): Single exposure (SE) and/or Repeated exposure (RE):

Not classified as a dangerous product for target organs.

GHS/CLP 3.8.3.4: Classification of the mixture when data are available for all components or only for some components.

CMR EFFECTS:- Carcinogenic effects:

It is not considered as a carcinogenic product.

- Genotoxicity:

It is not considered as a mutagenic product.

- Toxicity for reproduction:

Does not harm fertility. Does not harm the unborn child.

- Effects via lactation:

Not classified as a hazardous product for children breast-fed.

DELAYED AND IMMEDIATE EFFECTS AS WELL AS CHRONIC EFFECTS FROM SHORT AND LONG-TERM EXPOSURE:Routes of exposure

Not available.

- Short-term exposure:

Not available.

- Long-term or repeated exposure:

Not available.

INTERACTIVE EFFECTS:

Not available.

INFORMATION ABOUT TOXICOCINETICS, METABOLISM AND DISTRIBUTION:



## POLYESTER PUTTY HARDENER

Code : 5001-001071



Version: 2

Revision: 04/08/2023

Previous revision: 12/09/2021

Date of printing: 04/08/2023

- Dermal absorption:

This preparation contains the following substances for which dermal absorption can be very high: Ethyleneglycol.

- Basic toxicokinetics:

Not available.

ADDITIONAL INFORMATION:

Some organic peroxides will cause serious, irreversible ocular injuries to the cornea, even after brief contact.

11.2 INFORMATION ON OTHER HAZARDS:Endocrine disrupting properties:

This product does not contain substances with endocrine disrupting properties identified or under evaluation.

Other information:

No additional information available.

## SECTION 12: ECOLOGICAL INFORMATION

No experimental ecotoxicological data on the preparation as such is available. The ecotoxicological classification for these mixture has been carried out by using the conventional calculation method of the Regulation (EU) No. 1272/2008~2021/849 (CLP).

12.1 TOXICITY:

- Acute toxicity in aquatic environment  
for individual ingredients

CL50 (OECD 203)  
mg/l-96hours

CE50 (OECD 202)  
mg/l-48hours

CE50 (OECD 201)  
mg/l-72hours

Dibenzoyl peroxide

0.06 - Fishes

0.11 - Daphniae

0.06 - Algae

Ethyleneglycol

18500 - Fishes

1000 - Daphniae

2000 - Algae

- No observed effect concentration

Not available

- Lowest observed effect concentration

Not available

ASSESSMENT OF AQUATIC TOXICITY:

Aquatic toxicity	Cat.	Main hazards to the aquatic environment	Criteria
- Acute aquatic toxicity:	Cat.1	VERY TOXIC: Very toxic to aquatic life.	GHS/CLP 4.1.3.5.5.3.
- Chronic aquatic toxicity:	Cat.1	VERY TOXIC: Very toxic to aquatic life with long lasting effects.	GHS/CLP 4.1.3.5.5.4.

CLP 4.1.3.5.5.3: Classification of a mixture for acute hazards, based on summation of classified components.

CLP 4.1.3.5.5.4: Classification of a mixture for chronic (long term) hazards, based on summation of classified components.

12.2 PERSISTENCE AND DEGRADABILITY:- Biodegradability:

Not available.

Aerobic biodegradation  
for individual ingredients

COD  
mgO2/g

%DBO/DQO  
5 days 14 days 28 days

Biodegradabilidad

Dibenzoyl peroxide

-

-

Inherently

Ethyleneglycol

1289

93 99 -

Easy

Note: Biodegradability data correspond to an average of data from various bibliographic sources.

- Hydrolysis:

Not available.

- Photodegradability:

Not available.

12.3 BIOACCUMULATIVE POTENTIAL:

May bioaccumulate.

Bioaccumulation  
for individual ingredients

logPow

BCF  
L/kg

Potential

Dibenzoyl peroxide

3.46

89.1 (calculated)

Low

Ethyleneglycol

-1.36

3.2 (calculated)

No bioaccumulable

12.4 MOBILITY IN SOIL:

Not available

Mobility  
for individual ingredients

log Pod

Constant of Henry  
Pa·m3/mol 20°C

Potential

Dibenzoyl peroxide

2,39

-

Low

Ethyleneglycol

-0,65

0,00608 (calculated)

No bioaccumulable

12.5 RESULTS OF PBT AND VPVB ASSESMENT:(Annex XIII of Regulation (EC) no. 1907/2006:)

Does not contain substances that fulfil the PBT/vPvB criteria.



## POLYESTER PUTTY HARDENER

Code : 5001-001071



Version: 2

Revision: 04/08/2023

Previous revision: 12/09/2021

Date of printing: 04/08/2023

12.6 ENDOCRINE DISRUPTING PROPERTIES:

This product does not contain substances with endocrine disrupting properties identified or under evaluation.

12.7 OTHER ADVERSE EFFECTS:- Ozone depletion potential:

Not available.

- Photochemical ozone creation potential:

Not available.

- Earth global warming potential:

Not available.

## SECTION 13: DISPOSAL CONSIDERATIONS

13.1 WASTE TREATMENT METHODS: Directive 2008/98/EC~Regulation (EU) no. 1357/2014:

Take all necessary measures to prevent the production of waste whenever possible. Analyse possible methods for revaluation or recycling. Do not discharge into drains or the environment, dispose at an authorised waste collection point. Waste should be handled and disposed in accordance with current local and national regulations. For exposure controls and personal protection measures, see section 8.

Disposal of empty containers: Directive 94/62/EC~2015/720/EU, Decision 2000/532/EC~2014/955/EU:

Emptied containers and packaging should be disposed in accordance with currently local and national regulations. The classification of packaging as hazardous waste will depend on the degree of emptying of the same, being the holder of the residue responsible for their classification, in accordance with Chapter 15 01 of Decision 2000/532/EC, and forwarding to the appropriate final destination. With contaminated containers and packaging, adopt the same measures as for the product in itself. Never re-use a container which has contained peroxides.

Procedures for neutralising or destroying the product:

Authorised landfill in accordance with local regulations.

## SECTION 14: TRANSPORT INFORMATION

14.1 UN NUMBER OR ID NUMBER:


3108

14.2 UN PROPER SHIPPING NAME:


ORGANIC PEROXIDE, TYPE E, SOLID

14.3 TRANSPORT HAZARD CLASS(ES):Transport by road (ADR 2023) andTransport by rail (RID 2023):


- Class: 5.2
- Packing group:
- Classification code: P1
- Tunnel restriction code: (D)
- Transport category: 2, max. ADR 1.1.3.6. 333 L
- Limited quantities: 500 g (see total exemptions ADR 3.4)
- Transport document: Consignment paper.
- Instructions in writing: ADR 5.4.3.4

Transport by sea (IMDG 40-20):

- Class: 5.2
- Packing group:
- Emergency Sheet (EmS): F-J,S-R
- First Aid Guide (MFAG): 735
- Marine pollutant: Yes.
- Transport document: Shipping Bill of lading.

Transport by air (ICAO/IATA 2021):

- Class: 5.2
- Packing group:
- Transport document: Air Bill of lading.

Transport by inland waterways (ADN):

Not available

14.4 PACKING GROUP:

See section 14.3

14.5 ENVIRONMENTAL HAZARDS:

Classified as hazardous for the environment.

14.6 SPECIAL PRECAUTIONS FOR USER:

Ensure that persons transporting the product know what to do in case of accident or spill. Always transport in closed containers that are upright and secure. Ensure adequate ventilation.

14.7 MARITIME TRANSPORT IN BULK ACCORDING TO IMO INSTRUMENTS:

Not available.



POLYESTER PUTTY HARDENER

Code : 5001-001071



Version: 2

Revision: 04/08/2023

Previous revision: 12/09/2021

Date of printing: 04/08/2023

## SECTION 15: REGULATORY INFORMATION

## 15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE SUBSTANCE OR MIXTURE:

The regulations applicable to this product generally are listed throughout this Safety Data Sheet.

Restrictions on manufacture, placing on market and use:

See section 1.2

Tactile warning of danger:

Not applicable (the classification criteria are not met).

Child safety protection:

Not applicable (the classification criteria are not met).

OTHER REGULATIONS:

Not available.

Control of the risks inherent in major accidents (Seveso III):

See section 7.2

Other local legislations:

The receiver should verify the possible existence of local regulations applicable to the chemical.

## 15.2 CHEMICAL SAFETY ASSESSMENT:

A chemical safety assessment has not been carried out for this mixture.

## SECTION 16 : OTHER INFORMATION

## 16.1 TEXT OF THE PHRASES AND NOTES REFERENCED IN SECTIONS 2 AND/OR 3:

Hazard statements according the Regulation (EU) No. 1272/2008~2021/849 (CLP), Annex III:

H241 Heating may cause a fire or explosion. H242 Heating may cause a fire. H302 Harmful if swallowed. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H373 May cause damage to kidneys through prolonged or repeated exposure if swallowed.

EVALUATION OF THE INFORMATION ON THE DANGER OF MIXTURES:

See sections 9.1, 11.1 and 12.1.

ADVICES ON ANY TRAINING APPROPRIATE FOR WORKERS:

It is recommended for all staff that will handle this product to carry out a basic training in occupational risk and prevention, in order to provide understanding and interpretation of Safety Data Sheets and labelling of products as well.

MAIN LITERATURE REFERENCES AND SOURCES FOR DATA:

- European Chemicals Agency: ECHA, <http://echa.europa.eu/>
- Access to European Union Law, <http://eur-lex.europa.eu/>
- Industrial Solvents Handbook, Ibert Mellan (Noyes Data Co., 1970).
- Threshold Limit Values, (AGCIH, 2021).
- European agreement on the international carriage of dangerous goods by road, (ADR 2023).
- International Maritime Dangerous Goods Code IMDG including Amendment 40-20 (IMO, 2020).

ABBREVIATIONS AND ACRONYMS:

List of abbreviations and acronyms that can be used (but not necessarily used) in this Safety Data Sheet:

- REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals.
- GHS: Globally Harmonized System of Classification and Labelling of Chemicals of the United Nations.
- CLP: European regulation on Classification, Labelling and Packaging of substances and chemical mixtures.
- EINECS: European Inventory of Existing Commercial Chemical Substances.
- ELINCS: European List of Notified Chemical Substances.
- CAS: Chemical Abstracts Service (Division of the American Chemical Society).
- UVCB: Substances of Unknown or Variable composition, complex reaction products or biological materials.
- SVHC: Substances of Very High Concern.
- PBT: Persistent, bioaccumulable and toxic substances.
- vPvB: Very persistent and very bioaccumulable substances.
- VOC: Volatile Organic Compounds.
- DNEL: Derived No-Effect Level (REACH).
- PNEC: Predicted No-Effect Concentration (REACH).
- LC50: Lethal concentration, 50 percent.
- LD50: Lethal dose, 50 percent.
- UN: United Nations Organisation.
- ADR: European agreement concerning the international carriage of dangerous goods by road.
- RID: Regulations concerning the international transport of dangerous goods by rail.
- IMDG: International Maritime code for Dangerous Goods.
- IATA: International Air Transport Association.
- ICAO: International Civil Aviation Organization.

SAFETY DATA SHEET REGULATIONS:

Safety Data Sheet in accordance with Article 31 of Regulation (EC) No. 1907/2006 (REACH) and Annex of Regulation (EU) No. 2020/878.


HISTORIC: REVISION:

Version: 1 12/09/2021

Version: 2 04/08/2023

Changes since previous Safety Data Sheet:

Changes that have been introduced with respect to the previous version due to the structural and content adaptation of the Safety Data Sheet to Regulation (EU) No. 2020/878: All sections.

	<div>POLYESTER PUTTY HARDENER</div> <div>Code : 5001-001071</div>	
---	---	---

Version: 2

Revision: 04/08/2023

Previous revision: 12/09/2021

Date of printing: 04/08/2023

The information of this Safety Data Sheet, is based on the present state of knowledge and on current UE and national laws, as the users" working conditionsare beyond our knowledge and control. The product is not to be used for other purposes than those specified, without first obtaining written handling instruction. It is always the responsibility of the user to take all necessary steps in order to fulfil the demand laid down in the local rules and legislation.The information in this Safety Data Sheet is meant as a description of the safety requirements of the product and it is not to be considered as a guarantee of the product"s properties.