DIAMOND PLUS

REF: 5010-000001/5010-000012

EN **TECHNICAL DATA SHEET**

DESCRIPTION

DIAMOND PLUS is an emulsion polish with fast cutting abrasive micro particles specially indicated for the latest generation of varnishes and finishes; including the new fast drying or air drying systems.

Its chemical composition together with its Diamond 1500 Orange Micro Fibre applicator, allows a high gloss cut and finish in one step. Easily removes sanding marks from P1500 and above. Provides a deep gloss.

Combined in the finishing phase with the Roto orbital polisher SPC 7121 (1014-005006) and our Medium Grey Pad (2004-007020), we correct Phase 1 polishing marks and prevent the appearance of holograms.

CHARACTERISTICS

- **Physical state** Emulsion
- **Colour** white
- **Odour** Chemical emulsion
- **Initial boiling point and boiling range** 100
- **Flash point** >61 °C
- **Ignition temperature in °C** >200
- **PH** 7,8
- **Viscosity** 25000-30000 mPa s
- **Relative density** 1.08 g/cm³

TECHNCIAL DATA

Cutting power 8,5 (10)
Brightness level 7,5 (10)
Minimum recommended sanding: P1500

Varnish type
Conventional Varnish: Yes
Scratch resistant varnish: Yes

CAR REPAIR SYSTEM, S.A. Polígono Industrial 2 de Octubre. C./ José Muñoz, 6
18320 Santa Fe (Granada) España - Tel. 00.34. 958.431.792

Air drying varnish: Yes

Varnish condition
Old Paint: Yes
Fresh Paint: Yes

Application
By hand: Yes
By machine: Yes

Speed polisher
Rotary. 1000 - 1400 RPM
Rotary orbital. 1000 - 2500 RPM

APPLICATION

CAR REPAIR SYSTEM, S.A. Polígono Industrial 2 de Octubre. C./ José Muñoz, 6
18320 Santa Fe (Granada) España - Tel. 00.34. 958.431.792

STORAGE

DIAMOND PLUS in its original packaging, stored in a dry and well ventilated place, at temperatures between 15ºC and 25ºC has a shelf life of 24 months from the date of manufacture.

SAFETY INFORMATION

See Safety Data Sheet. For professional use only.

AVAILABLE PACKAGING

Code	Description	Packaging
5010-000001	DIAMONS PLUS 1500	1KG
5010-000012	DIAMONS PLUS 1500	500GR

*For more information about our products or means of application, please visit our website www.carrepairsystem.eu or send us an e-mail to info@carrepairsystem.eu

The technical information and instructions provided in this sheet ate based on our own working experience. The company ensures the quality of the product. However, as the uses terms and conditions are out of our control, we decline any responsibility as the final result is concerned.

CAR REPAIR SYSTEM, S.A. Polígono Industrial 2 de Octubre. C./ José Muñoz, 6
18320 Santa Fe (Granada) España - Tel. 00.34. 958.431.792