

KOVAX[®]

CATALOGUE



2025 EDITION



ABRASIVES



MACHINES



POLISH & CARE



TAPES

PARTNERSHIP



THE KOVAX FAMILY

At Kovax, we have been working hard to build a worldwide network of partners in the past years. This has resulted in a strong community, with partners in 45 countries. Together, we share knowledge, we develop new products and we are committed to building a strong and sustainable future for everyone.

Our commitment to perfection is visible in both our product range and the relationships we build with our customers. We always strive to be one step ahead, asking ourselves how we can make tomorrow's work easier and more efficient for you. With a foundation of mutual respect and trusted shared values, we create new business opportunities and long-term collaborations together.

JAPANESE ROOTS

With our mother company being situated in Japan, aiming for the highest quality is deeply rooted in our DNA.

CIRCLE OF TOGETHERNESS

In the Japanese culture, perfection is symbolized by a circle. This so-called Ensō is a recurring element in our design, supporting our commitment to perfection and to our Kovax family.



INNOVATION IS KEY

In today's quick changing world, we are always looking for new opportunities to expand our business. Together with our partners, we keep developing to grow our businesses and support each other's successes.



OUR STORY

THE STORY OF PERFECTION



DISCOVER

4

DESCRIPTION

PAGE

New Products
Sustainability
Top Products

4
14
16

ABRASIVES

20

DESCRIPTION

GRITS

PAGE

Garuda
Belts
Maxcut
Tri-Pro
Premium
Maxfilm
Magic Disc
Super Assilex
Yellow Film
Tolecut
Surflatt
Tolex
Buflex Dry
Buflex Wet
Assilex Stick-On & Accessories
Kofle-X
Foam-X Rolls
Highflex
Doubleflex
Sanding Block
Sheets Without Adhesion
Waterproof

80 - 400
#60 - #240
P60 - P180
P40 - P600
P60 - P600
P60 - P600
320 - 500
K240 - K1500
P800 - P2000
P800 - P3000
K800 - K2000
K1500
K2000 - K3000
K2000 - K3000
K800 - K1500
Very Fine - Ultra Fine
P180 - P800
Medium - Micro Fine
Medium - Micro Fine
Medium - Ultra Fine
P40 - P400
P60 - P2000

20
22
23
26
28
30
33
34
38
40
43
44
46
48
49
50
50
51
51
51
52
53

POLISH & CARE

54

DESCRIPTION

PAGE

Buflex Shine & Wood Shine
Polishing Pads
Polish Material
Polish Accessories
Car Care

54
56
58
59
60

MACHINES & PADS

62

DESCRIPTION

PAGE

Tools
ProMa-X
EMa-X
ChargeMa-X

62
64
68
69

Back-up Pads & Adapters
Interface Pads

74
79

TAPES

80

DESCRIPTION

PAGE

Premium Masking Tape
Masking Tape
Trim Masking Tape
Premium Protection Tape
Soft Tape Masking Foam
Flexi No Edge Blending Tape
Fine Line Tape

80
80
80
80
81
81
81

OTHER

82

DESCRIPTION

PAGE

Spy Spray
Dry Guide Coat
Micro Brushes
Machine Holders
Premium Spray Suit
Detailing Apron
System Organizer Bag
Handblocks
Pro-Mate Workstation
Pro-Xpose
Robotic Solutions

82
82
82
82
83
83
83
84
86
88
89

ICONS



METAL SANDING



REMOVING OLD LAYERS



PUTTY SANDING



PRIMER SANDING



BLENDING



REMOVING IMPERFECTIONS



FINISHING



WATERPROOF

DISCOVER OUR NEW PRODUCTS:



CHARGEMA-X ANGLE GRINDER 125MM


KIT

999-8827 | Page 72

ULTIMATE POWER



THE BEST RESULT WITH ULTIMATE CUTTING POWER




GARUDA DISCS

152 MM

571-0*** | Page 20

DISCOVER OUR NEW PRODUCTS:



SURFLATT
152 MM
570-00** | Page 43

FAST RESULT, FLAWLESS FINISH

POWER WITH PRECISION



PNEUMATIC MINI BELT SANDER
KB-504 10/12MM X 330MM
910-0504 | Page 62



AX71 CERAMIC BELT
12MM X 330MM
931-200** | Page 22



EX-BELT
12MM X 330MM
975-100* | Page 22



DISCOVER OUR NEW PRODUCTS:



**REVEAL THE NATURAL BEAUTY
OF WOOD & MORE**



**WOOD SHINE
FAST CUT 1840**
852-1840 | Page 55



**WOOD SHINE
FINE FINISH 1850**
852-1850 | Page 55


PAD RECOMMENDATION




**WOOD SHINE
FAST CUT 1840**



**PREMIUM
WOOL PAD**



**POLISHING FOAM PAD
BLUE - HEAVY CUT**



**POLISHING FOAM PAD
ORANGE - MEDIUM HARD**



**WOOD SHINE
FINE FINISH 1850**



**POLISHING FOAM PAD
BLACK - FINE**



**POLISHING FOAM PAD
GREEN - ULTRAFINE**

WOOD SHINE

Wood Shine polish brings out the best in wood, but it's also highly effective for automotive and industrial applications. The polish and specially developed pads work together seamlessly for perfect finishes on any surface.

DISCOVER OUR NEW PRODUCTS:

CHARGEMA-X MINI POLISHER KIT

OPTIMIZED DESIGN FOR
SPOT-REPAIR POLISHING

CORDLESS MACHINE ENABLING
UNRESTRICTED MOVEMENT
WHILE WORKING

ERGONOMIC AND BALANCED
DESIGN FOR MINIMAL VIBRATION

INCLUDED IN THE KIT



1X CORDLESS MINI POLISHER



2X BATTERY



1X BATTERY CHARGER



1X ROTARY HEAD



2X BACK-UP PAD (30MM & 50MM)



2X COUNTERWEIGHT (3MM & 12MM)



2X EXTENSION BAR (2.54CM & 7.62CM)



2X WRENCH



2X PREMIUM WOOL PAD (35MM & 55MM)



2X POLISHING FOAM PAD BLUE HEAVY CUT
(32MM & 50MM)



2X POLISHING FOAM PAD ORANGE MEDIUM-HARD
(32MM & 50MM)



2X POLISHING FOAM PAD BLACK FINE
(32MM & 50MM)

COMPACT POWER, PERFECT FINISH




CHARGEMA-X
MINI POLISHER KIT
999-8825 | Page 73

SPECIFICATIONS

- DUAL ACTION
- EXTENSION BARS INCLUDED TO POLISH ANY HARD-TO-REACH SPOT
- SPEED 2000-4700 RPM
- HARD CASE PERFECT FOR STORAGE OF ALL COMPONENTS
- DIGITAL SCREEN TO TRACK BATTERY LIFE

DISCOVER OUR NEW PRODUCTS:



DETAILING APRON
888-0100 | Page 83



**MACHINE WALL HOLDER
SINGLE**
929-0001 | Page 82



**MACHINE WALL HOLDER
TRIPLE**
929-0003 | Page 82

PRECISION IN EVERY LINE



**FINE LINE TAPE
3MM**
910-5503 | Page 81



**FINE LINE TAPE
6MM**
910-5506 | Page 81



**FINE LINE TAPE
9MM**
910-5509 | Page 81



WASTE COMPARISON

500

FOAM BACKED ABRASIVES

VS.

1

INTERFACE PAD



DISCOVER OUR
INTERFACE PADS
SCAN AND WATCH!

BUILDING A SUSTAINABLE FUTURE TOGETHER

Unlike foam backed abrasives, interface pads have an extremely long lifespan. So you don't have to constantly replace them. This not only saves you time and materials, but it also reduces waste and helps protect the planet. In addition, interface pads offer multiple options in your sanding process. For example, you can choose a hard pad for more aggressiveness or a soft pad for more uniformity or to sand curves. This way you can personalize your sanding process!

BENEFITS

- BETTER FOR THE ENVIRONMENT
- DURABLE AND LAST FOR A LONG TIME
- OFFER MORE OPTIONS IN TERMS OF AGGRESSIVENESS AND UNIFORMITY

At Kovax, sustainability is at the heart of everything we do. We installed solar panels on our roof, isolated our walls and where we can, we adjust our products to make them more durable and sustainable. Our OrganicTolekit is made from renewable resources, reducing the need for frequent replacements. By focusing on products that last, we minimize waste and help protect the environment. We believe in creating solutions that not only meet your needs but also contribute to a greener future. With Kovax, you can trust that every product is thoughtfully designed for sustainability and performance. Together, we can make a positive impact on the planet.

SUSTAINABILITY:
SCAN THE QR CODE FOR
MORE INFORMATION



SPECIFICATIONS

- MADE FROM A MIX OF GLUCOSE, NATURAL WAXES, MINERALS AND FIBERS
- 70% RENEWABLE RAW MATERIALS
- CLOSED CO2 CYCLE FOR PRODUCTION
- ORGANIC FOAM WITH 95% RENEWABLE MATERIALS

TOLEKIT SUITCASE





GARUDA 80 - 400


THE BEST RESULT WITH ULTIMATE CUTTING POWER.



ADVANTAGES GARUDA

Made from extremely strong and flexible materials, Garuda delivers unmatched performance with its sharp and precisely shaped grits. Sand with more aggressiveness, while maintaining exceptional durability.

152 MM



MAXFILM P60 - P600

MAXFILM STANDS FOR MAXIMUM DURABILITY FOR ALL YOUR SANDING WORK, FROM SANDING BARE METAL TO SANDING PRIMER.



ADVANTAGES MAXFILM

The film backing of Maxfilm allows a more direct contact with the sanding surface and prevents the grains to drop into the backing. In combination with its double anti-clogging coating this results in a significantly longer lifetime. The printed P-value on top of the disc ensures maximum ease of use.

152 MM



125 MM



77 MM



70 x 402 MM



115 x 225 MM



70 x 198 MM



70 x 127 MM



SUPER ASSILEX K240 - K1500

THE UNIQUE WAY OF DRY SANDING, UNIFORMITY AND FLEXIBILITY THAT AMAZE.



ADVANTAGES SUPER ASSILEX

The innovative latex backing and the unique grain structure result in extremely uniform and shallow scratches. The products of Super Assilex are supporting you during your daily sanding jobs due to Super Assilex' outstanding cutting performance and speed. This results in more efficiency. Super Assilex prevents potential problems in the rest of the sanding process.

152 MM



125 MM



75 MM



130 x 170 MM



MAGIC DISC 320 - 500

SPECIALLY DEVELOPED SANDING DISC FOR E-COAT AND VERY HARD, MATT CLEAR COAT SANDING.



ADVANTAGES MAGIC DISC

The Magic Disc with its film backing, the new developed diamond grain and the new generation 2.0 anti-clogging coating, has an unbelievable long lifetime on hard coatings. High aggressiveness comes together with very uniform scratches.

152 MM






YELLOW FILM P800 - P2000

THE NUMBER ONE SOLUTION FOR BLENDING ZONES, WITH A GUARANTEED PERFECTLY, NON-VISIBLE TRANSITION FROM OLD TO NEW CLEAR COAT.



ADVANTAGES YELLOW FILM

The film backing in combination with an anti-burning coating allows a cool sanding process. Consequently, burning spots can be brought to a minimum and the risk of deep scratches is reduced significantly. Yellow Film is ideal for top coat sanding, removal of imperfections and removal of orange peel structure. The main markets of Yellow Film are the automotive sector and the wood industry.




TOLECUT K800 - K3000

THE WORLD CHAMPION WHEN IT COMES TO DRY IMPERFECTION REMOVAL.



ADVANTAGES TOLECUT

Tolecut is a dry sanding system. Without the use of water it is always possible to see how far the imperfection has been removed. Because of the constant visible result, the risk to sand through the topcoat is reduced to a minimum. Tolecut is unique in its cutting power and due to its flexibility it is also suitable for concave and convex areas. The ease of use makes it a must have for every dent professional.




SURFLATT K800 - K2000

THE NUMBER ONE SOLUTION FOR FAST RESULTS AND A FLAWLESS FINISH, ESPECIALLY ON LARGE SURFACES.



ADVANTAGES SURFLATT

Increase your efficiency when sanding large surfaces with Surflatt. You will be able to remove a high number of imperfections in no time, create seamless transitions between old and new clear coats and remove orange peel effortlessly. Surflatt has been developed for wood markets and industry.




BUFLEX DRY K2000 - K3000

THE FINEST ABRASIVE FOR MAXIMUM POLISH TIME REDUCTION.



ADVANTAGES BUFLEX DRY


The ultra flexible, innovative latex backing with a unique grain structure ensures extremely uniform scratches. The especially developed female-female velcro ensures process safety and prevents scratches caused by hard velcro. Buflex Dry retains the coating structure.



GARUDA SUPER TACK DISCS / 152 MM - MULTIHOLE

ART. NO.	GRIT	APPLICATION	BOX	CARTON
571-0080	80*	  	50	600
571-0120	120*	  	50	600
571-0180	180**		50	600
571-0240	240**	 	50	600
571-0320	320**	 	50	600
571-0400	400**	 	50	600

* AVAILABLE FROM Q1
** AVAILABLE FROM Q2



NEW



AX71 CERAMIC BELT / 12MM X 330MM

ART. NO.	GRIT	APPLICATION	BOX	CARTON
931-20060	#60		50	500
931-20080	#80		50	500




EX-BELT / 12MM X 330MM

ART. NO.	GRIT	APPLICATION	BOX	CARTON
975-1003	#120		20	400
975-1002	#180		20	400
975-1001	#240		20	400




MAXCUT SUPER TACK DISCS / 203 MM - 8 HOLES

ART. NO.	GRIT	APPLICATION	BOX	CARTON
583-0060	P60		50	300
583-0080	P80		50	300
583-0120	P120		50	300



MAXCUT SUPER TACK DISCS / 152 MM - 15 HOLES

ART. NO.	GRIT	APPLICATION	BOX	CARTON
569-0060	P60		50	400
569-0080	P80		50	400
569-0120	P120		50	400
569-0180	P180		50	600




MAXCUT SUPER TACK DISCS / 152 MM - 7 HOLES

ART. NO.	GRIT	APPLICATION	BOX	CARTON
563-0060	P60		50	400
563-0080	P80		50	400
563-0120	P120		50	400
563-0180	P180		50	600



MAXCUT SUPER TACK DISCS / 152 MM - WITHOUT HOLES

ART. NO.	GRIT	APPLICATION	BOX	CARTON
562-0060	P60		50	400
562-0080	P80		50	400
562-0120	P120		50	400
562-0180	P180		50	600




 GRITS P60 & P80 ARE VERY SUITABLE FOR REMOVING SEAM WELDS AND SPOT WELDS.

 USE MAXCUT WITH LOW MACHINE SPEED FOR MAXIMUM PERFORMANCE.
IDEAL FOR SANDING OLD COATINGS, PUTTY, BARE METAL & HARDWOOD LIKE BEECH OR WALNUT.


MAXCUT SUPER TACK DISCS / 125 MM - 7 HOLES

ART. NO.	GRIT	APPLICATION	BOX	CARTON
553-0080	P80		50	400
553-0120	P120		50	400



MAXCUT SUPER TACK DISCS / 125 MM - WITHOUT HOLES


ART. NO.	GRIT	APPLICATION	BOX	CARTON
552-0060	P60		50	400
552-0080	P80		50	400
552-0120	P120		50	400
552-0180	P180		50	600



 GRITS P60 & P80 ARE VERY SUITABLE FOR REMOVING SEAM WELDS AND SPOT WELDS.


MAXCUT SUPER TACK SHEETS / 70 X 198 MM - MULTIHOLE

ART. NO.	GRIT	APPLICATION	BOX	CARTON
704-0060	P60		50	1200
704-0080	P80		50	1200
704-0120	P120		50	1200
704-0180	P180		50	1200




MAXCUT SUPER TACK SHEETS / 70 X 402 MM - 14 HOLES

ART. NO.	GRIT	APPLICATION	BOX	CARTON
799-9060	P60		50	800
799-9080	P80		50	800
799-9120	P120		50	800
799-9180	P180		50	800



MAXCUT SUPER TACK SHEETS / 115 X 230 MM - MULTIHOLE

ART. NO.	GRIT	APPLICATION	BOX	CARTON
708-0060	P60		50	500
708-0080	P80		50	500
708-0120	P120		50	500
708-0180	P180		50	500



MAXCUT SUPER TACK SHEETS / 70 X 126 MM - MULTIHOLE

ART. NO.	GRIT	APPLICATION	BOX	CARTON
702-0060	P60		50	1800
702-0080	P80		50	1800
702-0120	P120		50	1800
702-0180	P180		50	1800



CCHARGEMA-X ANGLE GRINDER
KIT 125MM / KIT



NEW

ART. NO.	BOX
999-8827	1


MORE INFORMATION ABOUT THE KIT ON PAGE 72.



SAND CROSSWISE TO AVOID DEEP SANDING SCRATCHES.
LOOK ON PAGE 84 FOR ALL OUR HANDBLOCKS.

TRI-PRO SUPER TACK DISCS / 152 MM - 15 HOLES

ART. NO.	GRIT	APPLICATION	BOX	CARTON
527-0040	P40		50	600
527-0060	P60		100	800
527-0080	P80		100	800
527-0100	P100		100	800
527-0120	P120		100	1200
527-0150	P150		100	1200
527-0180	P180		100	1200
527-0220	P220		100	1200
527-0240	P240		100	1200
527-0280	P280		100	1200
527-0320	P320		100	1200
527-0360	P360		100	1200
527-0400	P400		100	1200
527-0500	P500		100	1200
527-0600	P600		100	1200



TRI-PRO SUPER TACK DISCS / 152 MM - WITHOUT HOLES

ART. NO.	GRIT	APPLICATION	BOX	CARTON
525-0060	P60		100	800
525-0080	P80		100	800
525-0100	P100		100	800
525-0120	P120		100	1200
525-0150	P150		100	1200
525-0180	P180		100	1200
525-0220	P220		100	1200
525-0240	P240		100	1200
525-0280	P280		100	1200
525-0320	P320		100	1200
525-0360	P360		100	1200
525-0400	P400		100	1200
525-0500	P500		100	1200
525-0600	P600		100	1200




USE **SPY SPRAY** OR **DRY GUIDE COAT** WHEN SANDING PUTTY AND PRIMER.

PAGE 82



TRI-PRO SUPER TACK DISCS / 125 MM - 8 HOLES

ART. NO.	GRIT	APPLICATION	BOX	CARTON
557-0060	P60		100	800
557-0080	P80		100	800
557-0100	P100		100	800
557-0120	P120		100	1200
557-0150	P150		100	1200
557-0180	P180		100	1200
557-0220	P220		100	1200
557-0240	P240		100	1200
557-0280	P280		100	1200
557-0320	P320		100	1200
557-0360	P360		100	1200
557-0400	P400		100	1200
557-0500	P500		100	1200
557-0600	P600		100	1200



USE IN COMBINATION WITH BACK-UP PAD **885-0169** AND WHEN NEEDED USE INTERFACE PAD **885-0712**.


TRI-PRO SUPER TACK DISCS / 125 MM - WITHOUT HOLES

ART. NO.	GRIT	APPLICATION	BOX	CARTON
514-0060	P60		100	800
514-0080	P80		100	800
514-0100	P100		100	800
514-0120	P120		100	1200
514-0150	P150		100	1200
514-0180	P180		100	1200
514-0220	P220		100	1200
514-0240	P240		100	1200
514-0280	P280		100	1200
514-0320	P320		100	1200
514-0360	P360		100	1200
514-0400	P400		100	1200
514-0500	P500		100	1200
514-0600	P600		100	1200



USE IN COMBINATION WITH BACK-UP PAD **885-0169** AND WHEN NEEDED USE INTERFACE PAD **885-0712**.

TRI-PRO BACK-UP PAD
125 MM - 8 HOLES



ART. NO.	THREAD SIZE	BOX
885-0169	5/16"	1

TRI-PRO INTERFACE PAD
125 MM - 8 HOLES



ART. NO.	BOX
885-0712	2

PREMIUM SUPER TACK DISCS / 203 MM - 8 HOLES

ART. NO.	GRIT	APPLICATION	BOX	CARTON
786-0180	P180		50	300
786-0240	P240		50	300
786-0320	P320		50	300

PREMIUM SUPER TACK DISCS / 152 MM - 15 HOLES

ART. NO.	GRIT	APPLICATION	BOX	CARTON
568-0060	P60		50	400
568-0080	P80		50	400
568-0120	P120		50	400
568-0150	P150		50	600
568-0180	P180		50	600
568-0220	P220		50	600
568-0240	P240		50	600
568-0280	P280		50	600
568-0320	P320		50	600
568-0360	P360		50	600
568-0400	P400		50	600
568-0500	P500		50	600
568-0600	P600		50	600

PREMIUM SUPER TACK DISCS / 152 MM - 7 HOLES


ART. NO.	GRIT	APPLICATION	BOX	CARTON
566-0060	P60		50	400
566-0080	P80		50	400
566-0120	P120		50	400
566-0150	P150		50	600
566-0180	P180		50	600
566-0220	P220		50	600
566-0240	P240		50	600
566-0280	P280		50	600
566-0320	P320		50	600
566-0360	P360		50	600
566-0400	P400		50	600
566-0500	P500		50	600
566-0600	P600		50	600

PREMIUM SUPER TACK DISCS / 152 MM - WITHOUT HOLES

ART. NO.	GRIT	APPLICATION	BOX	CARTON
565-0080	P80		50	400
565-0120	P120		50	400
565-0180	P180		50	600
565-0220	P220		50	600
565-0240	P240		50	600
565-0320	P320		50	600
565-0400	P400		50	600
565-0500	P500		50	600
565-0600	P600		50	600

MAXFILM SUPER TACK DISCS / 152 MM - MULTIHOLE

ART. NO.	GRIT	APPLICATION	BOX	CARTON
523-9080	P80		50	600
523-9120	P120		50	600
523-9150	P150		50	600
523-9180	P180		50	600
523-9220	P220		50	600
523-9240	P240		50	600
523-9280	P280		50	600
523-9320	P320		50	600
523-9360	P360		50	600
523-9400	P400		50	600
523-9500	P500		50	600
523-9600	P600		50	600



MAXFILM SUPER TACK DISCS / 152 MM - 15 HOLES

ART. NO.	GRIT	APPLICATION	BOX	CARTON
523-0060	P60		50	600
523-0080	P80		50	600
523-0120	P120		50	600
523-0150	P150		50	600
523-0180	P180		50	600
523-0220	P220		50	600
523-0240	P240		50	600
523-0280	P280		50	600
523-0320	P320		50	600
523-0360	P360		50	600
523-0400	P400		50	600
523-0500	P500		50	600
523-0600	P600		50	600



MAXFILM SUPER TACK DISCS / 152 MM - WITHOUT HOLES

ART. NO.	GRIT	APPLICATION	BOX	CARTON
520-0080	P80		50	600
520-0120	P120		50	600
520-0150	P150		50	600
520-0180	P180		50	600
520-0220	P220		50	600
520-0240	P240		50	600
520-0280	P280		50	600
520-0320	P320		50	600
520-0360	P360		50	600
520-0400	P400		50	600
520-0500	P500		50	600
520-0600	P600		50	600



MAXFILM SUPER TACK DISCS / 152 MM - 7 HOLES

ART. NO.	GRIT	APPLICATION	BOX	CARTON
521-0120	P120		50	600
521-0150	P150		50	600
521-0180	P180		50	600
521-0220	P220		50	600
521-0240	P240		50	600
521-0280	P280		50	600
521-0320	P320		50	600
521-0360	P360		50	600
521-0400	P400		50	600
521-0500	P500		50	600
521-0600	P600		50	600



MAXFILM SUPER TACK DISCS / 125 MM - 7 HOLES

ART. NO.	GRIT	APPLICATION	BOX	CARTON
513-0120	P120		50	600
513-0150	P150		50	600
513-0180	P180		50	600
513-0220	P220		50	600
513-0240	P240		50	600
513-0320	P320		50	600
513-0400	P400		50	600
513-0500	P500		50	600
513-0600	P600		50	600



MAXFILM SUPER TACK DISCS / 77 MM - MULTIHOLE

ART. NO.	GRIT	APPLICATION	BOX	CARTON
523-8080	P80		50	1800
523-8100	P100		50	1800
523-8120	P120		50	1800
523-8150	P150		50	1800
523-8180	P180		50	1800
523-8220	P220		50	1800
523-8240	P240		50	1800
523-8280	P280		50	1800
523-8320	P320		50	1800
523-8360	P360		50	1800
523-8400	P400		50	1800
523-8500	P500		50	1800
523-8600	P600		50	1800



MAXFILM SUPER TACK DISCS / 77 MM - WITHOUT HOLES

ART. NO.	GRIT	APPLICATION	BOX	CARTON
520-8060	P60		50	1800
520-8080	P80		50	1800
520-8100	P100		50	1800
520-8120	P120		50	1800
520-8150	P150		50	1800
520-8180	P180		50	1800
520-8220	P220		50	1800
520-8240	P240		50	1800
520-8280	P280		50	1800
520-8320	P320		50	1800
520-8360	P360		50	1800
520-8400	P400		50	1800
520-8500	P500		50	1800
520-8600	P600		50	1800



MAXFILM SUPER TACK SHEETS / 70 X 198 MM - MULTIHOLE

ART. NO.	GRIT	APPLICATION	BOX	CARTON
703-0080	P80		50	1600
703-0120	P120		50	1600
703-0180	P180		50	1600
703-0240	P240		50	1600
703-0320	P320		50	1600
703-0400	P400		50	1600




MAXFILM SUPER TACK SHEETS / 70 X 402 MM - MULTIHOLE

ART. NO.	GRIT	APPLICATION	BOX	CARTON
705-0080	P80		50	800
705-0120	P120		50	800
705-0180	P180		50	800
705-0240	P240		50	800
705-0320	P320		50	800
705-0400	P400		50	800



MAXFILM SUPER TACK SHEETS / 115 X 230 MM - MULTIHOLE

ART. NO.	GRIT	APPLICATION	BOX	CARTON
707-0080	P80		50	1000
707-0120	P120		50	1000
707-0180	P180		50	1000
707-0240	P240		50	1000
707-0320	P320		50	1000
707-0400	P400		50	1000



MAXFILM SUPER TACK SHEETS / 70 X 126 MM - MULTIHOLE

ART. NO.	GRIT	APPLICATION	BOX	CARTON
701-0080	P80		50	2400
701-0120	P120		50	2400
701-0180	P180		50	2400
701-0240	P240		50	2400
701-0320	P320		50	2400
701-0400	P400		50	2400




MAGIC DISC

ABRASIVES

MAGIC DISC SUPER TACK DISCS / 152 MM - 15 HOLES

ART. NO.	GRIT	APPLICATION	BOX	CARTON
528-0320	320		10	200
528-0400	400		10	200
528-0500	500		10	200



- USE THE MAGIC DISC 320 & 400 TO PREPARE E-COAT SURFACES. USE MAGIC DISC 500 TO PREPARE MATT AND SCRATCH-RESISTANT CLEAR COATS BEFORE REPAINTING.
- USE IN COMBINATION WITH THE HARD SUPER ASSILEX INTERFACE PAD (971-0057) (PAGE 35) FOR EASIER USE ON CONVEX AND CONCAVE PARTS.

SUPER ASSILEX SUPER TACK DISCS / 152 MM - 15 HOLES

ART. NO.	GRIT	APPLICATION	BOX	CARTON
193-2537	K240		25	1000
193-2535	K320		25	1000
193-1575	K360		25	1000
193-2533	K400		25	1000
193-2532	K500		25	1000
193-1578	K600		25	1000
193-1579	K800		25	1000
193-2527	K1000		25	1000
193-1580	K1200		25	1000
193-2525	K1500		25	1000

EXCLUSIVELY USE WITH MICRO VELCRO INTERFACE PADS.
USE MICRO VELCRO INTERFACE PAD **971-0057** (HARD) TO FLATTEN THE SURFACE AND INCREASE AGGRESSIVENESS AND USE INTERFACE PAD **971-0091** (SOFT) FOR CURVED SURFACES AND TO INCREASE UNIFORMITY.

SUPER ASSILEX SUPER TACK DISCS / 152 MM - 7 HOLES

ART. NO.	GRIT	APPLICATION	BOX	CARTON
193-1538	K600		25	1000
193-1539	K800		25	1000
193-1540	K1200		25	1000

EXCLUSIVELY USE WITH MICRO VELCRO INTERFACE PADS.
USE MICRO VELCRO INTERFACE PAD **971-0049** (HARD) TO FLATTEN THE SURFACE AND INCREASE AGGRESSIVENESS AND USE INTERFACE PAD **971-0039** (SOFT) FOR CURVED SURFACES AND TO INCREASE UNIFORMITY.

SUPER ASSILEX SUPER TACK DISCS / 125 MM - 7 HOLES

ART. NO.	GRIT	APPLICATION	BOX	CARTON
195-1538	K600		25	1000
195-1539	K800		25	1000
195-1540	K1200		25	1000




EXCLUSIVELY USE WITH MICRO VELCRO INTERFACE PADS. USE IN COMBINATION WITH BACK-UP PAD **972-0003** (PAGE 76) AND INTERFACE PAD **971-0044** (PAGE 79).

SUPER ASSILEX SUPER TACK DISCS / 75 MM - WITHOUT HOLES

ART. NO.	GRIT	APPLICATION	BOX	CARTON
730-2510	K600		50	1800
730-2508	K800		50	1800
730-2507	K1200		50	1800
730-2505	K1500		50	1800

INCLUDING INTERFACE PAD **971-7503** (PAGE 79).

ALSO IDEAL FOR SANDING SOLID MINERAL SURFACES (K320, K360, K400, K500, K600) AND SANDING OLD COATINGS IN THE WOOD BRANCH (K240, K320).



SUPER ASSILEX BACK-UP PAD - HARD / 150 MM - 15 HOLES

ART. NO.	THREAD SIZE	BOX
885-0163	5/16"	1



SUPER ASSILEX SUPER TACK INTERFACE PAD - HARD / 150 MM - 15 HOLES



ART. NO.	BOX
971-0057	MICRO VELCRO 2

USE THE HARD INTERFACE PADS TO FLATTEN THE SURFACE AND INCREASE AGGRESSIVENESS.

SUPER ASSILEX SUPER TACK INTERFACE PAD - HARD / 150 MM - 7 HOLES



ART. NO.	BOX
971-0049	MICRO VELCRO 2

USE THE HARD INTERFACE PADS TO FLATTEN THE SURFACE AND INCREASE AGGRESSIVENESS.

SUPER ASSILEX SUPER TACK INTERFACE PAD - SOFT / 150 MM - 15 HOLES



ART. NO.	BOX
971-0091	MICRO VELCRO 2

USE THE SOFT INTERFACE PADS FOR CURVED SURFACES AND TO INCREASE UNIFORMITY.

SUPER ASSILEX SUPER TACK INTERFACE PAD - SOFT / 150 MM - 7 HOLES




ART. NO.	BOX
971-0039	MICRO VELCRO 2

USE THE SOFT INTERFACE PADS FOR CURVED SURFACES AND TO INCREASE UNIFORMITY.

USE MICRO VELCRO INTERFACE PADS FOR SUPER ASSILEX DISCS TO AVOID SANDING SCRATCHES CAUSED BY TOO COARSE VELCRO.

SUPER ASSILEX SUPER TACK SHEETS / 130 X 170 MM


ART. NO.	GRIT	APPLICATION	BOX	CARTON
191-2517	K240		25	500
191-2515	K320		25	500
191-1515	K360		25	500
191-2513	K400		25	500
191-2512	K500		25	500
191-1508	K600		25	500
191-1509	K800		25	500
191-2507	K1000		25	500
191-1510	K1200		25	500
191-2505	K1500		25	500



WITH PERFORATION LINE: CAN EASILY BE DIVIDED INTO TWO SHEETS OF 130 X 85 MM.


SUPER ASSILEX SUPER TACK HAND PADS

ART. NO.			BOX
971-0026	HAND PAD L	97 x 150 MM	2
971-0025	HAND PAD M	75 x 120 MM	4
971-2001	HAND PAD M BLUE	75 x 120 MM	2
971-0094	HAND PAD M - Hard	75 x 120 MM	4




SUPER ASSILEX INTERFACE PADS

ART. NO.			BOX
971-0035	INTERFACE PAD M	75 x 120 MM	4
971-2002	INTERFACE PAD M BLUE	75 x 120 MM	2



SUPER ASSILEX HANDBLOCK & INTERFACE PAD - LARGE / 120 X 160 MM



ART. NO.		FOR SHEET	BOX
885-2140	HANDBLOCK	130 x 170 MM	1
885-2191	INTERFACE PAD	130 x 170 MM	1

COMBINE THE SUPER ASSILEX HANDBLOCKS AND INTERFACE PADS (EXTRA HARD) TO FLATTEN THE SURFACE AND TO INCREASE AGGRESSIVENESS. USAGE WITHOUT INTERFACE PAD MAKES THE HANDBLOCK MORE FLEXIBLE.

SUPER ASSILEX HANDBLOCK & INTERFACE PAD - SMALL / 72 X 125 MM




ART. NO.		FOR SHEET	BOX
885-2190	HANDBLOCK	130 x 85 MM	1
885-2197	INTERFACE PAD	130 x 85 MM	1



YELLOW FILM SUPER TACK DISCS / 152 MM - 15 HOLES

ART. NO.	GRIT	APPLICATION	BOX	CARTON
524-0800	P800		50	600
524-1000	P1000		50	600
524-1200	P1200		50	600
524-1500	P1500		50	600
524-2000	P2000		50	600



YELLOW FILM SUPER TACK DISCS / 152 MM - 7 HOLES

ART. NO.	GRIT	APPLICATION	BOX	CARTON
779-0800	P800		50	600
779-1000	P1000		50	600
779-1200	P1200		50	600
779-1500	P1500		50	600



YELLOW FILM SUPER TACK DISCS / 152 MM - WITHOUT HOLES

ART. NO.	GRIT	APPLICATION	BOX	CARTON
778-0800	P800		50	600
778-1000	P1000		50	600
778-1200	P1200		50	600
778-1500	P1500		50	600



YELLOW FILM SUPER TACK DISCS / 125 MM - 7 HOLES

ART. NO.	GRIT	APPLICATION	BOX	CARTON
555-0800	P800		50	600
555-1000	P1000		50	600
555-1200	P1200		50	600
555-1500	P1500		50	600



YELLOW FILM SUPER TACK DISCS / 75 MM - WITHOUT HOLES

ART. NO.	GRIT	APPLICATION	BOX	CARTON
730-0800	P800		50	1800
730-1500	P1500		50	1800
730-2000	P2000		50	1800

INCLUDING INTERFACE PAD 971-7502 (PAGE 79).



YELLOW FILM SUPER TACK DISCS / 77 MM - MULTIHOLE

ART. NO.	GRIT	APPLICATION	BOX	CARTON
731-0800	P800		50	1800
731-1000	P1000		50	1800
731-1200	P1200		50	1800
731-1500	P1500		50	1800
731-2000	P2000		50	1800



YELLOW FILM STICK-ON DISCS / 35 MM - WITHOUT HOLES

ART. NO.	GRIT	APPLICATION	BOX	CARTON
881-1500	P1500		100	2000
881-2000	P2000		100	2000

USE IN COMBINATION WITH INTERFACE TRANSFER PAD 910-3501-47 OR DOUBLE FINGER PAD 971-0023 FOR MANUAL USE.



DOUBLE FINGER PAD / 31MM

ART. NO.	BOX
971-0023	5

USE IN COMBINATION WITH YELLOW FILM STICK-ON DISCS. AND TOLE CUT STICK-ON DISCS. (PAGE 42)



STICK-ON INTERFACE TRANSFER PAD / 32 MM

ART. NO.	BOX
910-3501-47	1

FOR TOUCH-UP SANDER 910-3501 (PAGE 62), CHARGEMA-X TOUCH-UP SANDERS (PAGE 70) THE INTERFACE TRANSFER PAD TRANSFORMS SUPER TACK INTO STICK-ON. SUITABLE FOR YELLOW FILM STICK-ON DISCS AND TOLE CUT STICK-ON DISCS (PAGE 42).



FOR MAXIMUM DURABILITY, USE LOW TO MEDIUM MACHINE SPEED. THIS PROVIDES A COOL SANDING PROCESS.

TOLEKIT / KIT

ART. NO.		DESCRIPTION	QUANTITY
999-8816		TOLEKIT	
 971-0048	TOLECARD		2
 971-0059	TOLEBLOCK QM - ROUND BIG		1
 971-0056	TOLEBLOCK QS - ROUND SMALL		1
 971-0055	TOLEBLOCK M		1
 971-0047	TOLEBLOCK S		2
 191-1513	TOLECUT STICK-ON SHEETS - K1500		5
 191-1512	TOLECUT STICK-ON SHEETS - K2000		5
 191-1519	TOLECUT STICK-ON SHEETS - K2500		5
 191-1511	TOLECUT STICK-ON SHEETS - K3000		5
 191-1547	TOLECUT STICK-ON SHEETS 1/4 - K800		20
 191-1546	TOLECUT STICK-ON SHEETS 1/4 - K1200		20
 191-1523	TOLECUT STICK-ON SHEETS 1/8 - K1500		80
 191-1522	TOLECUT STICK-ON SHEETS 1/8 - K2000		80
 191-1528	TOLECUT STICK-ON SHEETS 1/8 - K2500		80
 191-1521	TOLECUT STICK-ON SHEETS 1/8 - K3000		80

READ MORE ABOUT THE ORGANIC TOLEKIT PACKAGING ON PAGE 15.

 INCLUDING MANUAL.



TOLECUT STICK-ON SHEETS / 70 X 114 MM

ART. NO.	GRIT	APPLICATION	BOX	CARTON
191-1517	K800	⌘	25	1000
191-1516	K1200	⌘	25	1000
191-1513	K1500	⌘	25	1000
191-1512	K2000	⌘	25	1000
191-1519	K2500	⌘	25	1000
191-1511	K3000	⌘	25	1000

 K800 & K1200 IDEAL FOR REMOVING RUNNERS AND FLATTENING BIGGER SURFACES.

 USE IN COMBINATION WITH TOLECARD **971-0048** OR TOLEBLOCK QM **971-0059**.



TOLECARD / 66 X 110 MM

ART. NO.	BOX
971-0048	10

 MAXIMUM FLEXIBILITY FOR CURVES AND EDGES.



TOLECUT STICK-ON SHEETS - 1/8 / 29 X 35 MM

ART. NO.	GRIT	APPLICATION	BOX	CARTON
191-1527	K800	⌘	200	8000
191-1526	K1200	⌘	200	8000
191-1523	K1500	⌘	200	8000
191-1522	K2000	⌘	200	8000
191-1528	K2500	⌘	200	8000
191-1521	K3000	⌘	200	8000

 USE K800 & K1200 TO REMOVE BIGGER IMPERFECTIONS.

 USE IN COMBINATION WITH TOLEBLOCK S **971-0047** OR TOLEBLOCK QS **971-0056**.



TOLECUT STICK-ON SHEETS - 1/4 / 70 X 29 MM

ART. NO.	GRIT	APPLICATION	BOX	CARTON
191-1547	K800	⌘	100	4000
191-1546	K1200	⌘	100	4000

 FOR THE REMOVAL OF RUNNERS AND BIGGER IMPERFECTIONS ON FLAT SURFACES.

 USE IN COMBINATION WITH TOLEBLOCK M **971-0055**.



TOLECUT: SCAN THE QR CODE FOR MORE INFORMATION



TOLEBLOCK S / 26 X 32 MM

ART. NO.	BOX
971-0047	10



TOLEBLOCK M / 68 X 27 MM

ART. NO.	BOX
971-0055	5



 FOR ERASING RUNNERS. USE IN COMBINATION WITH TOLECUT 1/4.

TOLEBLOCK QS / ROUND SMALL

ART. NO.	BOX
971-0056	6



 USE WITH TOLECUT 1/8 FOR SANDING IN ROUND / CONCAVE AREAS.

TOLEBLOCK QM / ROUND BIG


ART. NO.	BOX
971-0059	2



 USE WITH TOLECUT SHEET 1/4 FOR SANDING IN ROUND / CONCAVE AREAS.


TOLECUT STICK-ON DISCS / 34 MM

ART. NO.	GRIT	APPLICATION	BOX
192-1516	K800	 	600
192-1515	K1200	 	600
192-1513	K1500	 	600
192-1512	K2000	 	600
192-1514	K2500	 	600
192-1511	K3000	 	600



SURFLATT SUPER TACK DISCS / 152 MM - 15 HOLES

ART. NO.	GRIT	APPLICATION	BOX	CARTON
570-0016	K800	 	50	600
570-0015	K1000	 	50	600
570-0014	K1200	 	50	600
570-0013	K1500	 	50	600
570-0012	K2000	 	50	600



NEW



TOLEX SUPER TACK DISCS / 152 MM - 15 HOLES

ART. NO.	GRIT	APPLICATION	BOX	CARTON
193-1563	K1500		25	1000

 USE IN COMBINATION WITH MICRO VELCRO TOLEX INTERFACE PAD **971-0027**.

TOLEX SUPER TACK INTERFACE PAD / 150 MM - 15 HOLES

ART. NO.	BOX
971-0027	MICRO VELCRO 2

TOLEX SUPER TACK DISCS / 125 MM - 7 HOLES

ART. NO.	GRIT	APPLICATION	BOX	CARTON
195-1593	K1500		25	1000

 USE IN COMBINATION WITH MICRO VELCRO INTERFACE PAD **971-0044** (PAGE 79).

TOLEX SUPER TACK DISCS / 75 MM - WITHOUT HOLES

ART. NO.	GRIT	APPLICATION	BOX	CARTON
730-1502	K1500		50	1800



INCLUDING INTERFACE PAD **971-7503** (PAGE 79).

TOLEX SUPER TACK SHEETS / 130 X 170 MM

ART. NO.	GRIT	APPLICATION	BOX	CARTON
191-1533	K1500		25	500

 WITH PERFORATION LINE: CAN EASILY BE DIVIDED INTO TWO SHEETS OF 130 X 85 MM. USE WITH SUPER ASSILEX HAND PAD M **971-0025** OR SUPER ASSILEX HAND PAD L **971-0026** (PAGE 36). FOR AN EVEN FINER RESULT USE THE BUFLEX DRY HAND PAD **971-0060** (MANUAL USE) OR INTERFACE PAD **971-0061** (MACHINE USE) (PAGE 47).

 REDUCE YOUR POLISHING TIME BY USING TOLEX K1500 BETWEEN YELLOW FILM AND BUFLEX DRY.



TOLEX STICK-ON DISCS / 152 MM - WITHOUT HOLES

ART. NO.	GRIT	APPLICATION	BOX	CARTON
192-1503	K1500		25	1500

 FOR MORE AGGRESSIVENESS USE INTERFACE PAD HARD **971-0017**. FOR MORE UNIFORMITY USE INTERFACE PAD SOFT **971-0014**.

TOLEX STICK-ON INTERFACE PAD - HARD / 150 MM - WITHOUT HOLES

ART. NO.	BOX
971-0017	2

TOLEX / BUFLEX WET STICK-ON INTERFACE PAD - SOFT / 150 MM - WITHOUT HOLES

ART. NO.	BOX
971-0014	2

TOLEX STICK-ON SHEETS / 70 X 114 MM

ART. NO.	GRIT	APPLICATION	BOX	CARTON
191-1503	K1500		25	750

 USE IN COMBINATION WITH TOLEX STICK-ON HAND PAD **971-0016**.

TOLEX STICK-ON HAND PAD / 62 X 111 MM


ART. NO.	BOX
971-0016	2



BUFLEX DRY SUPER TACK DISCS / 152 MM - 15 HOLES

ART. NO.	GRIT	APPLICATION	BOX	CARTON
193-1565	K2000		25	1000
193-1562	K2500		25	1000
193-1564	K3000		25	1000

 ONLY USE IN COMBINATION WITH INTERFACE PAD 971-0065.



BUFLEX DRY SUPER TACK INTERFACE PAD / 150 MM - 15 HOLES


ART. NO.	BOX
971-0065	FEMALE - FEMALE VELCRO 2



BUFLEX DRY SUPER TACK DISCS / 125 MM - 7 HOLES

ART. NO.	GRIT	APPLICATION	BOX	CARTON
195-1535	K2000		25	1000
195-1534	K3000		25	1000

 ONLY USE IN COMBINATION WITH INTERFACE PAD 971-0067.



BUFLEX DRY SUPER TACK INTERFACE PAD / 125 MM - 7 HOLES


ART. NO.	BOX
971-0067	FEMALE - FEMALE VELCRO 2



BUFLEX DRY SUPER TACK DISCS / 75 MM - WITHOUT HOLES

ART. NO.	GRIT	APPLICATION	BOX	CARTON
730-1513	K2000		50	1800
730-1515	K2500		50	1800
730-1514	K3000		50	1800

 ONLY USE IN COMBINATION WITH INTERFACE PAD 971-0068.



BUFLEX DRY SUPER TACK INTERFACE PAD / 75 MM - WITHOUT HOLES


ART. NO.	BOX
971-0068	FEMALE - FEMALE VELCRO 4



BUFLEX DRY SUPER TACK SHEETS / 130 X 170 MM

ART. NO.	GRIT	APPLICATION	BOX	CARTON
191-1532	K2000		25	500
191-1534	K2500		25	500
191-1531	K3000		25	500

 WITH PERFORATION LINE: CAN EASILY BE DIVIDED INTO TWO SHEETS OF 130 X 85 MM. USE IN COMBINATION WITH HAND PAD 971-0060 FOR MANUAL USE AND WITH INTERFACE PAD 971-0061 FOR MACHINE USE.



BUFLEX DRY SUPER TACK HAND PAD & INTERFACE PAD / 78 X 123 MM

ART. NO.	BOX
971-0060	FEMALE - FEMALE VELCRO 2

FOR MANUAL USE.

ART. NO.	BOX
971-0061	FEMALE - FEMALE VELCRO 2

FOR MACHINE USE.




 UTILIZE BUFLEX DRY EXCLUSIVELY IN COMBINATION WITH THE MATCHING, INNOVATIVE FEMALE-FEMALE VELCRO INTERFACE PADS FOR A PERFECT SANDING RESULT. THIS AVOIDS SANDING SCRATCHES CAUSED BY WRONG VELCRO AND LEAVES LESS SCRATCHES WHICH RESULTS IN SHORTER POLISHING TIME.

BUFLEX WET STICK-ON DISCS / 152 MM - WITHOUT HOLES

ART. NO.	GRIT	APPLICATION	BOX	CARTON
192-1502	K2000		25	1500
192-1501	K3000		25	1500

USE IN COMBINATION WITH TOLEX/BUFLEX WET INTERFACE PAD **971-0014**.



TOLEX / BUFLEX WET INTERFACE PAD - SOFT / 150 MM - WITHOUT HOLES

ART. NO.	BOX
971-0014	2



BUFLEX WET STICK-ON SHEETS / 70 X 114 MM

ART. NO.	GRIT	APPLICATION	BOX	CARTON
191-1502	K2000		25	750
191-1501	K3000		25	750

USE IN COMBINATION WITH BUFLEX STICK-ON PAD NH (HARD) **971-0013** OR PAD NS (SOFT) **971-0012**.



BUFLEX WET STICK-ON HAND PAD NH - HARD / 110 X 70 X 50 MM

ART. NO.	BOX
971-0013	2



BUFLEX WET STICK-ON HAND PAD NS - SOFT / 110 X 70 X 50 MM

ART. NO.	BOX
971-0012	2




ASSILEX STICK-ON SHEETS / 85 X 130 MM

ART. NO.	GRIT	APPLICATION	BOX	CARTON
191-1505	K800		50	1000
191-1504	K1500		50	1000




ASSILEX STICK-ON HAND PAD AU - HARD / 83 X 130 MM

ART. NO.	BOX
971-0020	2




ASSILEX STICK-ON HAND PAD AH - SOFT / 83 X 130 MM

ART. NO.	BOX
971-0021	2



ASSILEX STICK-ON HAND PAD AS - SOFT / 83 X 130 MM

ART. NO.	BOX
971-0022	6



KOFLE-X SLIM HAND PADS / 115 X 230 MM

ART. NO.	GRIT		APPLICATION	BOX
900-7950	Red	Very Fine		25
900-7951	Grey	Ultra Fine		25

- FLEXIBLE MATERIAL FOR HARD-TO-REACH SPOTS. .
- USE MATTING PASTE FINE **852-0260** FOR FASTER AND EASIER SCUFFING.
- ECONOMIC CHOICE



KOFLE-X PERFORMANCE HAND PADS / 115 X 230 MM

ART. NO.	GRIT		APPLICATION	BOX
900-7952	Red	Very Fine		20
900-7953	Grey	Ultra Fine		20

- THICKER & MORE AGGRESSIVE.
- USE MATTING PASTE FINE **852-0260** FOR FASTER AND EASIER SCUFFING.
- ECONOMIC CHOICE



KOFLE-X PERFORMANCE ROLLS / 115 MM X 10 M

ART. NO.	GRIT		APPLICATION	BOX
900-7954	Red	Very Fine		1
900-7955	Grey	Ultra Fine		1

- USE MATTING PASTE FINE **852-0260** FOR FASTER AND EASIER SCUFFING.
- ECONOMIC CHOICE



MATTING PASTE FINE - WATERBASE / 1L

ART. NO.
852-0260

- THE COMBINATION OF MATTING PASTE AND KOFLE-X OFFERS A MORE UNIFORM SANDING RESULT AND ENABLES A SIGNIFICANT REDUCTION OF COUNTER-PRESSURE DURING SANDING.



FOAM-X ROLLS / 115 MM X 25 M

ART. NO.	GRIT	APPLICATION	BOX
KFX-0180	P180		1
KFX-0240	P240		1
KFX-0320	P320		1
KFX-0400	P400		1
KFX-0500	P500		1
KFX-0600	P600		1
KFX-0800	P800		1

- ECONOMIC CHOICE



HIGHFLEX SOFTPADS / 115 X 140 X 6 MM

ART. NO.	GRIT	APPLICATION	BOX
HFX-MEDIUM-20	Medium		20
HFX-FINE-20	Fine		20
HFX-SUPERFINE-20	Super Fine		20
HFX-ULTRAFINE-20	Ultra Fine		20
HFX-MICROFINE-20	Micro Fine		20

- ECONOMIC CHOICE



20x

HIGHFLEX SOFTPADS / 115 X 140 X 6 MM

ART. NO.	GRIT	APPLICATION	BOX
HFX-MEDIUM	Medium		100
HFX-FINE	Fine		100
HFX-SUPERFINE	Super Fine		100
HFX-ULTRAFINE	Ultra Fine		100
HFX-MICROFINE	Micro Fine		100

- ECONOMIC CHOICE




100x

DOUBLEFLEX SOFTPADS / 123 X 98 X 13 MM

ART. NO.		GRIT	APPLICATION	BOX
901-0010	Grey	Medium		100
901-0020	Red	Fine		100
901-0030	Blue	Super Fine		100
901-0040	Green	Ultra Fine		100
901-0050	Beige	Micro Fine		100

- DUE TO ITS FLEXIBLE POLYURETHANE FOAM, DOUBLEFLEX ADAPTS EASILY TO THE CONTOURS OF THE SURFACE.
- ECONOMIC CHOICE



SANDING BLOCK 4 SIDED / 100 X 68 X 25 MM

ART. NO.	GRIT	APPLICATION	BOX
902-0010	Medium		250
902-0020	Fine		250
902-0030	Super Fine		250
902-0040	Ultra Fine		250

- IDEAL FOR WOODWORKING. MAKES IT POSSIBLE TO PROCESS CORNERS, EDGES AND RIGHT ANGLES.
- ECONOMIC CHOICE



ANGLED SANDING BLOCK 4 SIDED / 115 X 90 X 68 X 25 MM

ART. NO.	GRIT	APPLICATION	BOX
902-0015	Medium		100
902-0025	Fine		100
902-0035	Super Fine		100
902-0045	Ultra Fine		100


 IDEAL FOR WOODWORKING. MAKES IT POSSIBLE TO SAND RIGHT ANGLES WHEN ONLY ONE SIDE SHOULD BE SANDED

 ECONOMIC CHOICE



SHEETS - WITHOUT ADHESION / 115 X 280 MM

ART. NO.	GRIT	APPLICATION	BOX	CARTON
220-0040	P40		100	800
221-0060	P60		100	800
221-0080	P80		100	1000
221-0100	P100		100	1000
221-0120	P120		100	1000
224-0150	P150		100	2000
224-0180	P180		100	2000
224-0220	P220		100	2000
224-0240	P240		100	2000
224-0280	P280		100	2000
224-0320	P320		100	2000
224-0360	P360		100	2000
224-0400	P400		100	2000



WATERPROOF BLACK - SILICON CARBIDE / 230 X 280 MM

ART. NO.	GRIT	APPLICATION	BOX	CARTON
101-0060	P60		50	500
101-0080	P80		50	500
101-0100	P100		50	500
101-0120	P120		50	500
102-0150	P150		50	1000
102-0180	P180		50	1000
102-0220	P220		50	1000
102-0240	P240		50	1000
102-0280	P280		50	1000
102-0320	P320		50	1000
102-0360	P360		50	1000
102-0400	P400		50	1000
102-0500	P500		50	1000
102-0600	P600		50	1000
102-0800	P800		50	1000
102-1000	P1000		50	1000
102-1200	P1200		50	1000
102-1500	P1500		50	1000
102-2000	P2000		50	1000

 CAN BE USED WITH THE CANDYBLOCK 971-0001.



WATERPROOF BROWN - ALUMINIUM OXIDE / 230 X 280 MM

ART. NO.	GRIT	APPLICATION	BOX	CARTON
105-0180	P180		50	1000
105-0220	P220		50	1000
105-0240	P240		50	1000
105-0280	P280		50	1000
105-0320	P320		50	1000
105-0400	P400		50	1000
105-0600	P600		50	1000
105-0800	P800		50	1000
105-1000	P1000		50	1000
105-1200	P1200		50	1000

 CAN BE USED WITH THE CANDYBLOCK 971-0001.



CANDYBLOCK / 140 X 70 MM & 45 X 70 MM

ART. NO.
971-0001



BUFLEX SHINE HEAVY CUT 2100 / 1KG

ART. NO.	BOX	CARTON
858-2100	1	6

- 

USE TO REMOVE SANDING MARKS FROM ALL MODERN PAINT SYSTEMS WHILE LEAVING A SWIRL-FREE, HIGH-GLOSS FINISH.
- 

USE IN COMBINATION WITH THE WOOL PAD, BLUE OR ORANGE POLISHING PAD.
- SANDING WITH BUFLEX DRY FOR AT LEAST 10 SECONDS BEFORE POLISHING SIGNIFICANTLY REDUCES YOUR POLISHING TIME.



BUFLEX SHINE ULTRAFINE FINISH 2200 / 1L

ART. NO.	BOX	CARTON
858-2200	1	6

- 

FOR A HIGH GLOSS FINISH, WITHOUT SWIRL MARKS OR HOLOGRAMS
- 

USE IN COMBINATION WITH THE BLACK FINE OR GREEN POLISHING PAD.



BUFLEX SHINE ULTIMATE SHINE AND PROTECT 2300 / 500 ML

ART. NO.	BOX	CARTON
858-2300	1	6

- 

LIQUID WAX FOR ADDING DEPTH TO THE COLOR AND PROTECTION TO THE PAINT. LEAVES THE SURFACE WITH AN EXTREMELY SMOOTH FINISH.
- 

USE IN COMBINATION WITH THE POLISHING PAD BLACK ULTRAFINE.



WOOD SHINE FAST CUT 1840 / 1L

ART. NO.	BOX	CARTON
852-1840	1	6

- 

FOR FAST AND EFFICIENT SCRATCH REMOVAL.
- 

USE IN COMBINATION WITH THE WOOL PAD, BLUE OR ORANGE POLISHING PAD.



NEW

WOOD SHINE FINE FINISH 1850 / 1L

ART. NO.	BOX	CARTON
852-1850	1	6

- 

GUARANTEES AN EXCEPTIONAL HIGH-GLOSS FINISH.
- 

USE IN COMBINATION WITH THE BLACK FINE OR GREEN POLISHING PAD.



NEW



PREMIUM WOOL PAD /
160 MM, 125 MM, 80 MM, 55 MM & 35 MM

ART. NO.	BOX	
858-6733	160 MM	2
NEW 858-6734	125 MM	1
NEW 858-6735	80 MM	1
NEW 858-6736	55 MM	5
NEW 858-6737	35 MM	5

IDEAL FOR REMOVING DEEP SCRATCHES.

POLISHING FOAM PAD BLUE - HEAVY CUT /
150 MM, 125 MM, 125 MM, 75 MM, 50 MM & 32 MM

ART. NO.	VELCRO SIZE	PAD SIZE	HOLE	BOX
858-7610	150 MM	170 MM	X	2
858-7620	125 MM	145 MM	X	2
858-7650	125 MM	145 MM	✓	2
858-7631	75 MM	95 MM	X	4
858-7641	50 MM	55 MM	X	5
858-7606	32 MM	30 MM	X	10

EXTRA CUTTING POWER FOR FASTER RESULTS.

POLISHING FOAM PAD ORANGE - MEDIUM-HARD /
150 MM, 125 MM, 125 MM, 75 MM, 50 MM & 32 MM

ART. NO.	VELCRO SIZE	PAD SIZE	HOLE	BOX
858-7410	150 MM	170 MM	X	2
858-7420	125 MM	145 MM	X	2
858-7450	125 MM	145 MM	✓	2
858-7430	75 MM	95 MM	X	4
NEW 858-7441	50 MM	55 MM	X	5
NEW 858-7406	32 MM	30 MM	X	10

MEDIUM-HARD DENSITY FOR OPTIMUM CUTTING POWER.



POLISHING FOAM PAD BLACK - FINE /
150 MM, 125 MM, 125 MM, 75 MM, 50 MM & 32 MM

ART. NO.	VELCRO SIZE	PAD SIZE	HOLE	BOX
858-7510	150 MM	170 MM	X	2
858-7520	125 MM	145 MM	X	2
858-7550	125 MM	145 MM	✓	2
858-7530	75 MM	95 MM	X	4
NEW 858-7541	50 MM	55 MM	X	5
NEW 858-7506	32 MM	30 MM	X	10

SOFTER PAD TO ACHIEVE MORE GLOSS.

POLISHING FOAM PAD GREEN - SUPERFINE /
150 MM, 125 MM, 125 MM & 75 MM

ART. NO.	VELCRO SIZE	PAD SIZE	HOLE	BOX
858-7710	150 MM	170 MM	X	2
858-7720	125 MM	145 MM	X	2
858-7750	125 MM	145 MM	✓	2
858-7730	75 MM	95 MM	X	4

SUPER SOFT PAD FOR THE ULTIMATE SHINE.

POLISHING FOAM PAD BLACK - ULTRAFINE /
150 MM, 125 MM, 75 MM & 90 MM

ART. NO.	VELCRO SIZE	PAD SIZE	USAGE	BOX
858-7210	150 MM	160 MM	Machine	2
858-7215	125 MM	150 MM	Machine	2
858-7220	75 MM	80 MM	Machine	4
858-7310	-	90 MM	Manual	1

MANUAL PAD TO WORK MORE PRECISELY.



DEFENDER CLEANER / 500 ML

ART. NO.	BOX	CARTON
858-8100	1	6

USE BETWEEN POLISHING STEPS TO DEGREASE THE SURFACE. CAN ALSO BE USED TO CHECK FOR HOLOGRAMS AFTER POLISHING.



CLEANING CLAY BLUE / 200 GR

ART. NO.	BOX
858-8310	1

USE WITH DEGREASER LUBRICANT. USE PRIOR TO POLISHING TO MAKE YOUR POLISH WORK MORE EFFECTIVELY AND TO PREVENT SCRATCHES. IT ALSO PREVENTS YOUR POLISHING PAD FROM GETTING DIRTY.



MICROFIBER CLOTH / ORANGE

ART. NO.	BOX
851-4163	1

SYNTHETIC CLOTH OF THE HIGHEST QUALITY. DOES NOT SCRATCH.



MICROFIBER CLOTH / BLACK

ART. NO.	BOX
851-4165	1

ULTRA SOFT AND EXTRA-THICK CLOTH. IDEAL FOR USE DURING THE FINAL POLISHING OR DETAILING STEPS.



RUBBING COMPOUND - ULTRA MORDENTE / 4 L

ART. NO.
852-4009

VERY AGGRESSIVE. IDEAL FOR THE MARINE INDUSTRY.



WOOL COMPOUNDING PADS / 150 MM & 80 MM

ART. NO.		BOX
858-6798	150 MM	1
858-6797	80 MM	1

100% NATURAL LAMBS WOOL. USE THE WOOL COMPOUNDING PADS WHEN MORE AGGRESSIVENESS IS REQUIRED. ONLY USE IN COMBINATION WITH BUFLEX SHINE HEAVY CUT 2100 858-2100 (PAGE 54).



WOOL COMPOUNDING PADS & FOAM PAD / HARD & SOFT 80 MM

ART. NO.		BOX	CARTON
M00-4047	Wool - Hard	1	20
M00-4048	Wool - Soft	1	10
M00-4045	Foam - Soft	1	10



NANO ARMOR 5 YRS / KIT

ART. NO.		BOX
832-1200	Nano Armor 5 yrs Kit	1
832-1130	Base Coat 20 ml	1
832-1120	Blue Nano 20 ml	1
832-1110	Red Nano 20 ml	1
823-1310	Nano Booster 100 ml	1
851-4163	Microfiber Cloth Orange	1
832-1280	Applicator Nano	1
832-1290	Rag Nano	1

PROVIDES UP TO 5 YEARS OF PROTECTION AGAINST DRY PARTICLES, WATER, OIL AND DIRT. IT ALSO CAN BE USED FOR TREATMENTS ON VINTAGE CARS.

BEFORE USE, MAKE SURE THE SURFACE IS WELL DEGREASED. USE IN COMBINATION WITH PREPARATION KIT 823-1800.



NANO ARMOR 2 YRS / KIT

ART. NO.		BOX
832-1100	Nano Armor 2 yrs Kit	1
832-1120	Blue Nano 20 ml	1
832-1110	Red Nano 20 ml	1
832-1280	Applicator Nano	1
832-1290	Rag Nano	1

PROVIDES UP TO 2 YEARS OF PROTECTION AGAINST DRY PARTICLES, WATER, OIL AND DIRT. IT ALSO CAN BE USED FOR TREATMENTS ON VINTAGE CARS.

BEFORE USE, MAKE SURE THE SURFACE IS WELL DEGREASED. USE IN COMBINATION WITH PREPARATION KIT 823-1800.



NANO ARMOR 6 MTH / KIT

ART. NO.		BOX
823-1300	Nano Armor 6 mth Kit	1
823-1310	Nano Booster 100 ml	1
851-4163	Microfiber Cloth Orange	1

CAN BE USED AS A TEMPORARY NANOMETRIC TREATMENT, LASTING 6 MONTHS, OR FOR MAINTENANCE AND RENEWAL OF THE COATING. PROTECTS AGAINST DRY PARTICLES, WATER, OIL AND DIRT. IT ALSO CAN BE USED FOR TREATMENTS ON VINTAGE CARS.

BEFORE USE, MAKE SURE THE SURFACE IS WELL DEGREASED. USE IN COMBINATION WITH PREPARATION KIT 823-1800.



CAR CARE PREPARATION / KIT

ART. NO.		BOX
823-1800	Preparation Kit	1
823-1820	Preparation Spray 200 ml	1
823-1810	Cleaning Spray 200 ml	1
851-4163	Microfiber Cloth Orange	1

USE AS PRE-TREATMENT FOR APPLYING NANO COATING.

USE IN COMBINATION WITH NANO ARMOR 5 YRS KIT 832-1200, NANO ARMOR 2 YRS KIT 832-1100 OR NANO ARMOR KIT 6 MTH 823-1300



FOG FREE / KIT

ART. NO.		BOX
823-1600	Fog Free Kit	1
823-1610	Fog Free 100 ml	1
851-4163	Microfiber Cloth Orange	1
858-8230	Hitex Cloth	3

PREVENTS FOGGING ON THE INSIDE OF WINDSHIELDS AND MIRRORS.

BEFORE USE, MAKE SURE THE SURFACE IS THOROUGHLY CLEAN. USE IN COMBINATION WITH PREPARATION SPRAY 823-1820.



GLASS SHIELD / KIT

ART. NO.		BOX
823-1900	Glass Shield Kit	1
	Glass Shield A 20 ml	1
	Glass Shield B 20 ml	1
	Spray Bottle	1
	Hitex Cloth	1

TWO-COMPONENT PROTECTIVE NANOMETRIC TREATMENT FOR WINDSCREENS, TO PROVIDE EXCELLENT VISIBILITY AND PROTECTION OF THE GLASS.



CARE CARE: SCAN THE QR CODE FOR MORE INFORMATION



RANDOM ORBITAL SANDER / 125 MM

ART. NO.	BOX	CARTON
910-0104D	1	6

MAX. ROTATION: 8.500 RPM. AIR CONSUMPTION: 340 L/MIN. WEIGHT: 0,75 KG.
AIR PRESSURE: 4-6 BAR. ORBIT: 5 MM.



PNEUMATIC MINI BELT SANDER KB-504 / 10/12 X 330MM

ART. NO.	BOX	CARTON
910-0504	1	12

MAX. ROTATION: 17.000 RPM. AIR CONSUMPTION: 450 L/MIN. WEIGHT: 0,93 KG.
AIR PRESSURE: 4-6 BAR.



MINI ORBITAL SANDER KD-501 / 72 MM

ART. NO.	BOX	CARTON
910-7501	1	20

MAX. ROTATION: 13.000 RPM. AIR CONSUMPTION: 275 L/MIN. WEIGHT: 0,62 KG.
AIR PRESSURE: 4-6 BAR. ORBIT: 3 MM. INCLUDING BACK-UP PAD **M750-148** (PAGE 77).



TOUCH-UP SANDER / 31MM

ART. NO.	BOX	CARTON
910-3501	1	20

MAX. ROTATION: 8.500 RPM. AIR CONSUMPTION: 140 L/MIN. WEIGHT: 0,475 KG.
AIR PRESSURE: 4-6 BAR. ORBIT: 3 MM. INCLUDING PAD **910-3501-46** AND STICK-ON INTERFACE TRANSFER PAD **910-3501-47** (PAGE 39).



TOUCH-UP SUPER TACK PAD / 31MM

ART. NO.	BOX
910-3501-46	1

FOR TOUCH-UP SANDER **910-3501**. USE IN COMBINATION WITH STICK-ON INTERFACE TRANSFER PAD **910-3501-47** (PAGE 39).



ASSILEX / BUFLEX SANDER KO-202 / 70 X 115 MM

ART. NO.	BOX	CARTON
910-0202	1	6

MAX. ROTATION: 8.500 RPM. AIR CONSUMPTION: 340 L/MIN. WEIGHT: 0,74 KG. AIR PRESSURE: 4-6 BAR.
ORBIT: 3 MM. INCLUDING BACK-UP PAD **910-0202-36**.



POLISHER KP-302 / 123 MM

ART. NO.	BOX	CARTON
910-0302	1	6

MAX. ROTATION: 3.000 RPM. AIR CONSUMPTION: 450 L/MIN. WEIGHT: 1,20 KG. AIR PRESSURE: 4-6 BAR.
INCLUDING BACK-UP PAD **972-3201**.



POLISHER KP-301 / 72 MM

ART. NO.	BOX	CARTON
910-0301	1	10

MAX. ROTATION: 2.500 RPM. AIR CONSUMPTION: 350 L/MIN. WEIGHT: 0,70 KG. AIR PRESSURE: 4-6 BAR.
INCLUDING BACK-UP PAD **M00-4043** (PAGE 77) AND WOOL COMPOUNDING PAD **M00-4047** (PAGE 59).



POLISHER 450 PL / 72 MM

ART. NO.	BOX	CARTON
M00-4000	1	10

MAX. ROTATION: 5.000 RPM. AIR CONSUMPTION: 350 L/MIN. WEIGHT: 0,90 KG. AIR PRESSURE: 4-6 BAR.
INCLUDING BACK-UP PAD **M00-4043** (PAGE 77), WOOL COMPOUNDING PAD **M00-4047** AND FOAM PAD **M00-4045** (PAGE 59).



WARRANTY? SCAN THE
QR-CODE AND CHECK IT
ON OUR WEBSITE.

PROMA-X ELECTRIC POLISHER /
ELECTRIC ROTARY POLISHER - 150 MM

ART. NO.	BOX
910-0670	1

ROTATIONS: 750 - 2500 RPM, 6 SPEEDS. VOLTAGE: 220 - 240 V. POWER: 1050 W. WEIGHT: 2,2 KG. INCLUDING BACK-UP PAD. **973-0040** (PAGE 76).



PROMA-X AIR 150 V2 /
PNEUMATIC RANDOM ORBITAL SANDER - 150 MM

ART. NO.	BOX
910-0620	1

MAX. ROTATION: 12.000 RPM. AIR CONSUMPTION: 380 L/MIN. WEIGHT: 0,97 KG. AIR PRESSURE: 6,2 BAR. ORBIT: 5 MM. INCLUDING BACK-UP PAD **973-0001** (PAGE 75).



PROMA-X AIR SHEET SANDER /
PNEUMATIC ORBITAL SANDER - 70 X 198 MM

ART. NO.	BOX
910-0650	1

AIR CONSUMPTION: 350 L/MIN. AIR PRESURE: 5-6 BAR. ORBIT: 5 MM. WEIGHT: 1.10 KG. INCLUDING BACK-UP PAD: **910-0650-1** (PAGE 78).



PROMA-X AIR ASSILEX / BUFLEX SANDER /
PNEUMATIC ORBITAL SANDER - 70 X 108 MM

ART. NO.	BOX
910-0660	1

AIR CONSUMPTION: 350 L/MIN. AIR PRESURE: 5-6 BAR ORBIT: 3 MM. WEIGHT: 0.65 KG. INCLUDING BACK-UP PAD: **910-0660-1** (PAGE 78) + INTERFACE PAD: **971-0035** (PAGE 36) & **971-0061** (PAGE 47).



PROMA-X AIR 75 /
PNEUMATIC RANDOM ORBITAL SANDER - 75 MM

ART. NO.	BOX
910-0680	1


AIR CONSUMPTION: 350 L/MIN. ORBIT: 2,5 MM. AIR PRESSURE: 6 BAR. WEIGHT: 0,5 KG. INCLUDING BACK-UP PAD **910-0680-1** (PAGE 78).



PROMA-X AIR 75D - WITH DUST EXTRACTION /
PNEUMATIC RANDOM ORBITAL SANDER - 75 MM

ART. NO.	BOX
910-0685	1

AIR CONSUMPTION: 350 L/MIN. ORBIT: 2,5 MM. AIR PRESSURE: 6 BAR. WEIGHT: 0,6 KG. INCLUDING BACK-UP PAD **910-0685-1** (PAGE 78).



PROMA-X DUST EXTRACTOR PLUS L-CLASS

THE L-CLASS CAN VACUUM DUST OF 1 MG/M3. THE PROMA-X DUST EXTRACTOR PLUS SET COMES STANDARD WITH THE ANTISTATIC DUST HOSE 910-0860. BOTH A FLEECE AND PE DUST BAG ARE INCLUDED.



+



ART. NO. 910-8460

L-CLASS DUST EXTRACTOR PLUS
ANTISTATIC DUST HOSE

UPGRADE TO
PNEUMATIC ANTISTATIC DUST HOSE

- + HOSE-IN-HOSE SYSTEM
- + THIS HOSE-IN-HOSE SYSTEM ENABLES PNEUMATIC SANDING.



ART. NO. 910-8450

L-CLASS DUST EXTRACTOR PLUS
PNEUMATIC ANTISTATIC DUST HOSE

UPGRADE TO M-CLASS

UPGRADE TO M-CLASS FOR EVEN LESS DUST EXPOSURE AND A HEALTHIER WORK ENVIRONMENT

PROMA-X DUST EXTRACTOR PLUS M-CLASS

THE M-CLASS CAN VACUUM DUST OF 0,1 MG/M3. THE PROMA-X DUST EXTRACTOR PLUS SET COMES STANDARD WITH THE ANTISTATIC DUST HOSE 910-0860. BOTH A FLEECE AND PE DUST BAG ARE INCLUDED.



+



ART. NO. 910-8360

M-CLASS DUST EXTRACTOR PLUS
ANTISTATIC DUST HOSE

UPGRADE TO
PNEUMATIC ANTISTATIC DUST HOSE

- + HOSE-IN-HOSE SYSTEM
- + THIS HOSE-IN-HOSE SYSTEM ENABLES PNEUMATIC SANDING.



ART. NO. 910-8350

M-CLASS DUST EXTRACTOR PLUS
PNEUMATIC ANTISTATIC DUST HOSE

PROMA-X DUST EXTRACTOR PLUS /
PNEUMATIC ANTISTATIC DUST HOSE - 6 M

ART. NO.	BOX
910-0850	1

THIS HOSE-IN-HOSE SYSTEM ENABLES PNEUMATIC SANDING.



PROMA-X DUST EXTRACTOR PLUS /
ANTISTATIC DUST HOSE - 5 M


ART. NO.	BOX
910-0860	1



PROMA-X DUST EXTRACTOR PLUS /
DUST FLEECE BAG PLUS (5 PACK)

ART. NO.	BOX
910-0823	5

THE DUST BAGS HAVE A CAPACITY OF 25L.



PROMA-X DUST EXTRACTOR PLUS /
DUST POLY BAG PLUS (5 PACK)

ART. NO.	BOX
910-0824	5

THE DUST BAGS HAVE A CAPACITY OF 25L.



PROMA-X DUST EXTRACTOR PLUS /
FILTERS M & L CLASS SET 2 PIECES

ART. NO.	BOX
910-0821	2



PROMA-X DUST EXTRACTOR PLUS /
2 WAY UNION PLUS

ART. NO.	BOX
910-0822	1



PROMA-X DUST EXTRACTOR PLUS /
PUSH HANDLE PLUS

ART. NO.	BOX
910-0825	1

PUSH HANDLE WITH OPTIMAL HEIGHT MAKING THE PROMA-X DUST EXTRACTOR PLUS EASY TO MANEUVER. THANKS TO THE POWDER-COATED LAYER THERE IS NO ELECTRICAL CHARGE.



EMA-X 150/6 / ELECTRIC RANDOM ORBITAL SANDER - 150 MM

ART. NO.	BOX
9100-900	1

MAX. ROTATION: 10.000 RPM. WEIGHT: 1,2 KG. ORBIT: 6 MM. INCLUDING BACK-UP PAD 973-0009 (PAGE 75).



EMA-X 125/15 / ELECTRICAL RANDOM ORBITAL POLISHER - 125 MM

ART. NO.	BOX
910-0710	1

MAX. ROTATION: 4.500 RPM. VOLTAGE: 220 - 240 V. POWER: 500 W. ORBIT: 15 MM. WEIGHT: 2,6 KG. INCLUDING BACK-UP PAD 973-0020 (PAGE 77).



EMA-X / HOSE CLIP

ART. NO.	BOX
910-0905	1



CHARGEMA-X 150 / CORDLESS ROTARY POLISHER - 150 MM

ART. NO.	BOX
910-0740	1

MAX. ROTATION: 5.000 RPM. VOLTAGE: 18 V. WEIGHT: 1,9 KG. INCLUDING BACK-UP PAD 973-0040 (PAGE 76). BATTERY NOT INCLUDED.



CHARGEMA-X 125/15 / CORDLESS RANDOM ORBITAL POLISHER - 125 MM

ART. NO.	BOX
910-0720	1

MAX. ROTATION: 5.000 RPM. VOLTAGE: 18 V. ORBIT: 15 MM. WEIGHT: 1,9 KG. INCLUDING BACK-UP PAD 973-0020 (PAGE 77). BATTERY NOT INCLUDED.



CHARGEMA-X / BATTERY CHARGER - 18 V

ART. NO.	BOX
912-0010	1



CHARGEMA-X / BATTERY PACK - 18 V

ART. NO.		BOX
912-0025	2,5 Ah	1
912-0050	5,0 Ah	1



 CONVENIENT LED INDICATORS SHOW REMAINING BATTERY CAPACITY.

CHARGEMA-X 31/3R0 /
CORDLESS RANDOM ORBITAL TOUCH-UP SANDER - 31 MM

ART. NO.	BOX
910-0780	1

MAX. ROTATION: 10.000 RPM, VOLTAGE: 10.8 V, ORBIT: 3MM, WEIGHT: 495 G.
INCLUDING BACK-UP PADS **910-0791-1**, **910-0791-2** (PAGE 78) AND STICK-ON INTERFACE TRANSFER PAD **910-3501-47**. BATTERY NOT INCLUDED.

CONVENIENT LED INDICATOR SHOWS REMAINING BATTERY CAPACITY.

CHARGEMA-X 31/30 /
CORDLESS ORBITAL TOUCH-UP SANDER - 31 MM

ART. NO.	BOX
910-0790	1

MAX. ROTATION: 10.000 RPM, VOLTAGE: 10.8 V, ORBIT: 3MM, WEIGHT: 475 G.
INCLUDING BACK-UP PADS **910-0791-1**, **910-0791-2** (PAGE 78) AND STICK-ON INTERFACE TRANSFER PAD **910-3501-47**. BATTERY NOT INCLUDED.

CONVENIENT LED INDICATOR SHOWS REMAINING BATTERY CAPACITY.

CHARGEMA-X / BATTERY PACK 2,5 AH - 10.8 V

ART. NO.	BOX
912-0060	2,5 Ah - 10.8 V 1

HIGH CAPACITY FOR LONG-TERM USE. FAST CHARGING TIME.

CHARGEMA-X / BATTERY CHARGER - 10.8 V

ART. NO.	BOX
912-0020	10.8 V 1

STICK-ON INTERFACE TRANSFER PAD / 32 MM

ART. NO.	BOX
910-3501-47	1

THE INTERFACE TRANSFER PAD TRANSFORMS SUPER TACK INTO STICK-ON.



CHARGEMA-X 31/3R0 / KIT

ART. NO.	BOX
999-8820	1



CHARGEMA-X 31/30 / KIT

ART. NO.	BOX
999-8821	1



CHARGEMA-X ANGLE GRINDER 125MM / KIT

ART. NO.		BOX
999-8827	CHARGEMA-X ANGLE GRINDER KIT 125MM	1
 910-0730	GRINDER MACHINE	1
 912-0050	BATTERY	1
 912-0010	BATTERY CHARGER	1
 910-0761	BACK-UP PAD 125MM	1
 973-0042	ROTARY POLISHING BACK-UP PAD 125MM	1
 552-0060	MAXCUT ST Ø125MM NO HOLES P60	50
 552-0080	MAXCUT ST Ø125MM NO HOLES P80	50
 999-9904	SYSTEM ORGANIZER BAG	1



NEW

CHARGEMA-X MINI POLISHER / KIT

ART. NO.		BOX
999-8825	CHARGEMA-X MINI POLISHER KIT	1
 910-0730	CORDLESS MINI POLISHER	1
 912-0050	BATTERY	2
 912-0010	BATTERY CHARGER	1
 910-0761	ROTARY HEAD	1
 973-0042	BACK-UP PAD (30MM & 50MM)	2
 552-0060	COUNTERWEIGHT (3MM & 12MM)	2
 552-0080	EXTENSION BAR (2.54CM & 7.62CM)	2
 999-9904	WRENCH	2
 858-6737 858-6736	PREMIUM WOOL PAD (35MM & 55MM)	2
 858-7606 858-7641	POLISHING FOAM PAD BLUE HEAVY CUT (32MM & 55MM)	2
 858-7406 858-7441	POLISHING FOAM PAD ORANGE MEDIUM-HARD (32MM & 55MM)	2
 858-7506 858-7541	POLISHING FOAM PAD BLACK FINE (32MM & 55MM)	2



NEW



PAD SAVER /
150 MM - MULTIHOLE

ART. NO.	BOX
973-0007	1



PROMA-X FUSION BACK-UP PAD - MEDIUM /
150 MM - MULTIHOLE

ART. NO.	THREAD SIZE	BOX
973-0003	5/16" + M8	1

THIS MULTIHOLE BACK-UP PAD IS SUITABLE FOR FESTOOL MACHINES AND CAN BE EXTENDED FOR RUPES WITH ADAPTERS.



PROMA-X FUSION PAD ADAPTER /
FOR RUPES SKORPIO PNEUMATIC

ART. NO.	THREAD SIZE	BOX
973-0004	M8	1

WITH THIS ADAPTER, THE PROMA-X FUSION BACK-UP PAD **973-0003** CAN BE USED ON RUPES SKORPIO PNEUMATIC MACHINES.



PROMA-X FUSION PAD ADAPTER /
FOR EMA-X 150/6 ELECTRIC RANDOM ORBITAL SANDER

ART. NO.	THREAD SIZE	BOX
973-0005	5/16"	1

WITH THIS ADAPTER, THE PROMA-X FUSION BACK-UP PAD **973-0003** CAN BE USED ON THE EMA-X 150/6 ELECTRIC RANDOM ORBITAL SANDER.



EMA-X 150/6 BACK-UP PAD - HARD /
150 MM - MULTIHOLE

ART. NO.	THREAD SIZE	BOX
973-0009	5/16"	1




PROMA-X BACK-UP PAD INCL. 15 HOLES PATTERN - MEDIUM /
150 MM - MULTIHOLE

ART. NO.	THREAD SIZE	BOX
973-0001	5/16"	1



PROMA-X AIR 150 BACK-UP PAD - MEDIUM /
150 MM - 15 HOLES

ART. NO.	THREAD SIZE	BOX
885-0159	5/16"	1



BACK-UP PAD - MEDIUM /
150 MM - 7 HOLES

ART. NO.	THREAD SIZE	BOX
M00-1038	5/16"	1




ROTARY POLISHING BACK-UP PAD - MEDIUM /
150 MM

ART. NO.	THREAD SIZE	BOX
973-0040	M14	1




ROTARY POLISHING BACK-UP PAD - HARD /
150 MM

ART. NO.	THREAD SIZE	BOX
973-0041	M14-2	1



BACK-UP PAD - MEDIUM /
125 MM - 7 HOLES

ART. NO.	THREAD SIZE	BOX
972-0003	5/16"	1



ORBITAL POLISHING BACK-UP PAD /
125 MM

ART. NO.	THREAD SIZE	BOX
973-0020	M8	1



ROTARY POLISHING BACK-UP PAD - HARD /
125 MM

ART. NO.	THREAD SIZE	BOX
973-0042	M14-2	1



ROTARY POLISHING BACK-UP PAD /
75 MM

ART. NO.	THREAD SIZE	BOX
M00-4043	5/16"	1



BACK-UP PAD /
75 MM

ART. NO.	THREAD SIZE	BOX
M750-148	M6	1



ROTARY POLISHING BACK-UP PAD / 75 MM

ART. NO.	THREAD SIZE	BOX
973-0030	M6	1



PROMA-X AIR 75 BACK-UP PAD / 75 MM

ART. NO.	BOX
9100680-1	1



PROMA-X AIR 75D BACK-UP PAD / 75 MM - 6 HOLES

ART. NO.	BOX
9100685-1	1




CHARGEMA-X BACK-UP PADS / 31MM

ART. NO.		BOX
910-0791-1	Stick-on back-up pad	1
910-0791-2	Velcro back-up pad	1




PROMA-X AIR SHEET SANDER BACK-UP PAD / 70 X 198 MM - MULTIHOLE

ART. NO.	BOX
910-0650-1	1



PROMA-X AIR ASSILEX / BUFLEX SANDER BACK-UP PAD / 70 X 108 MM

ART. NO.	BOX
910-0660-1	1



INTERFACE PAD - SOFT / 150 MM - MULTIHOLE

ART. NO.	BOX
973-0002	1



INTERFACE PAD - SOFT / 150 MM - 15 HOLES

ART. NO.	BOX
M00-4633	1



INTERFACE PAD - SOFT / 125 MM - 7 HOLES

ART. NO.		BOX
971-0044	MICRO VELCRO	2



INTERFACE PAD - SOFT / 75 MM - 6 HOLES

ART. NO.	BOX
973-0006	1



INTERFACE PAD - SOFT / 75 MM

ART. NO.	BOX
971-7502	4

USE IN COMBINATION WITH BACK-UP PAD **M750-148** (PAGE 77).



INTERFACE PAD - SOFT / 75 MM

ART. NO.		BOX
971-7503	MICRO VELCRO	4



PREMIUM MASKING TAPE

ART. NO.	DIMENSION	BOX
900-5018	18 MM X 50 M	48
900-5024	24 MM X 50 M	36
900-5036	36 MM X 50 M	24
900-5048	48 MM X 50 M	24

COMPATIBLE FOR NEARLY ALL COMMON WATERBASED AS WELL AS SOLVENT-BASED PAINTS. EXCELLENT PROPERTIES FOR ROUND SHAPED SURFACES. GOOD TAPE-ON-TAPE ADHESION. EASY REMOVAL. LEAVES NO RESIDUES (WHEN REMOVED ON TIME WHEN PAINT IS DRY). HEAT RESISTANT: 80°C FOR 30 MINUTES.



MASKING TAPE


ART. NO.	DIMENSION	BOX
900-6018	18 MM X 50 M	48
900-6024	24 MM X 50 M	36
900-6036	36 MM X 50 M	24
900-6048	48 MM X 50 M	18



TRIM MASKING TAPE / 50 MM X 10 M

ART. NO.		BOX
900-1050	Non-perforated	1
900-1051	Perforated	1

SAVES LABOUR TIME AND COSTS OF REPLACING MOLDINGS. CAN BE USED FOR MASKING FIXED RUBBERS, SUCH AS WINDOW RUBBERS AND RUBBERS AROUND FRONT - AND TAILLIGHTS. EASY TO REMOVE WITHOUT LEAVING ADHESIVE RESIDUE (WHEN REMOVED ON TIME WHEN PAINT IS DRY). HEAT RESISTANT: 120°C FOR 30 MINUTES.



PREMIUM PROTECTION TAPE / 50 MM X 50 M

ART. NO.	BOX
910-5050	1

A STRONG, WATERPROOF, TAPE THAT CAN BE TORN IN BOTH DIRECTIONS, GIVING THE USER MORE FLEXIBILITY. SPECIALLY DEVELOPED TO PROTECT AUTOMOTIVE SURFACES DURING GRINDING AND SANDING. OFFERS SOLID ADHESION WITHOUT RESIDUE UPON REMOVAL. HEAT RESISTANT: 80°C FOR 60 MINUTES.



SOFT TAPE MASKING FOAM / 13 MM X 50 M

ART. NO.	BOX
900-1350	1

SELF ADHESIVE FOAM TAPE FOR FAST AND EASY MASKING COMMON BODYWORK GAPS PRIOR TO PAINTING. SEALS GAPS AND ELIMINATES UNNECESSARY REWORK TIME DUE TO UNWANTED HARD PAINT EDGES. EASY TO REMOVE WITHOUT LEAVING ADHESIVE RESIDUE (WHEN REMOVED ON TIME WHEN PAINT IS DRY). HEAT RESISTANT: 95°C FOR 60 MINUTES.



FLEXI NO EDGE BLENDING TAPE / 15 MM X 25 M

ART. NO.	BOX
900-1525	1

FLEXIBLE FOAM TAPE DESIGNED TO MASK CURVED STYLE LINES & PANEL EDGES. ELIMINATES UNNECESSARY REWORK. HEAT RESISTANT: UP TO 95°C FOR 60 MINUTES.



FINE LINE TAPE

ART. NO.	DIMENSION	BOX
910-5503	3 MM X 55 M	20
910-5506	6 MM X 55 M	20
910-5509	9 MM X 55 M	12

PRECISION FOR CREATING COMPLEX CURVES OR STRAIGHT LINES.



NEW

SPY SPRAY / 400 ML

ART. NO.		BOX
852-5500	Black	1
852-5510	White	1

USE WHEN SANDING PUTTY AND PRIMER.

DRY GUIDE COAT / 100 G

ART. NO.		BOX
886-2001	Black	1
886-2002	Orange	1

INCL. APPLICATOR

USE WHEN SANDING PUTTY AND PRIMER.

MICRO BRUSHES

ART. NO.		BOX
886-1050		100

MACHINE WALL HOLDER / SINGLE

ART. NO.		BOX
929-0001		1

MACHINE WALL HOLDER / TRIPLE

ART. NO.		BOX
929-0003		1



PREMIUM SPRAY SUIT

ART. NO.	SIZE	BOX	CARTON
888-0010	S (42/44)	1	15
888-0020	M (46/48)	1	15
888-0030	L (50/52)	1	15
888-0040	XL (54/56)	1	15
888-0050	2XL (58/60)	1	15

ADJUSTABLE WAIST FOR PERFECT FIT. ELASTIC HOOD AND WRIST CUFFS. WASHABLE. 2-WAY ZIPPER. VENTILATION. ANTISTATIC PROPERTIES.



DETAILING APRON / MICROFIBER

ART. NO.	BOX
888-0100	1

PROTECTS SURFACES, KEEPS CLOTHES CLEAN, OFFERS HANDY COMPARTMENTS WITH A CABLE CLIP FOR EASY ORGANIZATION.



SYSTEM ORGANIZER BAG / 45 CM X 20 CM X 30 CM

ART. NO.	BOX
999-9904	1

A PROFESSIONAL'S CHOICE WITH COMPARTMENTALIZED STORAGE FOR EASY ORGANIZATION AND QUICK ACCESS FOR DETAILERS AND PAINTERS.



ERGONOMIC HANDBLOCK WITH 4 ADAPTORS /
70 X 198 MM - MULTIHOLE

ART. NO.	BOX
887-0250	1



ERGONOMIC HANDBLOCK / 70 X 402 MM - MULTIHOLE

ART. NO.	BOX
887-0235	1



ERGONOMIC HANDBLOCK / 115 X 225 MM - MULTIHOLE

ART. NO.	BOX
887-0245	1



ERGONOMIC HANDBLOCK / 70 X 198 MM - MULTIHOLE

ART. NO.	BOX
887-0215	1



ERGONOMIC HANDBLOCK / 70 X 125 MM - MULTIHOLE

ART. NO.	BOX
887-0225	1



HANDBLOCKS FOR DISCS / 152 MM

ART. NO.		BOX
885-0220	PLANE	1
885-0223	ROUND	1



HANDBLOCK SET FOR DISCS / 152 MM

ART. NO.	BOX
885-0224	1



SPECIFICATIONS

- KOVAX QUALITY MEETS PROFESSIONAL TOOLS
- 64 X 46 X 150 CM
- EQUIPPED WITH A LOCK
- PORTABLE BOXES TO EASILY MOVE BETWEEN WORKSPACES

PRO-MATE WORKSTATION

CREATE
YOUR OWN
PERFECT
WORKSPACE.

THE **PRO-MATE WORKSTATION** CONTAINS
THE FOLLOWING ACCESSORIES:



LOW PORTABLE BOX

THIS PORTABLE BOX FITS PERFECTLY INTO THE 75 MM HIGH DRAWERS AND IS ABLE TO HOLD SIX 170 X 190 X 41 MM PACKAGES.

One included



HIGH PORTABLE BOX

THIS PORTABLE BOX FITS PERFECTLY INTO THE 154 MM HIGH DRAWERS AND IS ABLE TO HOLD UP TO SIX 170 X 180 X 110 MM PACKAGES.

One included



BOTTLE HOLDER

STORE YOUR POLISH BOTTLES (IN THE TWO Ø 90 MM HOLES) AND SPY SPRAY CAN (IN THE Ø 75 MM HOLE).

One included



PEGBOARD HOOK

EASILY HANG UP YOUR DISCS & INTERFACE PADS ON THIS 100 MM HOOK.

Six included



MACHINE HOLDER

SUITABLE FOR ALL KOVAX MACHINES (EXCEPT 31 MM).

One included



PRO-MATE WORKSTATION

ART. NO.	BOX
920-0001	1

PRO-MATE ACCESSORIES

ART. NO.		BOX
920-0022	HIGH PORTABLE BOX	1
920-0021	LOW PORTABLE BOX	1
920-0023	BOTTLE HOLDER	1
920-0020	MACHINE HOLDER	1
920-0024	PEGBOARD HOOKS	6
920-0025	FOAM-X BOX	1



ALSO AVAILABLE
BUT NOT INCLUDED IN THE STANDARD PRO-MATE

FOAM-X BOX


THIS BOX CAN EASILY BE FITTED TO BOTH SIDES OF THE PRO-MATE. THE FOAM-X BOX IS DESIGNED TO HOLD ONE FOAM-X ROLL.

PRO-XPOSE SHOWCASE

ART. NO.	BOX
921-0000	1

ESPECIALLY DESIGNED FOR TRAINING-/TEST CENTRUMS AND SHOPS.





THE POWER OF INNOVATION

At Kovax, innovation drives everything we do. After years of extensive research, testing and development, we introduce the Kovax Robotic Solutions - a new step in automated sanding and polishing.


Achieving the perfect automated solution requires more than advanced technologies; it demands in-depth knowledge of the sanding process. At Kovax, we combine decades of experience in sanding with the latest advancements in robotic technology to deliver customized solutions that work for you. We recognize that every sanding challenge is unique.

At the European Robotic Solutions Centre, we offer real-world testing and a deep analyses into your specific needs. With hands-on trials with your sanding objects, we identify the optimal combination of robotic, machine and manual sanding for your requirements. Our goal is simple: to provide you with tailored solutions that maximize your productivity and optimize your workflow.

Whether you're exploring automation for the first time or optimizing existing workflows, we are here to support you with the right knowledge and expertise.

Are you ready to discover the future of automated solutions?

Contact us to learn more about how Kovax Robotic Solutions can empower your business with future-proof efficiency and innovation.



KOVAX EUROPE B.V.

Bedrijvenpark Twente 49
7602 KC Almelo
The Netherlands

info@kovax.eu
www.kovax.eu
Tel: 0031 (0)53 - 434 31 31



INSTAGRAM



FACEBOOK



YOUTUBE



LINKEDIN



TIKTOK