



CATALOGUE

2025



SHARING YOUR ROAD

**CAR
REPAIR
SYSTEM**



EXPERTS AT CAR BODYWORK REPAIR

**+ 25 years of
experience**

+1200 products

**Technical and
commercial
support**

**Quality as a
work system**

**International
presence**

INTERNATIONAL PRESENCE



Car Repair System group is present in the international market through its subsidiaries in Spain, France, Italy, and Portugal. It also has various import agreements for distribution in around 20 countries worldwide and maintains a commercial network of over 1,000 distributors.

QUALITY AS A WORK SYSTEM



Since its inception, Car Repair System's priority has been to ensure the quality of its products and services. The R+D+i team continuously updates its products, striving to stay at the forefront of the industry. Currently, the company has successfully implemented a new integrated system to oversee Quality and R+D+i management.



INDEX

FILLING REPAIR

SEAL REPAIR

PROTECT REPAIR

PLASTIC REPAIR

TECHNO REPAIR

HIGH EFFICIENCY

FILLER & PRIMERS

CLEAR COAT REPAIR

PAINT PREPARATION SYSTEM

**CAR
REPAIR
SYSTEM**



INDEX

COMPOUNDING REPAIR

MASKING SYSTEM & PROTECTION

PERSONAL PROTECTION

ABRASIVES

TOOLS & ACCESSORIES

BODYSHOP EQUIPMENT

www.CARREPAIRSYSTEM.eu



FILLING REPAIR



**FILLING
REPAIR**

www.CARREPAIRSYSTEM.eu





















 Scan
me



FILLING REPAIR

Filling Repair is made up of a wide range of fillers that are adapted to each operator's needs for car repair.

SUBFAMILY	NAME	COLOUR	CAPACITY	APPLICATION MEDIUM	MIXING RATIO	SANDING	DRYING TIME	PAGE
CONVENTIONAL PUTTIES	MULTISOFT (Ref. 5001-001084 / 5001-001086 / 5001-001078 / 5001-001092)		1,8-3 KG	Spatula	1-3%	P100 - P320	16-30'	5
	FILL UNIVERSAL SOFT (Ref. 5001-001096)		500 GR	Spatula	1-3%	P100-P320	16-30'	5
ULTRA LIGHT PUTTY	MULTILIGHT PLUS (Ref. 5001-006106 / 5001-006107 / 5001-006108)		1000-1100 ML	Spatula	1-3%	P120-P240	< 30' - 20°C	6
	LIGHT PLUS (Ref. 5001-001082)		1000 ML	Spatula	1-3%	P80-P220	< 30' - 20°C	6
	UNIVERSAL (Ref. 5001-001098 / 5001-001090 / 5001-001099)		850-1250 ML	Spatula	1-3%	P150-P320	16-30'	6
METAL REPAIR PUTTY	FILL METAL (Ref. 5001-001125)		1,5 KG	Spatula	1-3%	P80-P220	< 30' - 20°C	7
	FILL ALU TIN (Ref. 5001-001130)		1,5 KG	Spatula	1-3%	P80-P220	< 30' - 20°C	8
PLASTIC REPAIR PUTTY	FILL PLAS (Ref. 5006-001126)		1,5 KG	Spatula	1-3%	P120-P240	< 30' - 20°C	9
	FILL FLEX (Ref. 5006-001081)		1 KG	Spatula	1-3%	P150-P320	20-30'	9
	QUICK MIX 4013 (Ref. 5006-006029)		250 GR	Spatula	1-3%	P150-P240	< 30' - 20°C	9
FIBREGLASS REPAIR PUTTY	FILL GLASS (Ref. 5001-001031)		1,8 KG	Spatula	1-3%	P80-P120	< 30' - 20°C	11
	FILL GLASS 500GR (Ref. 5001-001030)		500 GR	Spatula	2-3%	P100-P320	16-30' - 20°C	11
	FILL GLASS PLUS (Ref. 5001-001097)		1,4 KG	Spatula	2-3%	P80-P240	20-30' - 20°C	11
	HE FILL ULTRA GLASS (Ref. 5001-001002)		1 KG	Spatula	2-3%	P100-P320	16-30'	12
SPRAY REPAIR PUTTY	POLISPRAY (Ref. 5001-000032)		1,5 KG	Gravity gun (Nozzle 1.7 - 2.5)	3-5%	P150-P220	3-5 H - 20°C	13
ONE COMPONENT REPAIR PUTTY	PUTTY NITRO (Ref. 5000-000001)		180 GR	Spatula	-	P400-P600	< 30' - 20°C	14
POLYESTER RESIN	FIBER REPAIR (Ref. 5001-001128)		750 ML	Brush / roller	1-3% cat. + 1% accelerator		1.5 - 2.5 H - 20°C	15




FILL MULTISOFT

Fill Multisoft has been designed for use on glass fibre reinforced plastics and steel. The appropriate hardness of the sealant to the hardness of the paint and the smooth non-porous surface allows this product to be used as a filler and finisher. Easy to work even on homogeneous surfaces even when thick coats are applied.

REFERENCE	COLOUR	CAPACITY	BOX
5001-001084	WHITE	1,8 KG	10 UN
5001-001086	BEIGE	1,8 KG	10 UN
5001-001078	BEIGE	3 KG CARTRIDGE	6 UN ¹
5001-001092	BEIGE	3 KG	4 UN

¹ 5001-001080 CARTRIDGE DISPENSER 3 KG **TOOLS & ACCESSORIES**




FILL UNIVERSAL SOFT

Universal polyester filler for levelling and filling imperfections in car bodywork, plastic components (bumpers) and galvanised bodies. The appropriate hardness of the putty to the hardness of the paint and the smooth non-porous surface allows the use of this product as a filler and finishing putty. Good adhesion to rough and dry surfaces. Easy to work also with homogeneous surfaces, even when applying thick layers. Good modelling properties in any required thickness.

REFERENCE	COLOUR	CAPACITY	BOX
5001-001096	BEIGE	500 G	12 UN





FILL MULTILIGHT PLUS

Low specific weight polyester putty with a very creamy texture. VOC content less than 250 g/l, limit of the European standard category and very creamy texture. Easy application with a spatula with an exceptionally smooth finish.

Putty with adherent charges and resins over aluminium and galvanised.

REFERENCE	COLOUR	CAPACITY	BOX
5001-006106	WHITE	1000 ML	12 UN
5001-006107	BEIGE	1000 ML	12 UN
5001-006108	WHITE	1100 ML CARTRIDGE	6 UN



5001-006109 CARTRIDGE DISPENSER 1100 ML

TOOLS & ACCESSORIES



FILL LIGHT PLUS

Exceptionally low weight ultra-light filler, that allows for exceptional sanding, minimum humidity absorption and has great adhesive power over Zinc and Tin. Since it contains no mineral charges, the dust is significantly reduced during sanding in comparison to other traditional fillers. Putty with adherent charges and resins over aluminium.

REFERENCE	COLOUR	CAPACITY	BOX
5001-001082	BLUE	1000 ML	12 UN



FILL UNIVERSAL

Fill Universal Light characterized by good adhesion to different surfaces; metal, aluminium, galvanized, wood and polyester laminates. Very soft and easy to sand, the density is 45 % lower than traditional putty. For filling in deep uneven areas and dents on motor vehicle bodywork in the area of cars, lorries, buses and railway vehicles.

REFERENCE	COLOUR	CAPACITY	BOX
5001-001098	BEIGE	1250 ML	6 UN
5001-001090	BEIGE	1000 ML	12 UN
5001-001099	BEIGE	850 ML	6 UN



FILL METAL

Polyester filling with a high-density content of aluminium that makes it strongly adhesive on steel, galvanised steel, aluminium, fibreglass, wood, etc. It offers good corrosion protection.

Strong filling power, flexible and easy to sand.

REFERENCE	COLOUR	CAPACITY	BOX
5001-001125	SILVER	1,5 KG	12 UN





FILL ALU TIN

Putty based on polyester resin and special fillers, such as 2–3 mm aluminium lamellae in various grain sizes, offering excellent adhesion, hardness, heat resistance, and resistance to water, fuels, oils, and chemicals.

It has exceptional anticorrosive power and is a substitute for aluminum and tin sealants. Thanks to its laminar structure, it can even be mechanized. Ideal for large thicknesses, to protect welded sheets from corrosion. Once sanded it acquires a metallic appearance.

REFERENCE	COLOUR	CAPACITY	BOX
5001-001130	SILVER	1,5 KG	6 UN



FILL PLAS

Polyester putty with plastic fibre fillers especially indicated for touching up and small damages in plastic parts of the car.

Its particular composition allows an exceptional adhesion (even on polypropylene and metal), and excellent sanding and flexibility.

Its low specific weight allows repairs to be carried out with a minimal increase in the weight of the support being repaired.

REFERENCE	COLOUR	CAPACITY	BOX
5006-001126	DARK GREY	1,5 KG	12 UN



FILL FLEX

Highly elastic multifunctional putty specially designed for application on plastic substrates, including polypropylene. It also adheres to metal substrates such as steel, galvanised steel and aluminium as well as polyester surfaces.

Easy application and modelling. Can be used as a filler and as a fine putty and provides a non-sanding and easy to sand coating.

REFERENCE	COLOUR	CAPACITY	BOX
5006-001081	DARK GREY	1 KG	10 UN



QUICK MIX 4013

2-tube composite epoxy for use in the repair of all types of plastics (including olefinic plastics such as TPO, PP, XENOY and PPO). Easy sanding. 100% sólids. No pinholes. Compatible with all types of primers. VOC content: 0 %.

- Mixed 1:1 (OEM approved and used).
- Working time at 22 °C (75 °F): 10 to 12 minutes.
- Sanding in 30 minutes at 22°C (75 °F).

Multi-purpose adhesive (bonds: glass, metal, wood, fibreglass, SMC and plastics).

REFERENCE	COLOUR	CAPACITY	BOX
5006-006029	BLUE	2X 250 G	3 UN





FILL GLASS

Putty based on polyester resin and special fillers such as fiberglass. For the repair of major damage, where a significant load is required.

Easy sanding.

REFERENCE	COLOUR	CAPACITY	BOX
5001-001031	GREEN	1,8 KG	10 UN



FILL GLASS 500 GR

Fibreglass putty characterised by a special ease of modelling and high abrasive granularity. The possibility of using the high abrasive granularity and the adaptation of the putty hardness to painted coatings eliminates the formation of transition between the putty and the repaired surface.

REFERENCE	COLOUR	CAPACITY	BOX
5001-001030	GREEN	500 G	12 UN




FILL GLASS PLUS

Special fibreglass filler. Suitable for repairing GRP, for filling very deep unevenness and as a first coat for repairing small rust stains. Adhesion on metal surfaces.

Easy sanding.

REFERENCE	COLOUR	CAPACITY	BOX
5001-001097	BROWN	1,4 KG	6 UN





HE FILL ULTRA GLASS

Ultra lightweight polyester putty reinforced with glass fibers for repairs where a high filling power is required, between 2 and 4 millimeters, very easy to apply due to its soft density. It can be sanded with grains such as P120-P150.

Allows an exceccional finish ready to prime as a finishing putty.

REFERENCE	COLOUR	CAPACITY	BOX
5001-001002	YELLOW	1L	10 UN





FILL POLISPRAY


Polyester filler for 2-component spray application, for filling of surfaces, shallow sanding marks and scratches. Fast drying. Easy to sand. Catalyst included.

REFERENCIA	COLOR	CAPACITY	BOX
5001-000032	LIGHT GREY	1,5 KG	6 UN

1 1001-000003 APPLY WITH RETOUCH GUN PRO MINI 10

TOOLS & ACCESSORIES





PUTTY NITRO 1K

One-component nitro filler for filling pores and small scratches. Composed of fine-grained paste, it is particularly suitable for touch-up work: small defects, pinholes, porosity and light scratches.

Fast drying. Good adhesion. Easy sanding.

REFERENCE	COLOUR	CAPACITY	BOX
5000-000001	GREY	180 G	6 UN





KIT FIBER REPAIR

Kit for fixing fibreglass, metal and other materials. Best used for general repair on industrial vehicles or auto bodywork, as well as tuning. Includes:

- Fill fiber resin 750ml.
- Hardener for polyester resin 25ml.
- Accelerator for resin 25ml.
- Fibreglass cloth.0.5 m².
- Mixing cup 275 ml.
- Triple brush 30mm.

REFERENCE	DESCRIPTION	CAPACITY	BOX
5001-001128	KIT FIBER REPAIR	KIT	6 UN
5001-001121	FILL FIBER RESIN	750 ML	6 UN
5001-001122	FILL FIBER RESIN	5 L	6 UN
5001-001124	HARDENER	125 ML	6 UN
5001-001129	HARDENER	25 ML	6 UN
5001-001123	FILL MANTA FIBER	1 M	6 UN



CAR
REPAIR
SYSTEM



SEAL REPAIR


**SEAL
REPAIR**



www.CARREPAIRSYSTEM.eu



 Scan
me



Seal Repair offers you a broad range of solutions in body sealants and adhesives for glass and metal, such as primers, adhesives or polyurethane sealants.

SUBFAMILY	NAME	COLOUR	APPLICATION MEDIUM	APPLICATION TEMPERATURE	SKIN FORMING TIME	TOTALLY DRY	PAGE
GLASS ADHESIVES	QUICK SEAL PLUS (Ref. 5002-001107)	●	Spray gun, Ref. 1010-007531, 1010-007523, 1010-007530	5 - 40°C	23°C / 50% RH - 25'	23°C / 50% RH - 24 H	5
	QUICK SEAL MS 974 (Ref. 5002-001107)	●	Spray gun, Ref. 1010-007531, 1010-007523, 1010-007530	5 - 40°C	23°C / 50% RH - 15-20'	23°C / 50% RH - 3,5 H	6
	ONE STEP GLASS PRIMER (Ref. 5002-001110)	●	Manual	5 - 25°C		20°C / 50% RH - 10/15'	7
	QUICK PRIMER (Ref. 5002-001109)	●	Manual	5 - 25°C		20°C / 50% RH - 10/15'	7
	QUICK ACTIV GLASS (Ref. 5002-001108)	●○	Cloth, paint brush or cotton swab	15 - 30°C		20°C / 50% RH - 30'	7
	SEAM SEALER PRIMER (Ref. 2008-056290)	○	Manual	10 - 20°C		20°C / 50% RH - 5'	7
BODYWORK SEALANTS	BUTYL FILLER (Ref. 5003-001002)	●	Spatula, Spray gun, Ref. 1010-007531, 1010-007523, 1010-007530	5 - 40°C	23°C / 50% RH - 10'	23°C / 50% RH - 24 H	14
	QUICK MS ECO (Ref. 5003-006032 / 5003-006038)	●○	Spray gun, Ref. 1010-007531, 1010-007523, 1010-007530	5 - 40°C	23°C / 50% RH - 10'	23°C / 50% RH - 24 H	11
	QUICK FILL PLUS (Ref. 5003-001055 / 5003-001056 / 5003-001057)	●○○	Spray gun, Ref. 1010-007531, 1010-007523, 1010-007530	5 - 40°C	23°C / 50% RH - 60'	23°C / 50% RH - 50'	9
	QUICK FILL BRUSH (Ref. 5003-001037)	○	Brush or paint brush	15 - 35°C		23°C / 50% RH - 24 H	10
	QUICK FLEX MS (Ref. 5003-001043 / 5003-001044)	○○	Spray gun, Ref. 1010-007531, 1010-007523, 1010-007530, 1010-007529	5 - 30°C	23°C / 50% RH - 25'		12
METAL ADHESIVES	QUICK METAL BONDING (Ref. 5003-001045 / 5003-001045)	●	Spray gun, Ref. 1010-007531, 1010-007528, 1010-007523, 1010-007530, 1010-007529	15 - 25°C	23°C / 50% RH - 20'	23°C / 50% RH - 24 H	8
	ULTRA FAST METAL BONDING (Ref. 5006-001082)	●	Spray gun, Ref. 1010-007531, 1010-007523, 1010-007530, 1010-007529	15 - 25°C	23°C / 50% RH - 20'	23°C / 50% RH - 24 H	8



QUICK SEAL PLUS

Polyurethane quick adhesive for direct windscreen gluing.
Viscous sealant with dynamic drying.

- Skin forming time: 25 min.
- Delivery of vehicle without airbag: 1,5 hour and with airbag: 3 hours.

REFERENCE	COLOUR	CAPACITY	BOX
5002-001045	BLACK	310 ML	12 UN
5002-001044	BLACK	400 ML	14 UN





QUICK SEAL MS 974

Quick single-component adhesive made of MS polymer, a next-generation product for direct windscreen gluing, with high thixotropic properties and dynamic drying.

No need to use with *Quick Primer Glass*.

REFERENCE	COLOUR	CAPACITY	BOX
5002-001107	BLACK	290 ML	12 UN



KIT QUICK SEAL PLUS

Kit composition:

- Quick Seal Plus (adhesive).
- One Step Glass Primer (primer).
- Cleaning Cloth.

REFERENCE	DESCRIPTION	TYPE	BOX
5002-001060	KIT QUICK SEAL PLUS	FAST	6 UN

GLASS PRIMER



ONE STEP GLASS PRIMER

Black primer that forms a hard and opaque film once dry, improving its adhesion on polyurethane adhesives during gluing of glass, varnish and plastic (PVC, ABS, PMMA and SMC).

It also provides UV protection.

Do not apply on PU RIM or pre-applied PU or old polyurethane.

REFERENCE	COLOUR	CAPACITY	BOX
5002-001110	BLACK	10 ML	24 UN

PRIMER/ACTIVATOR



QUICK PRIMER AND ACTIV GLASS

Universal primer and activator for glass surfaces, ceramic screen printing and painted surfaces..

Quick Primer can be used in the automotive industry to improve the adhesion of polyurethane sealants on screen printed ceramic glass.

Activator can be used as a cleaning agent and adhesion promoter for PU sealants (for windscreen or other applications), hybrid sealants (MS or SPUR) or silicones.

REFERENCE	DESCRIPTION	CAPACITY	BOX
5002-001109	PRIMER	30 ML	25 UN
5002-001108	ACTIVATOR	30 ML	25 UN

1 2004-001160 APPLY WITH COTTON SWAB **TOOLS & ACCESSORIES**



SEAM SEALER PRIMER



SEAM SEALER PRIMER

Spray primer. Ensures adhesion of the PU prefabricated cord and prevents corrosion.

Allows the cord to settle and adapt to the contour of the sheet, ensuring its correct placement.

Application with PU cord Roller applicator is recommended.

REFERENCE	CAPACITY	BOX
2008-056290	400 ML	6 UN

1 2008-056295 ROLLER APPLICATOR **TOOLS & ACCESSORIES**

2008-056296





QUICK METAL BONDING

Two-component epoxy based adhesive for quick sealing to fix metal to metal. It is specially designed to replace non-structural panels such as roofs, doors, side panels, etc. The product bonds to steel, galvanised steel and aluminium. The texture includes 0.25mm glass beads to ensure minimal product in the pressure and grip areas. Supplied with a mixing cannula. Apply with a conventional sealant gun. Dries at room temperature but can be accelerated with heat.

- Shelf life 60min. Can be handled for 4 hours. Total cure 24 hours. (23 °C).
- Withstands temperatures up to 230°C.
- Welding conductive before curing.

REFERENCE	COLOUR	CAPACITY	BOX
5003-001045	BLACK	195 ML	6 UN
2) 5003-001046	BLACK	220 ML	12 UN

2) 1010-007528 QUICK METAL BONDING 220 ML GUN **TOOLS & ACCESSORIES**

1) 5006-006030 MIXER METAL BONDING **TOOLS & ACCESSORIES**



ULTRA FAST METAL BONDING

Ultra fast metal bonding is a high strength, rapid curing, methyl methacrylate, structural adhesive, which gives a tough durable bond with plastics, metals and other materials. It is isocyanate, phthalates, solvent, PVC and silicone free.

Very good UV resistance and excellent ageing properties.

REFERENCE	COLOUR	CAPACITY	BOX
5006-001082	BLACK	50 ML	6 UN

1) 5006-001097 MIXER 50 ML BLUE **TOOLS & ACCESSORIES**





One-part, very fast curing, polyurethane elastic adhesive and sealant designed for car body construction and repair. Thanks to its thixotropy and outstanding body meets most demanding requirements in sealing and bonding industrial applications. Thanks to its special formulation, it is completely odorless. Quick Fill Plus is suitable for sealing seams such as welds, simple and demanding joints in all types of vehicle bodywork and sheet metal and panel replacement.

REFERENCE	COLOUR	CAPACITY	BOX
5003-001055	WHITE	310 ML	12 UN
5003-001056	BLACK	310 ML	12 UN
5003-001057	GREY	310 ML	12 UN






QUICK FILL BRUSH

Single-component sealer for leak-free gaskets to be used with a brush. Fast drying. Overpaintable with any kind of paint system once totally dry.

It is applied on welding points or lines on the front and rear of the body, the boot bottom and the passenger compartment bottom.

Dries quickly, can be accelerated in an oven, does not crack and provides an excellent barrier against water and moisture infiltration into joints.

REFERENCE	COLOUR	CAPACITY	BOX
5003-001037	GREY	1 KG	12 UN




QUICK MS ECO

Ecopolymeric multifunctional single-component sealer. VOC content: 0%. Does not turn yellow over time. Immediately overpaintable (wet on wet) , does not get reduced after the application.

Permanent elastic. Good UV, weather and mildew resistant. Excellent adhesion on wet surfaces

REFERENCE	DESCRIPTION	CAPACITY	BOX
5003-006032	966 WHITE	290 ML	12 UN
5003-006038	965 BLACK	290 ML	12 UN






QUICK FLEX MS

Single-component bodywork sealer spray to be used on different metallic (steel, galvanised steel, stainless steel, tin), painted or primed surfaces and plastic materials. Elastic. Immediately overpaintable.

Suitable for overpainting with many varnishes within 5 days after application.

REFERENCE	COLOUR	CAPACITY	BOX
5003-001043	GREY	290 ML	12 UN
5003-001044	BEIGE	290 ML	12 UN



BUTYL CORD

Butyl cord is a pressure sensitive polymer tape, preformed in different sections, designed for sealing various materials (e. g. degreased sheet, primed, galvanised, on itself or with glass, wood, plastic materials such as EPDM, PE, PP, TPO), where an effective moisture barrier is needed. Fabricated for sealing joints, headlights, stirrups, etc. Moisture protection and acoustic isolation.

Thickness: 8 mm / 4 mm and length 4.5 m per roll.

REFERENCE	SIZE	CAPACITY	BOX
5003-000001	8 MM	ROLL	8 UN
5003-000003	4 MM	ROLL	8 UN





BUTYL FILLER

It's a butyl based sealer with good characteristics of adhesion, cohesion and elasticity.

It's mainly used in building industry for sealing aluminium and glass casing, where is necessary resistance to water and air passage.

Thanks to its adhesion and good E-modulus, it absorbs excellently thermal expansion of the structures. Butyl filler is also used for sealing box-type parts, sheet junctions, EPDM seals,etc.

REFERENCE	COLOUR	CAPACITY	BOX
5003-001002	BLACK	300 ML	12 UN



SEAM SEALER TAPE


The Seam sealer tape guarantees an original finish and can be used to seal door panels, boots, bonnets, etc. It should always be used with the Seam sealer Primer.

Recommended for application with a *Seam sealer tape Roller*.

REFERENCE	SIZE	CAPACITY	BOX
2008-056250	8 MM X 16 M	ROLL	14 UN
2008-056260	10 MM X 16 M	ROLL	14 UN
2008-056270	20 MM X 1 MM X 5 M	ROLL	10 UN

1 2008-056296 SEAM SEALER TAPE ROLLER

TOOLS & ACCESSORIES



SEAM SEALER CONVEX TAPE

The Seam saler convex tape guarantees an original finish and can be used to seal door panels, boots, bonnets, etc. It should always be used with the Seam sealer Primer.

Recommended for application with a *Seam sealer bevelled tape Roller*.

REFERENCE	SIZE	CAPACITY	BOX
2008-056275	3 MM X 6.5 M	ROLL	20 UN
2008-056280	8 MM X 9 M	ROLL	14 UN
2008-056285	10 MM X 9 M	ROLL	14 UN

1 2008-056295 SEAM SEALER BEVELLED TAPE ROLLER

TOOLS & ACCESSORIES








PROTECT REPAIR




**PROTECT
REPAIR**

www.CARREPAIRSYSTEM.eu




Scan me



PROTECT REPAIR

Protect Repair guarantees a high level of protection against abrasion and corrosion of the most exposed areas of the bodywork thanks to its stone-chip protection and cavity waxes.

SUBFAMILY	NAME	COLOUR	APPLICATION MEDIUM	PERFORMANCE	THICKNESS	DRY TO TOUCH	TOTALLY DRY	TIME TO RECOATING/ CURED	PAGE
STONE CHIP PROTECTION	STONE CHIP PROTECTION KS 2000 (Ref. 5008-001042 / 5008-001053 / 5008-001054)	● ● ○	Spray gun, Ref. 1009-007522, 1009-007525	2 M ² /L at 0,33 mm thickness	300 μm	5-15' at 25°C	30' at 25°C	Min. 30' Max. 8 H	5
	STONE CHIP PROTECTION HS 3000 (Ref. 5008-001070 / 5008-001071 / 5008-001072)	● ● ○	Spray gun, Ref. 1009-007522, 1009-007525	2 M ² /L at 0,33 mm thickness	350 μm	5-15' at 25°C	30' at 25°C	Min. 30' Max. 8 H	5
	QUICK SHIELD POLYMER (Ref. 5008-001055 / 5008-001058 / 5008-001059)	● ● ○	Manual	3 M ² /L at 100μm	100μm	10' at 20°C	30' at 20°C	60'-90'	6
	QUICK SHIELD 2K PU + HARDENER (Ref. 5008-001038 / 5008-001039)	● ● ●	Spray gun, Ref. 1009-007520, 1009-003090, 1009-007521	3 M ² /L at 100μm	1200-1500μm	15'-20' at 20°C	3-6 H at 20°C	Min. 1 H Max. 24 H	6
CAVITY WAX	QUICK WAX (Ref. 5008-001062 / 5008-001063)	● ●	Spray gun, Ref. 1009-007522 1009-007525	3 M ² /L at 100μm	100μm	2 H 30' at 20°	3-4 H at 20°C		7
	QUICK WAX SPRAY (Ref. 5008-001036)	○	Manual (Shake for 2')	2 M ² /L	50μm per coat	2 H 30' at 20°	3-4 H at 20°		7
	SOUNDPROOF SHEET (Ref. 2005-006000/ 2005-006001)		Manual		2 mm y 3 mm				8




**STONE CHIP PROTECTION
KS-2000**

KS-2000 is a one-component, textured, high-performance, single-component HS antigravel for the coating of surfaces subject to exposure to moisture, impact, salt spray and rust.

It is a ready-to-use, thixotropic product with a high covering power, perfect for corrosion protection on wheel arches, underbody, footboards, engine compartments, etc.

REFERENCE	COLOUR	CAPACITY	BOX
5008-001042	BLACK	1000 ML	12 UN
5008-001053	GREY	1000 ML	12 UN
5008-001054	WHITE	1000 ML	12 UN





**STONE CHIP PROTECTION
HS-3000**

Stone Chip Protective with high sound-proof power, which looks like orange peel. It is used for remaking and for rust-preventing, anti-corrosive and anti-abrasive treatment of car bodies, sidebands, spoilers, and other parts of the vehicle which are usually exposed to some particular stress. Protects from damp, from salt and from rubble-abrasion. After hardening, it is very elastic.

Repaintable after 15 minutes (max. 5 hours).

REFERENCE	COLOUR	CAPACITY	BOX
5008-001070	BLACK	1 KG	12 UN
5008-001072	GREY	1 KG	12 UN
5008-001071	WHITE	1 KG	12 UN




**QUICK SHIELD 2K PU
+ HARDENER**

Two-component polyurethane “HS” anti-stack, ideal for restoring bodywork protection and sealing. It can be applied directly on metal, prepared primers, paints or reinforced resins. The can is designed so that the metal top cap can be opened completely, thus facilitating the correct mixing of both products.

Applicable with standard anti-gravel gun or disposable caps.

REFERENCE	COLOUR	CAPACITY	BOX
5008-001038	BLACK	375 G + 125 G	12 UN
5008-001039	BEIGE	375 G + 125 G	12 UN




QUICK SHIELD POLYMER

Polymer based stone chip sealer with excellent structure and flexibility. Excellent protection, anti-corrosion and ability to reproduce different textured finishes depending on the distance and load during application.

Recoatable with any system, Very good adhesion to a wide range of substrates and very good resistance to weathering, water spray and abrasion.

REFERENCE	COLOUR	CAPACITY	BOX
5008-001055	BLACK	500 ML	12 UN
5008-001058	GREY	500 ML	12 UN
5008-001059	WHITE	500 ML	12 UN




QUICK WAX

Cavity protection wax against corrosion, especially suitable for places such as interior door panels, headlights, bumpers, bonnets, boot lids, etc. Excellent penetration characteristics in hard to reach recesses.

Self-repairing properties in case of minor damage. Excellent adhesion and resistant against environmental influences, weak acids and bases.

REFERENCE	COLOUR	CAPACITY	BOX
5008-001036	TRANSPARENT	500 ML	12 UN
5008-001062	BEIGE	1000 ML	12 UN
5008-001063	BLACK	1000 ML	12 UN



SOUNDPROOF SHEETS

A self-adhesive bitumen sound insulation board made of a mixture of bitumen, elastomer and fillers with variable granulometry; it is an acoustic insulation product aimed at airborne noise reduction and impact noise insulation; it is laminated to a solvent-free modified acrylic adhesive.

It is particularly suitable for applications where moderate flexibility is required at room temperature. It can be laid on flat or slightly curved surfaces during application.

REFERENCE	SIZE	BOX
2005-006000	50 CM X 50 CM X 2 MM	10 UN
2005-006001	50 CM X 50 CM X 3 MM	8 UN






PLASTIC REPAIR



**PLASTIC
REPAIR**

4

www.CARREPAIRSYSTEM.eu



Scan
me



PLASTIC REPAIR

Our *Plastic Repair* family has been designed down to the last detail to guarantee the operator a correct repair and a good finish on plastic materials. From fillers, adhesives, technical paints, polishes, protectors and primers, all Plastic Repair products guarantee a high quality repair.

SUBFAMILY	NAME	COLOUR	APPLICATION MEDIUM	REDUCTION	APPLICATION T°	POT LIFE	TIME TO SANDING	DRYING TIME	PAGE
PLASTIC REPAIR PUTTY	FILL PLAS (Ref. 5006-001126)	●	Spatula		20 °C	5'	30'	< 30' - 20°C	5
	FILL FLEX (Ref. 5006-001081)	●	Spatula		20 °C	5'	20-30'	20-30' - 20°C	5
	QUICK MIX 4013 (Ref. 5006-006029)	○	Spatula		20 °C	10-12'	30'	< 30' - 20°C	5
ADHESIVES	QUICK MIX UNIVERSAL (Ref. 5006-001093)	●	Quick Mix Plus Spray gun Ref.1010-007526		10-30 °C	3'	10'	10' - 20°C	6
	QUICK MIX MULTIFIX (Ref. 5006- 001094)	○	Manual		20 °C	2'	10'	5' - 20°C	6
	QUICK MIX EXPRESS (Ref. 5006-001096)	●	Quick Mix Plus Spray gun Ref.1010-007526		20 °C	40''	4'	10' - 20°C	7
	QUICK MIX TRANSPARENT (Ref. 5006-001092)	○	Quick Mix Plus Spray gun Ref.1010-007526		20 °C	3'	10'	10' - 20°C	7
	QUICK CYAN (Ref. 5007-001088)	○	Manual		20 °C	5-15'		5/10' - 20°C	8
	QUICK CYAN ACTIVATOR (Ref. 5007-001089)	○	Manual, accelerator for Quick Cyan		20 °C			10-30' -20 °C	8
TECHNICAL PAINTS	QUICK TEX (Ref. 5004-001035 / 5004-001050 / 5004-001034 / 5004-001049)	●●	Manual (spray) Gravity gun Suction gun (Nozzles 1.3-1.8 mm)	5-10%	23 °C			15' (spray) 10' a 60 °C - 45' a 23 °C (spray gun)	9/11
	QUICK TEX THICK (Ref. 5004-001036 / 5004-001037)	●●	Gravity gun Suction gun (Nozzles 1.4-1.8 mm)	5-10%	23 °C			30' - 20°C	9
	STRUCTURE COAT (Ref. 5004-001051)	●	Manual (spray)		23 °C			15' - 20 °C	11
	QUICK RCOLOR (Ref. 5004-002047 / 5004-001047 / 5004-001048)	●●	Manual (spray) Gravity gun Suction gun (Nozzles 1.4-1.8 mm)	5-10%	23 °C			20' (spray) - 20°C 30' (spray gun) - 20°C	10/12
POLISHES AND PROTECTORS	QUICK PLAST-GEL (Ref. 5004-001083 / 5004-001085)	●●	Sponge, Cloth		23 °C			10/15' - 20°C	14
	QUICK RSTORE (Ref. 5005-001137)	●	Sponge, Cloth		23 °C			Dry with cloth	14
PRIMERS	QUICK PLASTIC PRIMER (Ref. 5004-001107 / 5006-001086)	○	Gravity gun Suction gun (Nozzles 1.3-1.4 mm)	Ready to use	20°C			10' - 20°C	13



FILL PLAS

Polyester putty with plastic fibre fillers especially indicated for touching up and small damages in plastic parts of the car.

Its particular composition allows an exceptional adhesion (even on polypropylene and metal), and excellent sanding and flexibility.

Its low specific weight allows repairs to be carried out with a minimal increase in the weight of the support being repaired.

REFERENCE	COLOUR	CAPACITY	BOX
5006-001126	DARK GREY	1,5 KG	12 UN



FILL FLEX

Highly elastic multifunctional putty specially designed for application on plastic substrates, including polypropylene. It also adheres to metal substrates such as steel, galvanised steel and aluminium as well as polyester surfaces.

Easy application and modelling. Can be used as a filler and as a fine putty and provides a non-sanding and easy to sand coating.

REFERENCE	COLOUR	CAPACITY	BOX
5006-001081	DARK GREY	1 KG	10 UN



QUICK MIX 4013

2-tube composite epoxy for use in the repair of all types of plastics (including olefinic plastics such as TPO, PP, XENYOY and PPO). Easy sanding. 100% sólids. No pinholes. Compatible with all types of primers. VOC content: 0 %.

- Mixed 1:1 (OEM approved and used).
- Working time at 22 °C (75 °F): 10 to 12 minutes.
- Sanding in 30 minutes at 22°C (75 °F).

Multi-purpose adhesive (bonds: glass, metal, wood, fibreglass, SMC and plastics).

REFERENCE	COLOUR	CAPACITY	BOX
5006-006029	BLUE	2X 250 G	3 UN





QUICK MIX UNIVERSAL

Product designed for quick repairs and reinforcement on all plastics, including difficult to repair plastics (PP, EPDM, TPO, XENOY, ABS, PPO, SAN, RRIM, HBA). It is 100% solids and has excellent bond strength.

Includes 2 mixing cannulas and heat resistant film to aid repair. The cartridge seal, once cut, is used as a stopper by reversing its position.

REFERENCE	COLOUR	CAPACITY	BOX
5006-001093	BLACK	50 ML	12 UN

1 5006-001097 MIXER 50 ML BLUE **TOOLS & ACCESSORIES**





QUICK MIX EXPRESS

Product suitable for quick repairs where the working time is less than 50 seconds. Welds, repairs and fills. Includes 2 mixing cannulas and heat-resistant film to facilitate the repair. Once cut, reversing the cartridge closure converts it into a cap and a stopper.

Very good adhesion on many surfaces. Fast drying. Fast manual resistance.

REFERENCE	COLOUR	CAPACITY	BOX
5006-001096	BLACK	50 ML	12 UN



QUICK MIX TRANSPARENT

Product designed for quick repairs and reinforcement on all plastics, including difficult to repair plastics (PP, EPDM, TPO, XENOY, ABS, PPO, SAN, RRIM, HBA). It is 100% solids and has excellent bond strength.

Includes 2 mixing cannulas and heat resistant film to aid repair. Once cut, reversing the cartridge closure converts it into a cap and a stopper.

REFERENCE	COLOUR	CAPACITY	BOX
5006-001092	TRANSPARENT	50 ML	12 UN

1 5006-001097 MIXER 50 ML BLUE

TOOLS & ACCESSORIES





QUICK CYAN

Quick Cyan is a fast drying liquid cyanoacrylate. It allows a chemical bond on almost any type of surface.

When used together with *Quick Cyan Activator*, drying is guaranteed even at lower temperatures.

REFERENCE	COLOUR	CAPACITY	BOX
5007-001088	COLOURLESS	20 G	18 UN




QUICK CYAN ACTIVATOR

The activator is specially designed for rapid bonding- or recover from plastic, metal, rubber or other materials. The Activator accelerates curing of glue for large repairs.

Easy to use, curing time in seconds and universally usable.

Also for porous surfaces.

REFERENCE	COLOUR	CAPACITY	BOX
5007-001089	COLOURLESS	150 ML	12 UN




QUICK TEX

Single-component textured paint to paint bumpers and other plastic surfaces for a rough finish.

Creates a thin protective shield. Overpaintable.

REFERENCE	COLOUR	CAPACITY	BOX
5004-001035	BLACK	1000 ML	12 UN
5004-001050	GREY	1000 ML	12 UN



QUICK TEX THICK

Special one-component topcoat offering excellent adhesion to most plastic surfaces used in the manufacture of car bumpers (polypropylene, polycarbonate, ABS, Pocan, xenoy, rigid polyurethane, glass reinforced polyester, etc. except polyethylene and blends containing this material).

Fast drying, high adhesion and excellent resistance to washing and weathering.


REFERENCE	COLOUR	CAPACITY	BOX
5004-001036	BLACK	1000 ML	12 UN
5004-001037	GREY	1000 ML	12 UN



QUICK RCOLOR

One component product offering excellent adhesion to most plastic surfaces used in the manufacture of car bumpers (polypropylene, polycarbonate, ABS, Pohan, xenoy, rigid polyurethane, glass reinforced polyester, etc. except polyethylene and blends containing this material). Semi-matt appearance like original bumpers. Fast drying, high adhesion and excellent resistance to washing and weathering.

REFERENCE	COLOUR	CAPACITY	BOX
5004-002047	BLACK	1000 ML	6 UN



QUICK TEX

Single-component textured paint spray to paint bumpers and other plastic surfaces for a rough finish. Creates a thin protective shield. Overpaintable.

Very fast drying, good adhesion, easy application and recoating, and high hiding power.

REFERENCE	COLOUR	CAPACITY	BOX
5004-001034	BLACK	400 ML	12 UN
5004-001049	GREY	400 ML	12 UN




**STRUCTURE COAT SPRAY
BLACK 400ML**

Textured spray that restores structure to damaged plastics or exterior car parts such as dashboards, trim, centre console and running boards.

- Reproduction of structure on damaged plastics and plastic parts.
- Easy and time-saving application.
- Suitable for both exterior and interior plastic car parts.

REFERENCE	COLOUR	CAPACITY	BOX
5004-001051	BLACK	400 ML	6 UN



QUICK RCOLOR

High quality paint formulated with nitro combined resins, in order to obtain a textured finish, suitable for bumpers. Very fast drying, lead free and good adhesion.

Easy application and recoating. High scratch resistance after polymerization of film. Excellent elasticity.

REFERENCE	COLOUR	CAPACITY	BOX
5004-001047	BLACK	400 ML	12 UN
5004-001048	DARK GREY	400 ML	12 UN



QUICK PLASTIC PRIMER

It's a one-component adhesion promoter for plastics.

This fast clear primer is suitable for all types of paintable plastic substrates, thus avoiding the need to identify the type of plastic before painting.

REFERENCE	COLOUR	CAPACITY	BOX
5004-001107	COLOURLESS	1000 ML	12 UN



QUICK PLASTIC PRIMER


Adhesion primer based on a special additive solution providing improved adhesion on plastics.

Suitable as adhesion promoter in spray painting systems. Its power as an adhesion promoter on various surfaces makes it ideal in plastic painting.

- Very fast Drying, after 10 minutes.
- Ease of application and repainting.
- Excellent adhesion on polypropylene.

REFERENCE	COLOUR	CAPACITY	BOX
5006-001086	COLOURLESS	400 ML	12 UN

PLASTIC RENOVATING POLISHES



QUICK PLAST-GEL

It's a special water-based pigmented product for renewing the appearance of bumpers, spoilers, side mouldings and other plastic car parts with long-term effect.

Do not use for internal parts.

Apply with a water-moistened sponge on clean, washed and degreased surfaces.

REFERENCE	COLOUR	CAPACITY	BOX
5004-001083	BLACK	1000 ML	6 UN
5004-001085	DARK GREY	1000 ML	6 UN



QUICK RSTORE

Refurbishing gel for exterior plastics (bumpers, spoilers, mirror housings, mouldings, etc.), rubber and rubber, giving them a new look. Easy and quick to use. Treated surfaces are no tacky to prevent dust pick-up and therefore will not attract dirt. It's also durable, and it will withstand repeated washing to maintain showroom appearance on outside sales vehicle displays.

Silicon free.

REFERENCE	COLOUR	CAPACITY	BOX
5005-001137	TRANSPARENT BLUE	1000 ML	12 UN



TECHNO REPAIR

**TECHNO
REPAIR**

5


**CAR
REPAIR
SYSTEM**

**QUICK WHEEL
SILVER**


**TECHNO
REPAIR**

www.CARREPAIRSYSTEM.eu

www.CARREPAIRSYSTEM.eu












 Scan me



TECHNO REPAIR

Techno Repair offers you a wide range of technical paints for car body repair, including acrylic, heat resistant and chrome effect paints.

SUBFAMILY	NAME	COLOUR	APPLICATION MEDIUM	REDUCTION	APPLICATION TEMPERATURE	TIME TO RECOATING/CURED	DRYING TIME	PAGE
TECHNICAL PAINTS FOR SPRAY GUNS	QUICK WHEEL SILVER (Ref. 5004-001136 / 5004-001137 / 5004-001138)		Gravity gun Suction gun (Nozzle 1.3-1.6 mm)	30+-5%	20°C	10'	30' - 20°C	8
	QUICK RALLY BLACK (Ref. 5004-006023 / 5004-006024 / 5004-006039)		Gravity gun Suction gun (Nozzle 1.3-1.6 mm)	30+-5%	20°C	10-15'	20' - 20°C	5
	CHROME EFFECT (Ref. 5004-006040)		Retouch gun (Nozzle 1.0-1.2 mm)	Ready to use	20°C	30' - 60°C	30' - 60°C	7
	KIT CHROME EFFECT (Ref. 5004-006050)		Retouch gun (Nozzle 1.0-1.3 mm)		Consult technical data sheet			7
	GODZILLA (Ref. 5004-006080 / 5004-006081)		Stone chip gun Ref. 1009-007525	3:1 30-40%	20°C		90' - 20°C 20' - 60°C	6
TECHNICAL PAINTS IN SPRAY	QUICK PIERRE FUSIL (Ref. 5011-001054)		Manual		20°C	10-15'	20' - 20°C	9
	QUICK RALLY BLACK (Ref. 5011-006023 / 5011-006024 / 5011-006040)		Manual		20°C	5'	10' - 20°C	9
	QUICK HEATPROOF (Ref. 5011-001117 / 5011-001116)		Manual		23°C	10'	20' - 20°C Resistance up to 650°C	10
	QUICK WHEEL SILVER (Ref. 5011-001136)		Manual		20°C	10'	30' - 20°C Resistance up to 150°C	11



QUICK RALLY BLACK

Quick Rally Black is a nitro-based, plastified, single-component acrylic paint for surface repainting.

Available in three finishes: matt, satin or gloss.

REFERENCE	COLOUR	CAPACITY	BOX
5004-006023	MATT	1000 ML	12 UN
5004-006024	SATIN	1000 ML	12 UN





GODZILLA

Two-component acrylic coating with resistant finish and rough/ ultra textured effect.

It is ideal for coating surfaces subjected to high mechanical resistance exposed to impact, friction and abrasion over time.

It stands out for its excellent resistance to scratching, abrasion and folding. It is also resistant to chemical agents such as hydrocarbons and acetones. It has a short drying time and acquires its maximum mechanical resistance in a short period of time, withstanding impacts, scratches and exposure to the elements.

REFERENCE	DESCRIPTION	CAPACITY	BOX
5004-006080	BLACK KIT	750ML + 250ML	4 UN
5004-006081	TINTABLE KIT	750ML + 250ML	4 UN

1 1009-007525 STONE CHIP GUN GODZILLA **TOOLS & ACCESSORIES**





CHROME EFFECT

Special chrome effect paint for application as a three-coat system. It is advisable to varnish to guarantee durability.

- It has to be applied on a single coat glossy black base coat, once it is dry and without sanding.
- Depending on the number of coats and the equipment with which it is applied, different finishes can be obtained.
- It is advisable to apply a coat to obtain the desired finish.

REFERENCE	COLOUR	CAPACITY	BOX
5004-006040	CHROME	750 ML	6 UN



KIT CHROME EFFECT

Kit Chrome Effect allows us to reproduce the different effects of chrome on the rims and body components. Ideal for achieving a fine and elegant distinction of body components. Includes:

- Base 1K Chrome Effect 500 ML
- 1K Black Chrome Effect 500 ML
- Star Lack Chrome Effect 500 ML
- Thinner Chrome Effect 250 ML
- Hardener Chrome Effect 250 ML
- 1K Water Sealer Chrome Effect 500 ML

REFERENCE	DESCRIPTION	CAPACITY	BOX
5004-006050	KIT CHROME EFFECT	KIT	1 UN
5004-006051	BASE 1K CHROME EFFECT	500 ML	1 UN
5004-006052	1K BLACK CHROME EFFECT	500 ML	1 UN
5004-006053	STAR LACK CHROME EFFECT	500 ML	1 UN
5004-006054	THINNER CHROME EFFECT	250 ML	1 UN
5004-006055	HARDENER CHROME EFFECT	500 ML	1 UN
5004-006056	1K WATER SEALER CHROME EFFECT	500 ML	1 UN



QUICK WHEEL SILVER

Nitro-based, plastified, single-component acrylic paint for final retouching of surfaces.

Designed for painting alloys, metals and hard plastics. Fast drying.

REFERENCE	COLOUR	CAPACITY	BOX
5004-001136	GREY	1000 ML	12 UN
5004-001137	GREY	5 L	1 UN
5004-001138	GREY	20 L	1 UN




QUICK PIERRE FUSIL

Paint formulated with high quality nitro-combined resins especially for the repainting of bumpers, mouldings and trims of the car. Renault code: Pierre Fusil.

Recommended clear coat: *Quick Clear Lacquer-M 500 ml.*

REFERENCE	COLOUR	CAPACITY	BOX
5011-001054	PIERRE FUSIL	400 ML	12 UN




QUICK RALLY BLACK

Universal nitrocellulose paint. It's a one-component nitro plastic-coated acrylic paint for the refinishing of surfaces.

Available in four finishes: matt, satin and gloss black and glossy white.

REFERENCE	COLOUR	CAPACITY	BOX
5011-006023	MATT BLACK	500 ML	12 UN
5011-006024	SATIN BLACK	500 ML	12 UN
5011-006043	GLOSS BLACK	400 ML	6 UN
5011-006040	GLOSS WHITE	500 ML	12 UN



QUICK HEATPROOF

Anti-heat paint mainly based on silicone resins and thermosetting pigments, especially for the preparation of paints with a high resistance to temperatures up to 650°C.

Suitable for pieces subjected to different states of thermal shock: industrial facilities, engine block, boiler, etc.

REFERENCE	COLOUR	CAPACITY	BOX
5011-001117	BLACK	400 ML	12 UN
5011-001116	SILVER	400 ML	12 UN




QUICK WHEEL SILVER

Very quick-drying thermoplastic acrylic enamel, formulated with prime quality resins.

Designed for painting alloys, metals and hard plastics. Fast drying.

REFERENCE	COLOUR	CAPACITY	BOX
5011-001136	GREY	500 ML	12 UN







HIGH EFFICIENCY



**HIGH
EFFICIENCY**

6

www.CARREPAIRSYSTEM.eu

CAR
REPAIR
SYSTEM



HE
TOP CLEAR
UHS



www.CARREPAIRSYSTEM.eu

CAR
REPAIR
SYSTEM

HE
FILLER ULTRA
FAST DRYING



www.CARREPAIRSYSTEM.eu

CAR
REPAIR
SYSTEM

HE
ULTRA
FAST DRYING
HARDENER



www.CARREPAIRSYSTEM.eu











Scan
me



HE HIGH EFFICIENCY

Improve the performance and profitability of your bodyshop operations thanks to our *HE High Efficiency* family. In this family you will find high efficiency products such as fillers, primers, clear coats, putties, thinners and degreasers that will help you optimise your working time and get the most out of your applications.

SUBFAMILY	NAME	COLOUR	GLOSS LEVEL	APPLICATION MEDIUM	MIXING RATIO	REDUCTION	POT LIFE	TIME TO RECOATING/ SANDING	DRYING TIME	PAGE
PUTTIES	HE FILL TERMO CHROMATIC (Ref. 5001-001010)			Spatula	2-3%	Ready to use	4'	15'	12' - 20°C	5
	HE FILL ULTRA GLASS (Ref. 5006-001093)			Spatula	2-3%	Ready to use	4-6'	20-25'	16/30' - 20°C	5
ADHESIVES AND SEALANTS	HE ULTRA FAST SEAL (Ref. 5002-001046 / 5002-001065)			Gravity gun, Ref. 1010-007531, 1010-007523, 1010-007530	-	Ready to use	4'		60' - 20°C	7
PRIMERS	HE WASH PRIMER (Ref. 5011-001065 / 5011-001066 / 5011-001067)			Manual			5'	Wet on wet	10/15' - 20°C	6
FILLERS	HE FILLER ULTRA FAST DRYING (Ref. 5009-001240 / 5009-001241 / 5009-001242)			Gravity gun	Weight: 100 + 18 Volumen: 4:1 (2 coats)	5-10%	20'	60'	60' - 20°C 10' - 60°C	7
	HE ULTRA TEX 2K (Ref. 5004-001061 / 5004-001060 / 5004-001062)			Gravity gun (Nozzle 1.2-1.6 mm)	By weight: 100 + 33 By volume: 4:1 4:1	20-30%	30-40'	60'	60' - 20°C	8
CLEAR COAT	HE TOP CLEAR UHS (Ref. 5009-001130 / 5009-001166)		95-100 60°	Gravity gun (Nozzle 1.2-1.4 mm)	By weight: 2:1 By volume: 2:1 (1/2 + 1 coats)	Ready to use (o 5%)	60'	Flash-off time: 10'	2,5/3 H - 20°C 5/10' - 60°C	9
DEGREASERS	HE APPLE EXTREME (Ref. 5009-001028)			Hitex 4000, Polytex, Pressurised pulveriser						11



HE FILL TERMO CHROMATIC

Multifunctional polyester putty that changes color as it dries, making it easy to sand and straightforward to apply, with quick drying time, to fill small and deep imperfections, dents, and scratches. One of its major advantages is that it does not contain Styrene (a hazardous substance to health), which is present in most putties on the market.

- Without Styrene.
- Color change during the drying time, from blue to grey.
- Very easy to apply due to its creamy consistency.
- Thixotropic.
- Pore-free and easy to apply.
- Up to 40% faster drying.
- Easy to sand from P150 grit.

REFERENCE	COLOUR	PACKAGING	BOX
5001-001010	BLUE-GREY	1,3 KG	6 UN





HE FILL ULTRA GLASS

Ultra lightweight polyester putty reinforced with glass fibers for repairs where a high filling power is required, between 2 and 4 millimeters, very easy to apply due to its soft density.

It can be sanded with grains such as P120-P150. Allows an exceccional finish ready to prime as a finishing putty.

REFERENCE	COLOUR	CAPACITY	BOX
5001-001002	YELLOW	1L	10 UN





HE ULTRA FAST SEAL

High-performance adhesive with an extremely fast drying time of one hour, without the need for a primer, and exceptional elastic characteristics. It is specifically designed for the direct installation of windows in vehicles.

Additionally, it is important to highlight that this polymer is non-conductive and is specially designed for application on aluminium bodywork. It has been meticulously conceived to ensure a quick and secure drying, allowing driving in just one hour in vehicles equipped with airbags.

Furthermore, this adhesive is used for bonding components made of glass-fiber-reinforced plastic, such as roofs, side panels, and front panels in vehicles. This makes it an ideal choice for a wide range of applications that require a robust structural and elastic bond between elements of different compositions, subject to significant mechanical or thermal stresses.

REFERENCE	PACKAGING	CAPACITY	BOX
5002-001046	CAN	290 ML	12 UN
5002-001065	KIT	-	6 UN





Primer/adhesion promoter. It has an excellent adhesion especially on white sanded metal, e.g. steel sheet, as well as aluminum, galvanized, and zinc-coated. Active anti-corrosion pigments provide the best protection. Fast drying. Can also be used as a welding primer.

For an optimal preparation of the damaged area on metal surfaces, it must be thoroughly cleaned with a silicon remover beforehand.

REFERENCE	COLOUR	CAPACITY	BOX
5011-001065	WHITE	400 ML	6 UN
5011-001066	BLACK	400 ML	6 UN
5011-001067	GREY	400 ML	6 UN




Ultra fast drying, multi-surface, high solids acrylic filler for bodywork with high filler, sandability and anti-corrosion properties.

This filler has excellent drying speed, high verticality and low finish absorption. It can be applied in double coat and direct gloss cycles.

Drying at room temperature: 60 min at 20°C.
Cabin drying: 10 min at 60°C.

REFERENCE	DESCRIPTION	CAPACITY	BOX
5009-001240	BLACK FILLER	3.6 L	4 UN
5009-001241	GREY FILLER	3.6 L	4 UN
5009-001242	WHITE FILLER	3.6 L	4 UN
5009-001243	HARDENER	900 ML	4 UN





20°C - 60'
60°C - 10'

HE ULTRA TEX 2K

Two-component textured HE ultra tex 2K. It stands out for its excellent physical, mechanical and adhesive resistance without primer or adhesion promoters for plastics and its homogeneous and original textured finish.

In addition, it provides great hardness and resistance to friction and deterioration, which allows a very good protection against exposure and environmental impact suffered by this type of components.

The drying time at 20° is 1h, while the drying time in the booth at 60° is reduced to 20 minutes.

REFERENCE	COLOUR	CAPACITY	BOX
5004-001061	BLACK	1 L	6 UN
5004-001060	GREY	1 L	6 UN
5004-001062	HARDENER	0,25 L	6 UN



20°C - 2,5/3h
60°C - 5/10'

HE TOP CLEAR UHS

It's a two-component, extra-fast, scratch-resistant, high-solids UHS acrylic clear coat. Provides a clear finish for body cycles and industrial vehicles, with excellent applicability and high surface wettability. Offers good scratch resistance and a high level of gloss.

Characteristic for its speed of drying and the depth of the final finish.

REFERENCE	COLOUR	CAPACITY	BOX
5009-001130	TRANSPARENT	5 L	4 UN
5009-001166	TRANSPARENT	1 L	6 UN




HE TOP HARDENER

Hardener for *HE TOP CLEAR UHS* Varnish.

For application at high temperatures and on large surfaces, we recommend using *HE Top Slow Hardener* with a catalyst ratio of 2:1 by volume.

REFERENCE	DESCRIPTION	CAPACITY	BOX
5009-001131	FAST	2.5 L	4 UN
5009-001132	NORMAL	2.5 L	4 UN
5009-001133	SLOW	2.5 L	4 UN
5009-001168	NORMAL	0.5 L	6 UN





HE APPLE EXTREME DEGREASER

High-Efficiency HE Apple Extreme degreaser with a pleasant Apple aroma coatble of removing common contaminants from the body.

Indicated as a universal degreaser for water or solvent based systems.

With medium evaporation it is recommended to use in environments between 10-28 °C.

REFERENCE	COLOUR	CAPACITY	BOX
5009-001028	COLOURLESS	5 L	4 UN





POLYESTER COVERALL HIGH EFFICIENCY

This polyester painter's coverall has High Efficiency features that make it ideal for work in the workshop.

- Ideally fitting hood with 100% field of vision.
- Zip with protective flap.
- Adjustable elasticated cotton cuffs.

REFERENCE	SIZE	BOX
2009-010030	S	1 UN
2009-010031	M	1 UN
2009-010032	L	1 UN
2009-010033	XL	1 UN
2009-010034	XXL	1 UN



HIGH PERFORMANCE MASKING TAPE

Waterproof and UV resistant, HE High Performance Masking Tape is the first High Efficiency tape from CRS. Developed with a natural rubber adhesive, this tape guarantees superior performance in any application, ensuring strong and controlled adhesion without lifting, even on difficult surfaces, providing clean and precise masking for a professional finish.

- It is compatible with all paint systems and can be used both indoors and outdoors, even for demanding jobs such as wet sanding and direct sun exposure.
- It stands out for its extended clean removal: up to 10 days (and 7 days outdoors), without leaving residue.
- It also offers high thermal resistance (100 °C / 30 min), making it ideal for spray booth cycles, ensuring less rework and higher productivity.

REFERENCE	SIZE	BOX
2002-010010	18 MM x 45 M	48 UN
2002-010011	24 MM x 45 M	36 UN
2002-010012	36 MM x 45 M	24 UN
2002-010013	48 MM x 45 M	24 UN



FILLER & PRIMERS









**FILLER &
PRIMERS**


www.CARREPAIRSYSTEM.eu



FILLER & PRIMERS

Filler and Primers brings together in one family our latest generation fillers and primers, characterised mainly by their high filling power and anti-corrosion properties.

SUBFAMILY	NAME	COLOUR	APPLICATION MEDIUM	MIXING RATIO	REDUCTION	POT LIFE	MICRAGE	TIME TO RECOATING /SANDING	DRYING TIME	PAGE
PRIMERS	QUICK ZINC (Ref. 5011-001073)		Manual	Ready to use			25 µ/coat (2 coats)	10'	30' at 20°C	5
	QUICK ZINC ALU (Ref. 5011-001075)		Manual	Ready to use			25 µ/coat (2 coats)	10'	30' at 20°C	5
	QUICK BODYPRIMER HS (Ref. 5011-001057)		Manual	Ready to use			30 µ (2 coats)	15'	2H at 20°C	6
FILLERS	HS FILLER 540 (Ref. 5009-001146 / 5009-001147 / 5009-001150 / 5009-001160 / 5009-001161 / 5009-001163)		Spray gun (Nozzle 1.5 - 2.5 mm)	4:1	0-20%	90'	60-180 µ (1-3 coats)	20/40' at 60°C	20/40' at 60°C	7
	EASY FILLER 4000 (Ref. 5009-001218 / 5009-001219 / 5009-001220 / 5009-001221)		Spray gun (Nozzle 1.5 - 1.8 mm)	5:1	0-20%	30'	160-240 µ (2-3 coats)	3H at 20°C 20/30' 60°C	120' a 20°C 20/30' 60°C	8
	QUICK 1K EASY FILLER (Ref. 5011-001060 / 5011-001061 / 5011-001062)		Manual	Ready to use			70-80 µ/coat (1-3 coats)	60' at 20°C	60' at 20°C	9



QUICK ZINC


Semi-glossy, epoxy-based zinc spray to be used on metals.

Specially indicated as a current conductor.

High zinc content (90,5 % once dry).

Excellent anti-corrosive properties. Very fast drying, good adhesion and high gloss durability.

REFERENCE	COLOUR	CAPACITY	BOX
5011-001073	SILVER	400 ML	12 UN



QUICK ZINC ALU

Silver-coloured, satin paint that provides great anti-corrosive protection for metals, thanks to its high pure zinc VOC content and its aluminium pigments.

Excellent anti-corrosive properties. Very fast drying, good adhesion and high gloss durability.

REFERENCE	COLOUR	CAPACITY	BOX
5011-001075	SILVER	400 ML	12 UN




QUICK BODYPRIMER HS

HS flexible spray primer for use on metal, wood and plastics. Excellent filling properties, can also be used as an adhesive base. Made of modified nitro synthetic resins for excellent recoatability

Ideal for repairing small surfaces without sanding.


REFERENCE	COLOUR	CAPACITY	BOX
5011-001057	MEDIUM GREY	500 ML	12 UN



FILLER AND SURFACER HS 540

HS Filler 540 due to its high solids content has a very high filling power.
 High spreading and application rate of 1-3 coats ensures good surface coverage and does not cause polishing difficulties.
 The use of a 1.5-2.5 mm nozzle helps to avoid droplets.
 Its use ensures high finishing safety even when applying thick coats, excellent corrosion protection and optimum adhesion.

REFERENCE	DESCRIPTION	CAPACITY	BOX
5009-001146	WHITE FILLER	3.6 L	4 UN
5009-001147	GREY FILLER	3.6 L	4 UN
5009-001150	BLACK FILLER	3.6 L	4 UN
5009-001154	EXTRA FAST HARDENER	900 ML	4 UN
5009-001159	STANDARD HARDENER	900 ML	4 UN




FILLER AND SURFACER HS 540 1L + HARDENER

HS Filler 540 due to its high solids content has a very high filling power.
 High spreading and application rate of 1-3 coats ensures good surface coverage and does not cause polishing difficulties.
 The use of a 1.5-2.5 mm nozzle helps to avoid droplets.
 Its use ensures high finishing safety even when applying thick coats, excellent corrosion protection and optimum adhesion.

REFERENCE	COLOUR	CAPACITY	BOX
5009-001160	GREY	1 L + 250 ML	12 UN
5009-001161	BLACK	1 L + 250 ML	12 UN
5009-001163	WHITE	1 L + 250 ML	12 UN






EASY FILLER 4000

Grey two-component polyurethane filler with a VOC content of less than 540 g/l, the limit established by European regulations for its category.

It can be applied on old paint or any other type of surface, including galvanised sheet metal or aluminium.

Mixed in a 5:1 ratio with the easy filler catalysts (standard or extra fast).

REFERENCE	DESCRIPTION	CAPACITY	BOX
5009-001218	WHITE FILLER	4 L	4 UN
5009-001219	BLACK FILLER	4 L	4 UN
5009-001220	LIGHT GREY FILLER	4 L	4 UN
5009-001221	DARK GREY FILLER	4 L	4 UN
5009-001222	STANDARD HARDENER	800 ML	6 UN
5009-001223	EXTRA FAST HARDENER	800 ML	6 UN



QUICK 1K EASY FILLER

The 1K Easy Filler is a 1K acrylic filler with the best filling capacity and coverage possible.

High layer thickness only one pass.

Adheres very well to steel, aluminum, polyester filler and many plastics.

REFERENCE	COLOUR	CAPACITY	BOX
5011-001060	WHITE	400 ML	6 UN
5011-001061	GREY	400 ML	6 UN
5011-001062	BLACK	400 ML	6 UN





2010-002511
TALLA:
8/M
EN388
CE
CAR
REPAIR
SYSTEM
4131X

A close-up photograph of a spray gun applying a clear coat to a surface. The spray gun is positioned on the right side of the frame, with a clear plastic cup containing a clear liquid attached to its nozzle. The surface being sprayed is a light-colored, textured material, possibly a car body panel. A blue diagonal overlay covers the bottom half of the image, and the text "CLEAR COAT REPAIR" is written in white, bold, italicized capital letters across the blue area.

CLEAR COAT REPAIR



**CLEAR
COAT
REPAIR**



Scan me



CLEAR COAT, THINNERS & DEGREASERS

In this family you will find all our clearcoats (conventional, air drying, matt finishes, spray, headlight...) specifically indicated for bodywork refinishing.

SUBFAMILY	NAME	APPLICATION MEDIUM	GLOSS LEVEL	MIXING RATIO	REDUCTION	POT LIFE	COATS	NOZZLE AND PRESSURE	DRYING TIME	PAGE	
CLEAR COAT	STAR LACK CLEAR COAT UHS 4000 (Ref. 5009-001110 / 5009-001116)	Spray gun	94-96 60 °	2:1	0-5%	45'	1/2 + 1	1.2-1.3 mm 2-3 bar	20/30' α 60°C	5	
	STAR LACK CLEAR COAT HS 4050 PLUS (Ref. 5009-001022)	Spray gun	90-91 20 °	2:1	No thinner	45'	2	1.3 mm 2-2.5 bar	1/2 H α 20°C 20' A 60°C	6	
	KIT STAR LACK 4050 PLUS (Ref. 5009-001010)	Spray gun	90-91 20 °	2:1	0-5%	45'	2	1.3 mm 2-2.5 bar	90/120' α 20°C 20' α 60°C	6	
	STAR LACK AIR DRY (Ref. 5009-001101)	Spray gun	95-97 60 °	2:1		30'	2	1.2 mm 2.2 bar	90' α 20°C 5/10' α 40/50°C	7	
	KIT STARMATE 2:1 (Ref. 5009-001308 ² / 5009-001310 ¹)	Spray gun	1. 28-32 60 ° 2. 9-10 60 °	2:1	No thinner	45'	2	1.3 mm 2.2 bar	3 H α 20°C 30' α 60°C	8	
	HEADLIGHTS KIT (Ref. 5006-001101)	Spray gun			Varnish:100 Hardener: 50 Hardener: 50		2 H	2 coats	1.0-1.2 mm 1.5 bar	2-3 H α 20°C 1R 10-12'	9
	STARLIGHT (Ref. 5009-001001)	Spray gun	70-75 60 °	2:1	No thinner	4 H	2	1.2-1.3 mm 1.7-2.2 bar	40' α 20°C 30' α 60°C	9	
	QUICK CLEAR LACQUER (Ref. 5011-006050 ¹ / 5011-006051 ² / 5011-006052 ³)	Manual	1. 80-85 60 ° 2. 10-30 60 ° 3. 10-15 60 °		Ready to use	No thinner		1-3		15-20' α 20°C	10
	ACRYLIC ACCELERATOR (Ref. 5009-001155)	Manual			*IMPORTANT Consult technical data sheet						11
THINNERS & DEGREASERS	THINNER UNIVERSAL (Ref. 5009-001018 / 5009-001016 / 5009-001019 / 5009-001020 / 5009-001023)				Consult technical data sheet					12	
	IONIZADOR WB (Ref. 5009-001190 / 5009-001189)				Consult technical data sheet					13	
	QUICK SPOTBLENDER (Ref. 5011-001155 / 5011-001156)	Manual, Pressurised pulveriser									14
	DEGREASER (Ref. 5009-001144 / 5009-001145 / 5009-001033 / 5009-001025 / 5009-001024)	Hitex 4000, Polytex, Pressurised pulveriser									15
	QUICK HYDROCLEANER (Ref. 5009-001194)	Hitex 4000, Polytex, Pressurised pulveriser									16



**STAR LACK CLEAR COAT
UHS 4000**

It's a UHS (ultra high solid) two-component acrylic clearcoat, for the car refinish sector. Easy application and fast drying. Suitable for processes requiring a high quality finish with high gloss and resistance. Particularly recommended for two-coat waterborne cycles, due to its minimal absorption.

Excellent finish, deep gloss and very clear appearance. Thanks to its versatility and its different catalysts, it can be used in any refinish.

REFERENCE	DESCRIPTION	CAPACITY	BOX
5009-001110	CLEAR COAT	5 L	4 UN
5009-001111	HARDENER UHS 1000 FAST	2,5 L	4 UN
5009-001112	HARDENER UHS 2000 STANDARD	2,5 L	4 UN
5009-001113	HARDENER UHS 3000 SLOW	2,5 L	4 UN
5009-001116	CLEAR COAT	1L	6 UN
5009-001117	HARDENER UHS 2000 STANDARD	0,5 L	6 UN
5009-001118	HARDENER UHS 1000 FAST	0,5 L	6 UN



STAR LACK CLEAR COAT HS 4050 PLUS AND HARDENER HS

It's a two-component high solid acrylic lacquer with scratch resistant properties. It is characterised by a long service life and easy application without additional thinner. The resulting coating is smooth, distinguished by its high gloss and very good chemical, mechanical and weather resistance as well as UV resistance. The anti-scratch clear coat HS / P is designed for water- and solvent-based basecoats.

Mixing proportion 2:1. There is a large range of compatible hardeners for this product.

REFERENCE	DESCRIPTION	CAPACITY	BOX
5009-001022	CLEAR COAT	5 L	4 UN
5009-001138	HARDENER HS 2010 SLOW	2,5 L	4 UN
5009-001026	HARDENER HS 2020 STANDARD	2,5 L	4 UN
5009-001141	HARDENER HS 2030 FAST	2,5 L	4 UN



KIT STAR LACK 4050 PLUS + HARDENER STANDARD

HS Clear Coat Kit with anti-scratch properties. Fast air drying. Allows a very productive finish. Easy to apply. No thinner required. Currently available with standard catalyst.

Fast drying. Produces a highly effective finish. Does not require thinner.

REFERENCE	DESCRIPTION	CAPACITY	BOX
5009-001010	CLEAR COAT HS + HARDENER STANDARD	1 L + 500 ML	12 UN



STAR LACK AIR DRY

Fast-drying acrylic coating, without the need for forced heat. Ideal to save costs added to the repair and reduce repair times. Recommended use in partial or general repairs at ambient temperatures between 15 and 28 °C.

Resistant to UV rays, chemical agents as well as scratching.

The turnaround time of a vehicle in service is only 90 minutes from the application of the clearcoat.

2:1 mixing ratio.

REFERENCE	DESCRIPTION	CAPACITY	BOX
5009-001101	CLEAR COAT	5 L	4 UN
5009-001102	HARDENER	2,5 L	4 UN



KIT STARMATE 2:1 Y HARDENER

The Kit Starmate 2: 1 of last generation acrylic bicomponent and of transparent matte finish, designed for the finishing of automobiles. It is characterized by high chemical and mechanical resistance to weathering, as well as high hardness and resistance to scratches and UV rays.

Designed for use on solvent- and waterborne base coats.

REFERENCE	DESCRIPTION	CAPACITY	BOX
5009-001308	KIT STARMATE (10)	1 L + 500 ML	12 UN
5009-001310	KIT STARMATE (30)	1 L + 500 ML	12 UN



HEADLIGHTS KIT

Kit including a high resistant clear coat with its hardener and an additive especially suitable for UV light-protection. This additive protects the polycarbonate panels after repair.

The Headlight Restoration Kit has excellent strength and adhesion on plastics and polycarbonates as well as resistance to micro-impacts from gravel and insects. Allows the repair of badly damaged optics after a suitable sanding and restoration process.

REFERENCE	DESCRIPTION	CAPACITY	BOX
5006-001101	KIT	-	1 UN
5006-001102	CLEAR COAT	250 ML	1 UN
5006-001103	HARDENER	125 ML	1 UN
5006-001104	ACTIVATOR	125 ML	1 UN



STARLIGHT

Two-component polyester with anti-scratch effect to protect polycarbonate surfaces. Creates a shield over the windscreen. Protects from gravel and insects. Guarantees clear visibility.

It can be dried at room temperature or cooker dried. Use whenever high mechanical and chemical resistance is required.

Extra-fast hardener.

REFERENCE	DESCRIPTION	CAPACITY	BOX
5009-001001	CLEAR COAT	1 L	1 UN
5009-001002	HARDENER	500 ML	1 UN



QUICK CLEAR LACQUER

Monocomponent acrylic clear coat spray with a new formula last generation product. General use for two layers based-water or solvent paints process. High quality resin that guarantees a high level repair.

Gloss, satin or matt finish.

REFERENCE	COLOUR	CAPACITY	BOX
5011-006051	SATIN	400 ML	12 UN
5011-006050	GLOSS	400 ML	12 UN
5011-006052	MATT	400 ML	12 UN

ACCELERATOR



ACCELERATOR FOR ACRYLICS

Accelerating additive for paints, fillers and primers.
Reduces drying time.
Reduces the drying time of acrylic coatings and fillers by at least 15 %.

It can be used with standard and slow catalysts. The use of fast and very fast catalysts does not speed up the drying time.

REFERENCE	COLOUR	CAPACITY	BOX
5009-001155	COLOURLESS	1000 ML	12 UN



THINNER UNIVERSAL

Acrylic thinner for acrylic paints, varnishes and acrylic fillers, specifically for use in single and two-coat acrylic paints and enamels. Medium-slow evaporation, suitable for primers, varnishes, acrylic paints and enamels.

Suitable for CRS line chemicals.

REFERENCE	DESCRIPTION	CAPACITY	BOX
5009-001018	SLOW	1 L	12 UN
5009-001016	SLOW	5 L	4 UN
5009-001019	STANDARD	1 L	12 UN
5009-001020	STANDARD	5 L	4 UN
5009-001023	STANDARD	25 L	1 UN



IONISER WB

Thinner for water-based paint. It is a solution ionised with magnetic charges so that when in contact with paint, positive charges are transferred to the mixture, obtaining a higher paint transfer to the surface being painted.

Considerably reduces drying time and prevents stains and streaks from appearing.

Compatible with all water-based systems that admit thinning.

REFERENCE	COLOUR	CAPACITY	BOX
5009-001190	COLOURLESS	1 L	14 UN
5009-001189	COLOURLESS	5 L	4 UN





QUICK SPOTBLENDER

Mixture of high-quality thinners to be used for paint blending during repairs. Fine mist spray.

To be used with an application gun or directly with the spray.

REFERENCE	DESCRIPTION	CAPACITY	BOX
5011-001155	SPRAY	400 ML	6 UN
5011-001156	BOTTLE	1000 ML	12 UN



DEGREASER

Cleaner for use on surfaces to be repainted. Suitable for the first degreasing step to remove tar, grease and silicone residues from vehicles to be repainted. The product can also be used for the initial degreasing of composite plastics. It can be used for degreasing untreated metal surfaces as well as original OEM finishes to be repaired.

This degreaser has a high drag-out power and a slow evaporation without leaving traces.

REFERENCE	DESCRIPTION	CAPACITY	BOX
5009-001144	9410 SLOW	1L	12 UN
5009-001145	9410 SLOW	5L	4 UN
5009-001033	0467 FAST	1L	12 UN
5009-001025	0467 FAST	5L	4 UN
5009-001024	0467 FAST	25 L	1 UN



QUICK HYDROCLEANER

Water-based cleansing degreasers for cleaning the surface before painting with hydrosoluble products. It incorporates charges with antistatic effect to help remove dust during painting. This product has been developed to clean all types of substrates and existing paints.

It is recommended to use together with *Hitex 4000*.

REFERENCE	COLOUR	CAPACITY	BOX
5009-001194	COLOURLESS	5 L	3 UN

 2003-001050 HITEX 4000

PAINT PREPARATION SYSTEM



A close-up photograph showing a hand wearing a brown work glove peeling a piece of blue tape from a grey, metallic-looking surface. The background is a solid green color with a diagonal split.

***PAIN*T PREPARATION *S*YSTEM**

**PAINT
PREPARATION
SYSTEM**

www.CARREPAIRSYSTEM.eu



CAR REPAIR SYSTEM
PAPER PAINT MIXING CUP
VASO DE MEZCLADO DE PAPEL

CAR REPAIR SYSTEM

Scan me
CAR REPAIR SYSTEM

PAPER PAINT MIXING CUP
VASO DE MEZCLADO
CAR REPAIR SYSTEM

PENCIL TOUCH UP PAINT

PAINT PREPARATION SYSTEM

Cleaning products, strainers, cups, sprayers, sticks or rulers are some of the many products you can find in our Paint preparation and application family.





SOFTEX

Special non-woven cloth for polishing and buffering. Strong absorption power and very soft.

Does not leave dust. Antistatic.

Roll of 250 units.

REFERENCE	COLOUR	SIZE	BOX
2003-001010	WHITE	28 CM x 40 CM	250 CLEANING CLOTHS



HITEX 4000

Degreasing cloth made of a non-woven fabric. Especially resistant to thinners, degreasers and anti-silicone products.

Strong absorption power and resistance.

REFERENCE	COLOUR	SIZE	BOX
2003-001050	BLUE	38 CM x 30 CM	150 UN



POLYTEX CARS


Cleaning and degreasing cloth for painting process. Its structure is composed by inserted polypropylene making the cloth more adaptable and elastic. Excellent absorption.

Useful roll of 500 precut 320 x 380 mm cloths. Dispenser for paper rolls and polytex available.

REFERENCE	DESCRIPTION	CAPACITY	BOX
2003-001040	CLEANING CLOTH	32 CM x 38 CM	500 UN

1) 2004-001189 VERTICAL PAPER ROLL DISPENSER

BODYSHOP EQUIPMENT





TACK RAG

White anti-dust cloth. Does not leave resin nor fibre marks.

Comes in individual bags.

REFERENCE	COLOUR	SIZE	BOX
2003-001030	WHITE	50 CM x 75 CM	50 UN



**TACK RAG
SPECIAL WATER-BASED PAINT**

Anti-dust cloth for cleaning surfaces to be painted with water-based paint.

Does not leave resin. Porous fabric designed to trap dust.
Comes in individual bags.

REFERENCE	COLOUR	SIZE	BOX
2003-002550	BLUE	32 CM x 40 CM	50 UN



CLEANING PAPER

450 M cleaning paper roll.

REFERENCE	COLOUR	SIZE	BOX
2004-002400	WHITE	450 M x 25 CM	2 UN



PRESSURISED PULVERISER

Blue Pressure Sprayer, resistant to degreasers and chemicals.

Pressure sprayer with safety valve and seals resistant to many chemicals, including acids, solvents and alkalis. The sprayer has a regulator to adjust the spray flow rate. It has a maximum pressure of 3 bar.

REFERENCE	COLOUR	CAPACITY	BOX
2004-000028	WHITE	1 L	1 UN






PAPER PAINT STRAINERS

Disposable 150 gr paper paint strainers with nylon mesh, available in two micron sizes: 125 and 190 micron.

Valid for water based products and solvent based products.

REFERENCE	COLOUR	SIZE	BOX
2006-070125	BLUE	125 μ m	1000 UN
2006-070190	RED	190 μ m	1000 UN



MIXING RULER CRS 2:1 / 5:1

Mixing ruler for HS Filler 5:1 and Star Lack LVC 2:1.
Double-sided.

REFERENCE	BOX
2012-001332	5 UN





MULTI-HOLE MIXING STICKS

Disposable paint mixing sticks.

It has a curved and ergonomic design with multiple holes to facilitate the dragging and mixing of the product.

It allows maximum profitability and utilisation of the product to be used.

REFERENCE	SIZE	CAPACITY	BOX
2012-001344	20 CM	BOX	500 UN
2012-001345	30 CM	BOX	300 UN



PAPER MIXING CUP

Disposable paper mixing cup.

REFERENCE	DESCRIPTION	CAPACITY	BOX
2012-002390	CUP	600 ML	200 UN



MIXING CUPS AND LIDS

Disposable mixing cups for precise preparation of all types of paint. Air-tight seal.

Available mixing scales: 1:1, 2:1, 3:1, 4:1, 5:1, 6:1 and 7:1. Each scale includes the unit of measure in ml and the percentage of dilution.

REFERENCE	DESCRIPTION	CAPACITY	BOX
2012-001410	CUP	290 ML	200 UN
2012-001420	CUP	385 ML	200 UN
2012-001440	CUP	750 ML	200 UN
2012-001500	CUP	1400 ML	200 UN
2012-001520	CUP	2300 ML	100 UN
2012-001430	LID	290-385 ML	200 UN
2012-001450	LID	750 ML	200 UN
2012-001510	LID	1400 ML	200 UN
2012-001530	LID	2300 ML	200 UN



PAINT PLASTIC CUP AND LID

Opaque cup for preparing paint according to weight, and for conserving it.

Light resistant. Ensures a safe transport.

REFERENCE	DESCRIPTION	CAPACITY	BOX
2012-001421	CUP + LID	500 ML	100 UN
2012-001422	CUP + LID	1 L	100 UN
2012-001423	CUP + LID	1,8 L	100 UN



HARD CUPS EASY CLICK

Consists of a rigid, adjustable rigid cup, for the Kit Car Refinish Easy Click system.

REFERENCE	DESCRIPTION	CAPACITY	BOX
2012-001631	HARD CUP	180 ML	1 UN
2012-001632	HARD CUP	400 ML	1 UN
2012-001633	HARD CUP	650 ML	1 UN
2012-001634	HARD CUP	850 ML	1 UN



KIT CAR REFINISH EASY CLICK

It consists of rigid regulated glass, closing ring, 50 exible glasses, 50 caps with filters and 20 hermetic plugs.

An easy and simple system for the preparation and improvement in the application of repainting, with a significant saving of solvents as well as a reduction in cleaning times, obtaining greater productivity and profitability.

REFERENCE	DESCRIPTION	CAPACITY	BOX
2012-001700	CUP KIT	180 ML 125 µm	50 UN
2012-001701	CUP KIT	400 ML 125 µm	50 UN
2012-001702	CUP KIT	650 ML 125 µm	50 UN
2012-001703	CUP KIT	650 ML 190 µm	50 UN
2012-001704	CUP KIT	850 ML 125 µm	50 UN
2012-001705	CUP KIT	850 ML 190 µm	50 UN
2012-001730	LID KIT	650/850 ML 190 µm	100 UN
2012-001731	LID KIT	650/850 ML 125 µm	100 UN






ADAPTER ALUMINIUM EASY CLICK

Adapter for Car Refinish Easy Click System.

REFERENCE	DESCRIPTION	BOX
2012-001820	CRS/IWATA W400	1 UN
2012-001821	DEVILBISS GTI/PRO/LITE/DV1	1 UN
2012-001822	SATA QCC	1 UN
2012-001823	IWATA WS-400/KREMLIN	1 UN
2012-001824	DEVILBISS SLG/SATA/WALKOM	1 UN
2012-001825	CRS MINI	1 UN
2012-001826	SAGOLA EXTREM 4400/4500/4100 GTO	1 UN
2012-001827	OPTIMA	1 UN
2012-001828	SAGOLA 3300/4100/MINI EXTREM	1 UN
2012-001829	SRI DEVILBISS	1 UN
2012-001830	IWATA LPH-80 MINI	1 UN



NEW KIT CAR REFINISH SYSTEM

It consists of a rigid, regulated cup, a sealing ring, 50 flexible cups, 50 caps with filters and 20 hermetic caps.

An easy and simple system for the preparation and improvement in the application of repainting, with significant savings in solvents as well as a reduction in cleaning times, obtaining greater productivity and profitability.

REFERENCE	DESCRIPTION	CAPACITY	BOX
2012-001600	CUP	180 ML 125 µm	50 UN
2012-001601	CUP	400 ML 125 µm	50 UN
2012-001602	CUP	650 ML 125 µm	50 UN
2012-001603	CUP	650 ML 190 µm	50 UN
2012-001604	CUP	850 ML 125 µm	50 UN
2012-001605	CUP	850 ML 190 µm	50 UN
2012-001607	CUP	400 ML 190 µm	50 UN





**ADAPTER ALUMINIUM
NEW KIT CAR REFINISH SYSTEM**

Adapter for new Kit Car Refinish System.

REFERENCE	DESCRIPTION	BOX
2012-001640	CRS/IWATA W400	1 UN
2012-001641	DEVILBISS	1 UN
2012-001642	SATA QCC	1 UN
2012-001643	IWATA WS-400/KREMLIN	1 UN
2012-001644	DEVILBISS SLG/SATA	1 UN
2012-001645	CRS MINI	1 UN
2012-001646	SAGOLA	1 UN
2012-001647	IWATA	1 UN
2012-001648	WALCOM GEO	1 UN
2012-001649	SRI DEVILBISS	1 UN
2012-001650	SAGOLA 3300	1 UN
2012-001651	SATA MINIJET 4600/5500	1 UN
2012-001652	SATA MINIJET 4/3000B	1 UN
2012-001653	SATA KLC/LM	1 UN
2012-001654	IWATA LPH 80 MINI	1 UN
2012-001655	IWATA W300/LPH300	1 UN



**COMPOUNDING
REPAIR**

**COMPOUNDING
REPAIR**





Scan me



COMPOUNDING REPAIR

Compounding Repair offers you a wide range of products for polishing, shining and protection of the vehicle. Among them, you can find berets, sponges, cloths, plates, polishers and protectors.





SMART PROGRESSIVE
ABRASION PLUS



SPA PLUS (Smart Progressive Abrasion Plus). It is a working philosophy for development in the process of defect rectification in refinishing, marking the beginning of a new era of innovation, flexibility and versatility.



The simple handling and easy application of these polishing products will facilitate greater efficiency and time savings in the body shop, thus offering a wide range of alternatives for multiple polishing processes and needs.

Due to the formulation and development of the SPA (Smart Progressive Abrasion) system, we avoid the chemical filling of abrasive defects in paint refinishing, which traditionally reappear in the form of shading or visual marks, achieving incredible and long-lasting results in car refinishing.

ADVANTAGES

1 - PLUS: These polishes are developed with a technology of spherical abrasive micro particles of different sizes of fast cutting which intervene in the polishing process, causing a progressive cutting action.

2 - PLUS: It is no longer necessary to have different polishes for the same polishing process. This avoids complex processes that lead to application errors and unsatisfactory results.

3 - PLUS: With the SPA PLUS system, we achieve savings and efficiency in the workshop when looking for processes focused on profitability.

4 - PLUS: These polishes are specially indicated for varnishes and finishes of the latest generation, including fast drying or air drying systems. We can also achieve a higher resolution and quality in complex colours.



ONIX DIAMOND CRYSTAL BLACK NANO FLASH

	ONIX	DIAMOND	CRYSTAL	BLACK	NANO FLASH
CUTTING POWER	5	4	2	2	0
GLOSS LEVEL	4	4	5	5	5
PROTECTION LEVEL	1	1	1	1	5
ABRASIVE GRAIN	P 1000	P 1500	P 6000	P 6000	-



ONIX PLUS

ONIX PLUS is an emulsion polish with micro abrasive particles with maximum cutting power and gloss especially suitable for paint finishing work on freshly painted and cured, deep scratch resistant surfaces. Maximum cutting power and gloss.

- Smart Progressive Abrasion Technology (SPA) Plus.
- No drying out of the polishing paste.
- Low temperature emission.
- The paste is free of waxes, silicones and unpleasant odours.

Its composition allows a great cutting power and speed. Easily removes sanding marks from P1000 and above.

REFERENCE	COLOUR	CAPACITY	BOX
5010-000018	WHITE	1 KG	6 UN

1 FOAM PAD EXTRA HIGH CUT **COMPOUNDING REPAIR**



DIAMOND PLUS

Fast cut polishing compound especially indicated for new generation clear coats and finishes. Used with the Diamond 1500 pad, its chemical property as emulsion permits to obtain a perfect cut and high gloss finish in one step.

Removes easily any sanding marks from grit 1500.

Provides a deep brightness.

REFERENCE	DESCRIPTION	CAPACITY	BOX
5010-000001	POLISHING	1 KG	6 UN
5010-000012	POLISHING	500 GR	10 UN

1 WOOL ORANGE PAD **COMPOUNDING REPAIR**

2 FOAM PAD HIGH CUT **COMPOUNDING REPAIR**



SMART PROGRESSIVE
ABRASION PLUS





SMART PROGRESSIVE ABRASION PLUS



CRYSTAL PLUS

Micro fine finishing polish based on highly refined aluminium oxide.

Thanks to SPA (Smart Progressive Abrasion) technology, Crystal Plus efficiently removes micro fine scratches, swirl marks and holograms on dark car paints.

The simple handling and easy application of Crystal Plus will provide increased efficiency and time savings in the bodyshop.

REFERENCE	DESCRIPTION	CAPACITY	BOX
5010-000016	POLISHING	1 L	6 UN

1 HOLOGRAM REMOVAL:
FOAM PAD HIGH CUT

COMPOUNDING REPAIR



CRYSTAL PLUS BLACK

CRS introduces CRYSTAL PLUS BLACK, an improved formula of this anti-hologram finishing polish, specially designed for dark colors.

Developed with highly refined aluminum oxide and SPA (Smart Progressive Abrasion) technology, this polish is specifically formulated to eliminate holograms, micro-scratches, and other defects, delivering a deep and uniform gloss, essential in dark colours.

REFERENCE	DESCRIPTION	CAPACITY	BOX
5010-000017	POLISHING	500 ML	10 UN

2 FINISHING: FOAM PAD FINISHING COMPOUNDING REPAIR





NANO FLASH PROTECT

A liquid compound for protection and finish. This incredible product provides a quick layer of protection to any surface of the vehicle thanks to its nanoparticles that repel water, dust and environmental pollutants, which promote longer life on the treated surface. Its formulation contains nano-particles that repel water, dust and environmental pollutants and protect the treated surface.

REFERENCE	DESCRIPTION	CAPACITY	BOX
5010-000005	POLISHING	500 ML	6 UN



SMART PROGRESSIVE
ABRASION PLUS





QUICK POLISH MOON

It's an exceptional liquid wax with outstanding 'wet look' clarity and depth of gloss for use in all paint systems including waterborne, solid colours and clear single coat finishes.

Removes polish residues while providing long-lasting protection, giving a deep, long-lasting shine (wet-look).

Recommended for hand use with a microfibre cloth.

REFERENCE	DESCRIPTION	CAPACITY	BOX
5010-001124	SPRAY	1 L	12 UN



2003-007029

MICROFIBRE CLOTH

**COMPOUNDING
REPAIR**





ORANGE WOOL PAD 3" 80MM

This beret is made of 100% sheep wool, offering high elasticity and durability.

Ideal for treating scratches in paint, sanding marks, and other similar defects. The Velcro fastening system ensures stability during polishing processes.

REFERENCE	SIZE	BOX
2004-000111	80 MM / 3"	6 UN



ORANGE WOOL PAD 5" 125MM

The Orange Wool Pad, known for its high performance, is now also available in the new 125 mm (5") size, while maintaining its composition of 100% natural sheep wool, which ensures high elasticity, excellent resistance, and superior performance. Specifically designed for removing scratches, sanding marks, and other paint defects.

Its hook-and-loop attachment system, compatible with rotary and dual-action polishers, ensures firm and stable adhesion to the backing plate, offering full control and confidence during use.

REFERENCE	SIZE	BOX
2004-000112	125 MM / 5"	6 UN



**ORANGE MICRO-WOOL PAD
6" 150MM WITH HOLE**

Orange wool pad 6" with hole, for better placement on the plate.

REFERENCE	SIZE	BOX
2004-000110	150 MM / 6"	6 UN



**ORANGE MICRO-WOOL PAD
8" 203MM**

Orange wool pad 8" with hole, for better placement on the plate.

REFERENCE	SIZE	BOX
2004-000100	203 MM / 8"	6 UN





LAMBSWOOL PAD 150MM 6" VELCRO

Woollen pad with velcro made of top quality Australian wool.

It has a high heat resistance and a great cutting power.

It is recommended for use with rotary polishers.

REFERENCE	SIZE	BOX
2004-007078	150 MM / 6"	1 UN



KNITTED WOOL PAD 185MM 7" VELCRO

Woollen pad for polishing processes.

Removes deep marks and scratches, sanding marks and heavy oxidation.

High heat resistance and high cutting power.

It is recommended for the use with rotary polishers.

REFERENCE	SIZE	BOX
2004-007079	185 MM / 7"	1 UN



WOOL PAD LAMBSWOOL

Polishing pad made of fine wool for polishing and buffing in combination with polishing compound.

Available in three sizes, 203, 150 and 80 mm.

Velcro backing.

REFERENCE	SIZE	BOX
2004-007060	203 MM	6 UN
2004-007070	150 MM	6 UN
2004-007080	80 MM	6 UN



NATURAL WOOL PAD HEAVY CUT

Natural wool pad made of premium Australian wool. It has a high heat resistance as well as good stability and flexibility.

They have an extreme cutting power.

REFERENCE	DESCRIPTION	SIZE	BOX
2004-007074	ONE FACE	7"	1 UN
1 2004-007077	DOBLE FACE	8"	1 UN

1 2004-007073 ADAPTOR FOR DOUBLE SIDE WOOL PADS [TOOLS & ACCESSORIES](#)





**FOAM PAD
EXTRA HIGH CUT GREEN**



Green high cut sponges with extreme cutting power specifically for polishing and removal of deep damage.


Available in five different sizes.

Their velcro is reinforced to withstand the force exerted by professional polishers.

REFERENCE	SIZE	HOLE	BOX
2004-007061	56 MM / 2"	-	10 UN
2004-007064	75 MM / 3"	-	1 UN
2004-007081	100 MM / 4"	-	1 UN
2004-007084	155 MM / 6"	22 MM	1 UN
2004-007087	180 MM / 7"	22 MM	1 UN

REFERENCE	SIZE	VELCRO	FRONT SIDE	THICKNESS	HOLE
2004-007061	2"	56 mm	56 mm	10 mm	-
2004-007064	3"	75 mm	75 mm	25 mm	-
2004-007081	4"	76 mm	100 mm	25 mm	-
2004-007084	6"	127 mm	150 mm	25 mm	22 mm
2004-007087	7"	152 mm	180 mm	25 mm <td>22 mm</td>	22 mm





**FOAM PAD
HIGH CUT**



Yellow and blue medium cutting power sponges specifically for polishing and rectifying medium damage.

Available in five sizes.

The velcro is reinforced to withstand the force exerted by professional polishers.

REFERENCE	SIZE	HOLE	BOX
2004-007062	56 MM / 2"	-	10 UN
2004-007065	75 MM / 3"	-	1 UN
2004-007082	100 MM / 4"	-	1 UN
2004-007085	155 MM / 6"	22 MM	1 UN
2004-007088	180 MM / 7"	22 MM	1 UN

REFERENCE	SIZE	VELCRO	FRONT SIDE	THICKNESS	HOLE
2004-007062	2"	56 mm	56 mm	10 mm	-
2004-007065	3"	75 mm	75 mm	25 mm	-
2004-007082	4"	76 mm	100 mm	25 mm	-
2004-007085	6"	127 mm	150 mm	25 mm	22 mm
2004-007088	7"	152 mm	180 mm	25 mm	22 mm





**FOAM PAD
FINISHING RED**



Red finishing sponges.

Available in five different sizes.

Its velcro is reinforced to withstand the force exerted by professional polishers in car refinishing.

REFERENCE	SIZE	HOLE	BOX
2004-007063	56 MM / 2"	-	10 UN
2004-007066	75 MM / 3"	-	1 UN
2004-007083	100 MM / 4"	-	1 UN
2004-007086	155 MM / 6"	22 MM	1 UN
2004-007089	180 MM / 7"	22 MM	1 UN

REFERENCE	SIZE	VELCRO	FRONT SIDE	THICKNESS	HOLE
2004-007063	2"	56 mm	56 mm	10 mm	-
2004-007066	3"	75 mm	75 mm	25 mm	-
2004-007083	4"	76 mm	100 mm	25 mm	-
2004-007086	6"	127 mm	150 mm	25 mm	22 mm
2004-007089	7"	152 mm	180 mm	25 mm	22 mm






MICRO FIBER RED PAD FINAL FINISHING

Red nano-microfibre applicators for finishing polishing processes with three different sizes.

Their velcro is reinforced to withstand the force exerted by professional polishers for automotive refinishing.

REFERENCE	SIZE	BOX
2004-007055	90 MM / 3"	1 UN
2004-007056	140 MM / 5"	1 UN
2004-007057	165 MM / 6"	1 UN



STRIPED SHORT-NAP WOOL PAD BLUE

Fine woollen pads specifically for polishing processes.

It has a high heat resistance as well as good stability and flexibility.

REFERENCE	SIZE	BOX
2004-007052	85 MM / 3"	1 UN
2004-007053	135 MM / 5"	1 UN
2004-007054	160 MM / 6"	1 UN



**PLATE 30MM
MINI SANDER-POLISHER**

30 mm pad for Kit Smart Repair mini sander-polisher.

Thread: M6.

REFERENCE	BOX
9004-001072	1 UN



**PLATE 75MM
MINI SANDER-POLISHER**

75 mm pad for Kit Smart Repair mini sander-polisher.

Thread: M6.

REFERENCE	BOX
9004-001071	1 UN



**FLEXIBLE BACKING PAD 75 MM
FOR POLISHER**

Flexible velcro plate with a diameter of 75mm.
Thread: M14.

REFERENCE	BOX
2004-007094	1 UN



**FLEXIBLE BACKING PAD 50 MM
FOR POLISHER**

Small flexible velcro plate with a diameter of 50mm,
ideal for small repairs in hard-to-reach areas.
Thread: M14.

REFERENCE	BOX
2004-007093	1 UN





FLEXIBLE PLATE FOR POLISHER M14

Flexible and balanced plates for polishing processes in automotive refinishing. Their flexible edges are ideal for polishing vehicle contours of the vehicle where greater accessibility is required.

They are suitable for sponges and polishing pads.

Thread: M14.

REFERENCE	DESCRIPTION	SIZE	BOX
2004-007095	PLATE 5"	125 MM	1 UN
2004-007096	PLATE 6"	150 MM	1 UN




BACKING PLATE 6" POLISHER BPC 7121

The Foam Plate 6" 150mm, for polisher SPC/BPC 7121 is especially important for the broken orbital system. It is constructed of polyurethane foam with a very good mechanical strength to withstand lateral and rotational movements.

This plate in conjunction with our CRS conical polishing sponges performs a gentle and comfortable polishing. The holes in the plate allow to keep the working area clean while promoting better cooling.

The plate is perfectly designed to obtain a perfect anchorage between the sponge and its base.

REFERENCE	DESCRIPTION	BOX
1014-006019	150 MM	1 UN





MICROFIBRE CLOTH

Multiple microfiber woven cloth with different functions: cleaning, polishing and absorption. Protected seams so as not to leave marks. Allows the application of polishes by hand. The most recommended option for the final cleaning of polished surfaces. Washable and very durable.

REFERENCE	DESCRIPTION	SIZE	BOX
2003-007029	YELLOW	40 CM X 40 CM	10 UN
2004-000108	BLUE	40 CM X 40 CM	10 UN




**MICROFIBRE CLOTH
HIGH DOUBLE FACE**

Long pile cloth on both sides with high absorption power.

Multiple microfiber woven cloth with different functions: cleaning, polishing and absorption. Protected seams so as not to leave marks. Allows the application of polishes by hand.

The most recommended option for the final cleaning of polished surfaces. Washable and very durable.

REFERENCE	COLOUR	SIZE	BOX
2003-007031	YELLOW	40 CM X 40 CM	10 UN



**SOFT FINISHING
MICROFIBRE CLOTH**

The Soft Finishing cleaning cloth is woven with ultra-fine yarns, consisting of 80% polyester and 20% polyamide, which provides superior stability.

It is ideal for applications in critical environments. The ultra-soft, non-abrasive texture cleans surfaces without scratching, especially on dark colours.

Good residue absorption.

REFERENCE	COLOUR	SIZE	BOX
2003-007034	BLUE	40 CM X 40 CM	10 UN
2003-007035	GREY	40 CM X 40 CM	10 UN



A close-up photograph showing a car's body panels being covered with brown paper and secured with yellow tape. A person's gloved hand is visible on the right, holding a piece of white tape. The scene is set in a workshop or garage with a grey wall in the background.

MASKING SYSTEM & PROTECTION



**MASKING
SYSTEM &
PROTECTION**

www.CARREPAIRSYSTEM.eu



Scan me



MASKING SYSTEM AND PROTECTION

Protect the surfaces you are going to work on thanks to *Masking System and Protection*. In this family you will find all types of masking, weatherstripping, masking tape and products for booth protection.





PLASTIC FILM BLUE CRS

CRS Blue Masking Film with 19MM tape. A double protection plastic film whose inner face electrostatically adheres to the surface to be protected.

It is designed to paint with any type of paint system. 25 yard temperature resistant tape. Does not leave traces of glue.

REFERENCE	SIZE	BOX
2001-001230	35 CM x 25 YDS	20 UN
2001-001240	60 CM x 25 YDS	20 UN
2001-001250	90 CM x 25 YDS	20 UN
2001-001260	120 CM x 25 YDS	20 UN
2001-001270	180 CM x 25 YDS	20 UN



PLASTIC FILM WITH MASKING TAPE

Double protection plastic film whose inner side adheres electrostatically to the surface to be protected.

- Temperature resistant up to 120 °C.
- It is designed for painting with any type of paint system.
- With 25 mm tape resistant to humidity. Does not leave glue residues.

REFERENCE	SIZE	BOX
2001-001330	35 CM X 25 YDS	20 UN
2001-001340	60 CM X 25 YDS	20 UN
2001-001350	90 CM X 25 YDS	20 UN
2001-001360	120 CM X 25 YDS	20 UN
2001-001370	180 CM X 25 YDS	20 UN



CABIN PROTECTIVE FILM TAPE

Ideal for panel protection in paint booths.

It facilitates the protection of the walls comfortably, due to its extension system to reach the coating areas.

REFERENCE	SIZE	BOX
2001-001281	36 MM X 240 CM X 18 M	12 UN



MASKING FILM

Plastic film of 8 microns and diferent sizes for quick masking of car bodywork.

The outside has been treated with special products so as to guarantee paint spray adhesion. The inside sticks electrostatically to the car body. The outside has the brand's name printed on so as to allow for correct laying.

REFERENCE	SIZE	MICRONS	BOX
2001-001587	400 CM X 150 M	8 µm	1 UN
2001-001588	400 CM X 300 M	8 µm	1 UN
2001-001589	500 CM X 150 M	8 µm	1 UN



TRANSPARENT UV PROTECTIVE FILM FOR WINDSHIELDS

Transparent UV protective film is a temporary surface protection film with an adhesive coating on one side, suitable for protecting sensitive surfaces against mechanical damage and contamination such as glass or other car body surfaces.

REFERENCE	SIZE	BOX
2001-001282	600 MM X 50 M	1 UN



**4-IN-1 CABIN PROTECTIVE FILM
36MM x 240 CM X 18M**

With the Cabin protective film, you save time, reduce costs and increase workshop productivity.

- 4 layers of protection – greater durability and extended booth life.
- High-temperature tape – withstands up to 140°C in painting and baking processes.
- Anti-drip surface – walls always clean, with no runs or paint build-up.
- Electrostatic charge – perfect adhesion and flawless application.
- Ideal size of 36 mm x 240 cm x 18 m – perfect dimensions to quickly cover spray booth walls.

REFERENCE	SIZE	BOX
2001-001284	36 MM x 240 CM X 18 M	1 UN



**WHITE PROTECTIVE FILM
FOR WORKBENCH AND CABIN**

The white protection film is a self-adhesive film with anti-slip properties specially developed to protect the floor of paint mixing rooms and mixing equipment (stainless steel) in such rooms.

The high tack acrylic adhesive provides good adhesion to smooth and rougher surfaces, keeping it perfectly in place.

REFERENCE	SIZE	BOX
2001-001283	600 MM X 20 M	1 UN




MASKING FILM BLUE

Our 400, 500, and 600 cm x 150 m formats are now available in a new 10-micron version, offering greater strength and durability.

In addition, the new translucent blue colour makes application and visual control easier, ensuring a more precise and professional finish.

REFERENCE	SIZE	MICRONS	BOX
2001-001591	400 CM X 150 M	10 μ	1 UN
2001001592	500 CM X 150 M	10 μ	1 UN
2001-001593	600 CM X 150 M	10 μ	1 UN



GREEN PREMIUM MASKING FILM

Plastic film of 4 metre wide and 12 micron for rapid masking of car bodies, especially suitable for masking vehicles with humidity.

- Specially treated to guarantee the adherence of the paint spray, preventing the introduction of dust and paint spray.
- Resistant to temperature cycles up to 120°C.
- Does not leave marks on vehicles with wet surfaces.
- Time saving compared to the use of masking paper.


REFERENCE	SIZE	BOX
2001-001584	400 CM X 150 M	1 UN



CUTTING PLASTIC "POLYCUT" BLADE

Blade designed especially for precise cutting of masking plastic film.

REFERENCE	BOX
2004-004010	10 UN



KIT PROTECTION 5:1

5 in 1 disposable car interior protection kit. In a dust-protected bag.

Contents of the set:

- Seat cover
- Steering wheel cover
- Ground sheet
- Lever cover
- Handbrake cover

REFERENCE	DESCRIPTION	BOX
2001-001462	KIT PROTECTION 5:1	100 KITS
2001-001461	KIT 5:1 SUPPORT	1 UN



DOOR SKIN PLASTIC SHEET AND FILM

Pre-cut plastic sheet for protecting interior door panels so as to obtain an original finish. Protects against humidity and soundproofs the vehicle.

Film plastic in roll of 650 mm x 50 m.

REFERENCE	DESCRIPTION	CAPACITY	BOX
2001-001490	SHEET	600 MM X 50 M	1 UN
2001-001480	FILM	650 MM X 50 M	1 UN



WHEEL COVER-PLASTIC

Disposable wheel cover made of transparent plastic.

REFERENCE	CAPACITY	BOX
2001-001410	1 ROLL	250 UN



TYRE COVERS FOR WHEEL RIM PAINTING

An electrostatic masking/protection film to make the wheel rim paintwork clean while protecting the tyre.

Keeps all excess paint off the tyre, infrared resistant and slightly transparent.

This solution allows you to isolate the tyre without having to dismount it in a single action. All you have to do is deflate the tyre slightly, fit the edge of the inner hole of the cover and pull until it fits over the entire rim. No need to use insulating tape or paper, reducing operation time between 15 to 20 minutes, thanks to the elasticity of the polyethylene compound.

Fits any type of rim, including truck and bus rims.

REFERENCE	SIZE	BOX
2011-001380	140 CM X 20 MIC	20 UN
2011-001381	170 CM X 20 MIC	20 UN



SEAT COVER

The Plastic Seat Cover provides complete protection for the car seat. It not only keeps the seat clean, but also protects it against oil stains, paint or dust. Easy to install and remove. Its size makes it easy to store without taking up too much space.

The Cover is suitable for workshops, dust protection, car washing and car refinishing.

- Very strong PE plastic material, with 18 microns.
- Convenient format for installing and removing from the car seat.
- Disposable product, hygienic, clean and practical.
- Protects against most solvents and pollutants.
- Economic, saves work, time and money.

REFERENCIA	SIZE	BOX
2011-001383	80 CM x 130 CM x 18µ	250 UN





STEERING WHEEL COVER

These disposable steering wheel protectors are polyethylene films with an elastic band. Used to keep the steering wheel clean when the vehicle is being worked on. Pack 250 units.

- Thickness: 18 µm.
- Density: 0.930 g/cm².
- Composition: Polyethylene.
- Temperature supported: 110°C.
- Size: 13 x 13 cm.

REFERENCE	SIZE	BOX
2011-001382	13 CM X 13 CM	250 UN



PROTECTING CARPET

An effective solution to keep the interior of the vehicle clean and protected. With dimensions of 50 cm by 38 cm and a lightweight of 70 g/m², this floor mat is easy to install and remove.

It protects the car against stains, dust, and dirt. Compact and easy to store, it makes the perfect choice for those seeking practicality and cleanliness.

Available in boxes of 250 units.

REFERENCE	MEASUREMENTS	BOX
2011-001384	50 CM X 38 CM X 70 G/M ²	250 UN



KRAFT MASKING PAPER

Masking paper. Treated so as not to let paint or clear coat pass through.

Each measure comes in an individual bag. Weight: 40 g/m2.

REFERENCE	DESCRIPTION	SIZE	BOX
2001-001860	40 G	45 CM X 300 M	1 UN
2001-001870	40 G	60 CM X 300 M	1 UN
2001-001880	40 G	90 CM X 300 M	1 UN
2001-001890	40 G	120 CM X 300 M	1 UN



MASKING PAPER KRAFT PREMIUM EXTRA 32G

Premium quality kraft paper. This Kraft paper is made with 100% virgin pulp, so it does not contain recycled materials and leads to excellent uniformity in the quality of work.

It has a special Kraft sealing treatment that guarantees its use in masking during vehicle refinishing and a very good cut without loosening of residues.

REFERENCE	DESCRIPTION	SIZE	BOX
2001-001960	32 G	45 CM X 300 M	1 UN
2001-001970	32 G	60 CM X 300 M	1 UN
2001-001980	32 G	90 CM X 300 M	1 UN
2001-001990	32 G	120 CM X 300 M	1 UN



MASKING PAPER

Masking paper of 50 g / m2 and 300 m long, treated to prevent the transfer of paint or varnish.

It is a high performance mixed paper with a waxed and tear resistant coat. Due to its high resistance to moisture, it is suitable for use with varnishes, acrylics and primers. It has a smooth, non-porous surface.

It is supplied in a single bag in all sizes.

REFERENCE	DESCRIPTION	SIZE	BOX
2001-050021	50 G	21 CM X 300 M	1 UN
2001-050037	50 G	37,5 CM X 300 M	1 UN
2001-050045	50 G	45 CM X 300 M	1 UN
2001-050060	50 G	60 CM X 300 M	1 UN
2001-050090	50 G	90 CM X 300 M	1 UN
2001-050120	50 G	120 CM X 300 M	1 UN
2001-050140	50 G	140 CM X 300 M	1 UN





PERFECT FOAM "T"

Auto-adhesive masking foam tape in the shape of "T". The middle of its basis is composed by an adhesive part resisting to drying temperatures of infrared dryers, endothermic panels or air heating. Both sides of the "T" are lightly elevated to obtain an homogeneous and invisible spray application.

Ideal for areas with small spaces.

REFERENCE	SIZE	BOX
2001-002440	25 M	1 UN



TRIANGULAR MASKING FOAM TAPE

Adhesiveless foam tape in the shape of a triangle and indicated to avoid the fillers spraying to pass through the panels gaps such as doors gaps, hoods, car boots.

To apply it easily, place it into the gaps and just pressure on it with no need of opening the doors. The few remaining spray mist would be easily removed during the sanding process.

REFERENCE	SIZE	BOX
2001-002450	50 M	1 UN



AUTOADHESIVE MASKING FOAM TAPE

Self-adhesive polyester foam weatherstrip, density 28 kg/m³, for masking doors, boots, bonnets or any other vehicle opening.

REFERENCE	SIZE	BOX
2001-002460	13 MM X 50 M	1 UN
2001-002470	18 MM X 35 M	1 UN



EU ORANGE MASKING TAPE

High performance tape for vehicle masking.

- Strong adhesion on metal, glass, plastic and rubber.
- Resists UV rays.
- Does not leave glue residue, even after a 6-month application period.
- Resists up to 100 °C for 30 minutes.

REFERENCE	SIZE	BOX
2002-001000	19 MM X 50 M	48 UN
2002-000012	50 MM X 50 M	16 UN



MASKING TAPE

Professional tape for vehicle masking.

- Resists up to 80 °C for 30 minutes.
- Does not leave glue residue.

REFERENCE	SIZE	BOX
2002-001730	18 MM X 45 M	96 UN
2002-001740	24 MM X 45 M	72 UN
2002-001750	36 MM X 45 M	48 UN
2002-001760	48 MM X 45 M	36 UN



**MASKING TAPE
8010**

Professional Masking Tape for cars with a crepe paper backing and solvent-based adhesive, designed for any type of paintwork and applications with high temperature drying cycles, up to 80°C for 60 min. Our 8010 Masking Tape is highly adaptable to uneven surfaces and guarantees smooth edges. It works with tape overlay, with paper and masking film with good holding power. Easy and clean removal, without leaving glue residues on the application surface.

REFERENCE	SIZE	BOX
2002-003018	18 MM X 45 M	96 UN
2002-003024	24 MM X 45 M	72 UN
2002-003036	36 MM X 45 M	48 UN
2002-003048	48 MM X 45 M	36 UN



TOP MASKING TAPE

Professional tape for vehicle masking.
Resists up to 100 °C for 30 minutes.
Does not leave glue residue.

REFERENCE	SIZE	BOX
2002-007020	18 MM X 45 M	48 UN
2002-007021	24 MM X 45 M	36 UN
2002-007022	36 MM X 45 M	24 UN
2002-007023	48 MM X 45 M	24 UN



GREEN PREMIUM TAPE

Bodybuilder tape for the most demanding masks. Especially indicated for humid environments as well as direct contact with water-based paints.

- Adhesion: 4.8 N / 25 mm.
- Total thickness: 0.13 mm.
- Temperature resistance: 90 °C – 30 min.

REFERENCE	SIZE	BOX
2002-009018	18 MM X 50 M	48 UN
2002-009024	24 MM X 50 M	36 UN
2002-009036	36 MM X 50 M	24 UN



DOUBLE-SIDED ACRYLIC TAPE

Double-sided adhesive tape recommended for fixing moulds, emblems and accessories. Resists high temperatures. Strong adhesion on metal, glass and most plastics.

REFERENCE	SIZE	BOX
2002-005006	9 MM X 10 M	10 UN
2002-005007	12 MM X 10 M	10 UN
2002-005008	19 MM X 10 M	10 UN



DOUBLE-SIDED TRANSPARENT ACRYLIC TAPE

Double Sided Transparent Acrylic Tape is especially designed for permanent bonding in interior and exterior applications. This can replace riveting, welding, liquid glues and other permanent fasteners. It is also suitable for various kinds of substances, such as metal, wood, glass and many plastics.

It has a total thickness of 1MM resistant to temperatures between -40 °C and 120 °C.


REFERENCE	SIZE	BOX
2002-005000	19 MM X 10 M	10 UN



DOUBLE-SIDED TAPE

Double-sided adhesive tape recommended for fixing moulds, emblems and accessories.

REFERENCE	SIZE	BOX
2002-001780	6 MM X 10 M	10 UN
2002-000910	9 MM X 10 M	10 UN
2002-001210	12 MM X 10 M	10 UN
2002-001910	19 MM X 10 M	10 UN
2002-002510	25 MM X 10 M	10 UN




LIFTING TAPE

Outlining tape for vehicle masking.

Does not crumple nor fold up at corners. Follows curves perfectly and adapts to any shape. Little paint accumulation.

REFERENCE	SIZE	BOX
2002-011921	3 MM X 66 M	10 UN
2002-011922	6 MM X 66 M	10 UN
2002-011923	9 MM X 66 M	10 UN
2002-011924	12 MM X 66 M	10 UN
2002-011925	19 MM X 66 M	10 UN



PRE-CUT LIFTING TAPE

Plastic strip on auto-adhesive tape for masking new windscreens and windowpanes.

Pre-cut and very flexible for easy masking of curves.

REFERENCE	SIZE	BOX
2002-003071	10 MM X 10 M	12 UN
2002-003072	15 MM X 10 M	12 UN
2001-001570	20 MM X 10 M	12 UN



BROWN LIFTING TAPE

Tape removes high quality rubber for the masking of rubber from the body of the car, easily separating the rubber from the surface to be painted to achieve a clean and original factory spraying, without generating paint rims between joints of rubber and bodywork.

REFERENCE	SIZE	BOX
2002-004071	10 MM X 10 M	12 UN
2002-004072	15 MM X 10 M	12 UN
2002-004073	20 MM X 10 M	12 UN



LOGO TAPE

Adhesive strips for recovering logos and emblems.

By placing the logo removed prior to repair on the adhesive surface of Logo Tape, the adhesive bonds to the old contact surface, allowing it to adhere again.

REFERENCE	SIZE	BOX
2002-001980	50 MM X 300 MM	10 UN



ALU TAPE

Silver, woven tape, covered by a protective film with strong adhesion power.

Waterproof and abrasive-resistant.

REFERENCE	SIZE	BOX
2002-001990	50 MM X 50 M	18 UN



**MAGNETIC TAPE ROLL
30 MM X 2 MM X 10 M**

specially developed to simplify the masking process in automotive spray booths.

- Secure attachment of plastic film to metal surfaces
- Reusable and solvent-resistant
- Flexible and easy to cut
- Eliminates adhesive tape and glue residues
- Saves time and ensures a cleaner job

REFERENCE	SIZE	BOX	PVP
2002-001991	30 MM X 2MM X 10 M	1 UN	



**TEXTURED ADHESIVE
PLASTIC**

Auto-adhesive tape with a textured finish touch that imitates original finish on door frames of certain car models.

Easy to lay.

REFERENCE	SIZE	BOX
2001-001585	150 MM X 5 M	12 UN




**PARKING SENSOR
PROTECTOR**

Adhesive product specially indicated to protect the parking sensors during the process of painting works.

Makes the work of the operator easier by saving time and retouching operations.

REFERENCE	SIZE	BOX
2011-001398	18 MM	150 UN
2011-001399	13 MM	150 UN





QUICK PRO-PEEL CABIN

It's a sprayable water-based product that creates a masking film for the protection of spray booth surfaces. It protects walls from overspray and paint overspray. The dry product is completely transparent, preventing the distortion of brightness inside the booth.

Used for the protection of paint booth interiors.

REFERENCE	CAPACITY	BOX
5012-000024	5 L	4 UN



QUICK GEL CABIN

Transparent water-based emulsion for protection of painting cabins. Creates an adhesive layer on which dust and paint spray can stick. Biodegradable.

REFERENCE	CAPACITY	BOX
5012-001070	5 L	4 UN







PERSONAL PROTECTION

**PERSONAL
PROTECTION**



**HIGH
EFFICIENCY**

www.CARREPAIRSYSTEM.eu

REPAIR SYSTEM



HIC



PERSONAL PROTECTION

Personal Protection has all the necessary products to ensure full protection of the operator, such as coveralls, painters' coats, gloves, masks or disinfectants products.





**MASK 5260 FFP2
WITH VALVE**

The 5260 FFP2 is a self-filtering respirator proportionally designed for the user with a comfortable and lightweight protection.

- It is a very effective filtering facepiece for filtration of solid and liquid non-volatile particles.
- It is developed with a convex design and two adjustment bands.
- It is designed to fit all facial sizes.
- It has a ventilation valve that allows exhalation

REFERENCE	COLOUR	BOX
2015-001012	WHITE	20 UN



**MASK 5270 FFP3
WITH VALVE**

The 5270 FFP3 is a self-filtering respirator proportionally designed for the user with a comfortable and lightweight protection.

- It is a very effective filtering facepiece for filtration of solid and liquid non-volatile particles.
- It is developed with a convex design and two adjustment bands.
- It is designed to fit all facial sizes.
- It has a ventilation valve that allows exhalation

REFERENCE	COLOUR	BOX
2015-001013	WHITE	20 UN



**MASK 5280 FFP2
WITH VALVE**

The 5280 FFP2 is a self-filtering respirator proportionally designed for the user with a comfortable and lightweight protection

The 5280 mask has all the features of the 52 Series masks and in addition the filtering and breathing capacity is improved to further minimise the fogging of working glasses. It contains a wider and more comfortable nasal panel that favours facial adaptation and fit. Its three-part design makes it more comfortable and reliable than traditional non-foldable spectacles.

REFERENCE	COLOUR	BOX
2015-001014	WHITE	20 UN




BLACK SAFETY GOGGLES

Scratch and impact resistant safety glasses. They have extendable temples and provide exceptional protection against dust and other contaminants in the workshop to protect the worker's eyes. They comply with the EN 166:2002.

These safety glasses with clear lenses offer the protection needed for any sanding, polishing, painting or other work required of a professional in a workshop.

REFERENCE	COLOUR	BOX
4002-006196	BLACK	12 UN



**POLYESTER
COVERALL CRS**

Painter's hooded coverall with elastic at wrists, waist and hood.

REFERENCE	COLOUR	SIZE	BOX
2009-010000	BLUE	S	1 UN
2009-010005	BLUE	M	1 UN
2009-010006	BLUE	L	1 UN
2009-010012	BLUE	XL	1 UN
2009-010007	GREY	S	1 UN
2009-010008	GREY	M	1 UN
2009-010009	GREY	L	1 UN
2009-010010	GREY	XL	1 UN
2009-010011	GREY	XXL	1 UN



POLYESTER COVERALL HIGH EFFICIENCY

This polyester painter's coverall has High Efficiency features that make it ideal for work in the workshop.

- Ideally fitting hood with 100% field of vision.
- Zip with protective flap.
- Adjustable elasticated cotton cuffs.

REFERENCE	SIZE	BOX
2009-010030	S	1 UN
2009-010031	M	1 UN
2009-010032	L	1 UN
2009-010033	XL	1 UN
2009-010034	XXL	1 UN






BREATHABLE BASIC COVERALL

This painter coverall offers the best protection against liquid splashes and dust and is designed for working in warm environments thanks to its breathable back panel, which offers exceptional comfort without compromising protection.

- White microporous fabric.
- Breathable back panel.
- Elasticated waist, cuffs and ankles.
- Front zip protection flap.
- Water repellency and anti-bacterial protection.

REFERENCE	SIZE	BOX
4005-001533	S	1 UN
4005-011533	M	1 UN
4005-021533	L	1 UN
4005-031533	XL	1 UN
4005-041533	XXL	1 UN



GREY PAINTER'S OVERALL

Gray Painter's Overall. Precision-developed to meet the needs of the most demanding operators, this overall offers a unique combination of functionality and style.

- Silicone-Free.
- PPE Category I.
- Closure with Protective Strip.
- Hood with Drawstring.
- Functional Pockets.
- Easy Maintenance: The Gray Painter's Overall is washable up to 40 °C or can undergo dry cleaning.

REFERENCE	SIZE	BOX
2009-001010	M	1 UN
2009-001011	L	1 UN
2009-001012	XL	1 UN
2009-001013	XXL	1 UN



HOOD FOR PAINTER

Hood for painter protection during work.

REFERENCE	DESCRIPTION	BOX
2009-002330	PLASTIQUE PP	100 UN
2009-002340	TYVECK	100 UN



SUPER TOP PRO GLOVES

Reinforced elastic latex gloves highly resistant to chemical products, especially cleaning solvents. Thickness: 13 Microns.

Fits either hand.

REFERENCE	SIZE	BOX
2010-001714	M	50 UN
2010-001715	L	50 UN
2010-001716	XL	50 UN

NITRILE GLOVES EXTRA T-GRIP

They feature a diamond texture on the surface that channels fluids and promotes a better grip in all conditions to reduce hand strain and increase operator safety. They are made of 100% nitrile, highly resistant to puncture.

They are developed without powder and plasticizers to avoid skin allergies related to glove use. Longer cuffs with anti-slipping capacity to provide better protection to the user.

REFERENCE	SIZE	BOX
2010-001720	M	50 UN
2010-001721	L	50 UN
2010-001722	XL	50 UN



COMFORT PROTECT GLOVES

Comfort protect gloves with sanded nitrile palm coating, ultra-light and comfortable. Comfort protect gloves are suitable for mechanical hazards, assembly, preparation and painting. They have excellent tactile properties.

- Fabric type: Nylon yarn
- Coating type: Nitrile sanded coating

REFERENCE	SIZE	BOX
2010-002510	S	240 PAIRS
2010-002511	M	240 PAIRS
2010-002512	L	240 PAIRS



ANTI CUT PROTECT GLOVES

Protective gloves with cut, abrasion and tear resistant lining and grey PU coating. The protect cut-resistant gloves are especially suitable for the protection against cuts and injuries to the hands during pre-painting, dismantling and assembly of sheet metal as well as car sanding.

The gloves offer high grip, breathability and durability, providing a high level of comfort during the work process.

- Fabric type: HPPE + fibreglass lining.
- Coating type: PU palm coating, smooth.

REFERENCE	SIZE	BOX
2010-002520	S	240 PAIRS
2010-002521	M	240 PAIRS
2010-002522	L	240 PAIRS





SANDING PROTECT GLOVES

Sanding protect gloves with sanded nitrile palm coating, ultra-light and comfortable. The comfort protect gloves are suitable for abrasion, mechanical hazards, assembly, preparation and painting. They have excellent tactile properties.

- Fabric type: Nylon lining.
- Coating type: PU palm coating, smooth.

REFERENCE	SIZE	BOX
2010-002530	S	240 PAIRS
2010-002531	M	240 PAIRS
2010-002532	L	240 PAIRS



ANTI-STATIC PROTECT GLOVES

Guantes de protección anti estáticos para la Anti-static protective gloves for handling parts with static charges, precision assembly. They facilitate the dissipation of static electricity, caused by the friction of non-conductive bodies.

They are designed without seams for greater operator comfort and have a polyurethane reinforcement to extend their useful life.

- Fabric type: Polyester + carbon.
- Coating type: PU palm coating, smooth.

REFERENCE	SIZE	BOX
2010-002540	S	240 PAIRS
2010-002541	M	240 PAIRS
2010-002542	L	240 PAIRS





QUICK SPECIAL HAND CLEANER

Fluid hand cleaner with great cleansing action for all types of cleaning. Contains a pleasant apple fragrance that lingers on the skin long after washing hands with it.

This ester addition in combination with the natural oil makes the hand cleaner more skinfriendly than a hand cleaner based on common solvents

Apply a measure of Quick Hand Cleaner over wet hands, extend and rinse off with abundant water. Does not contain mineral abrasives. 90% biodegradable.

REFERENCE	DESCRIPTION	CAPACITY	BOX
5013-001155	QUICK SPECIAL	3 KG	6 UN
5013-001156	DISPENSER	-	1 UN






ABRASIVES



ABRASIVES


www.CARREPAIRSYSTEM.eu



ABRASIVES

Abrasives offers you a wide range of abrasives (paper, film, ceramic) that will be your greatest ally in the sanding processes in the workshop. Find the abrasive that best suits your needs and optimise your sanding work.

SUBFAMILY	NAME	SIZE	MATERIAL	HOLES	GRAIN	APPLICATION	PAGE
MACHINE ABRASIVES	CERAMIC LINE DISC (Ref. 2014-001810...)	150 MM	Ceramic	Multi-holes	P80-P800	For all substrates and processes	5
	F1 BLUE LINE DISC (Ref. 2014-006135...)	150 MM	Flexible plastic	15	P60-P12500	For all substrates and processes	6
	F1 GOLD LINE DISC (Ref. 2014-006134...)	75 / 150 MM	Aluminium oxide	15	P80-P800	For all substrates and processes	7
	F1 SKYLON DISC (Ref. 2014-006036...)	75 / 150 MM	Foam and abrasive	-	P2000, P3000	Bent surfaces	8
	FLEXIBLE MATTING DISC (Ref. 2014-006052/2014-006053/2014-006054)	150 MM	Foam and abrasive	Multi-holes	P400, P600 y P800	Sanding and nuanced	9
	FOAM FLEXPLO LINE (Ref. 2014-007011...)	75 / 150 MM	Foam and abrasive	Multi-holes	P600-P3000	Sanding, nuanced and preparation	10
	FOAM F1 LINE DISC (Ref. 2014-006195...)	5-10 MM	Sponge	15	Fine, Microfine, Superfine	Shading	11
	STAR BRITE DISC (Ref. 2007-001110 / 2007-001100)	150 MM	Synthetic felt	-	Very fine, Ultra fine	Shading	12
	CARBON FIBRE DISC TOP (Ref. 22013-001141 / 2013-001142 / 2013-001143 / 2013-001150 / 2013-001161)	50 / 80 / 150 / 115 MM	Nylon and tungsten	-		Roughing, grinding and surface preparation	13
	STARFILM (Ref. 2014-004010...)	35 MM / 114 x 70 MM	Adhesive film	15	P1500, P2000, P2500, P3000	Rectification and removal of paint defects	16
	SUNDUST (Ref. 2014-003319...)	75 / 150 / 130 x 170 MM	Latex	15	P800, P1000, P1500	Preparation of surfaces for repainting	16
	STARDUST (Ref. 2014-003322...)	75 / 150 / 130 x 170 MM	Latex	15	P2000, P2500, P3000, P4000, P5000	Preparation of surfaces prior to polishing	17
	SURFACE PREPARATION DISC (Ref. 2013-001170...)	50 MM	Aluminium oxide	-	Extrafine, fine, medium, coarse	Roughing	14
	SANDING DISCS ZC (Ref. 2013-001180 / 2013-001181)	50 MM	Zirconia, Corundum	-	P36, P60	Rectification	15
HAND ABRASIVES	F1 GOLD LINE FOAM SANDPAPER (Ref. 2007-007085...)	115 MM x 25 M	Roll of sandpaper on foam backing	-	P240-P800	Sanding and nuanced	18
	F1 GOLD LINE DRY SANDPAPER (Ref. 2014-006159...)	115 MM x 25 M	Sandpaper	-	P40, P60, P80, P120, P240	Sanding	19
	ABRASIVE SPONGE (Ref. 2007-001200...)	115 MM x 140 MM	Sponge	-	Fine, Superfine, Microfine, Ultrafine	Sanding and nuanced	20
	DOUBLE-SIDED ABRASIVE SPONGE (Ref. 2007-001345...)	100 MM x 120 MM	Sponge	-	Medium, Fine, Superfine, Microfine, Ultrafine	Sanding and nuanced	21
	STAR BRITE SHEET (Ref. 2007-001090 / 2007-001080)	150 MM x 250 MM	Synthetic felt	-	Very fine, Ultra fine	Nuanced	22
	STAR BRITE ROLL (Ref. 2007-001125 / 2007-001120)	115 MM x 10 M	Synthetic felt	-	Very fine, Ultra fine	Nuanced	22
	CERAMIQUE SHEET ROLL PRECUT (Ref. 2014-001831...)	70 MM x 12 M	Ceramic sheet roll	-	P80, P120, P180, P220, P320	Sanding	22
	ABRASIVE SHEET F1 GOLD LINE (Ref. 2014-006060...)	70 x 420 MM / 198 MM / 125 MM / 115 x 230 MM	Artificial corundum	-	P80, P120, P150, P180, P220, P320	Sanding	24
STARFILM (Ref. 2014-004060...)	32 x 26 MM	Adhesive film	-	P800-P3000	Rectification and removal of paint defects	25	



CERAMIC LINE DISC

Multi-hole ceramic abrasive discs on high quality plastic backing. Due to its ceramic composition, it is extremely resistant, which means a long service life of the abrasive. The contribution of aluminium oxide allows, due to its crystalline composition, to maintain a sharp, precise and homogeneous sanding. Applicable to any type of surface.

Due to their properties and technical characteristics, they are especially recommended for use on surfaces that are harder and more resistant to sanding, such as ceramic varnishes, cataphoresis, epoxy resins, etc.

REFERENCE	SIZE	GRAIN	BOX
2014-001810	150 MM	P80	50 UN
2014-001811	150 MM	P120	50 UN
2014-001812	150 MM	P180	50 UN
2014-001813	150 MM	P220	50 UN
2014-001819	150 MM	P240	50 UN
2014-001814	150 MM	P320	50 UN
2014-001815	150 MM	P400	50 UN
2014-001818	150 MM	P500	50 UN
2014-001816	150 MM	P600	50 UN
2014-001817	150 MM	P800	50 UN



F1 BLUE LINE DISC 150 MM

15-hole abrasive disc on a high quality, high performance flexible plastic backing. Among the main qualities of this backing is the better evacuation of the heat generated during the sanding friction and the higher cutting speed thanks to the rigidity of the film. All this increases the performance of this disc compared to conventional paper. Velcro system.

Diameter: 150 mm. Discs available in boxes of 100 units, except P60 grit which comes in 50 units. Sales units: 6 boxes.

REFERENCE	SIZE	HOLES	GRAIN	BOX
2014-006135	150 MM	15	P60	50 UN
2014-006114	150 MM	15	P80	100 UN
2014-006115	150 MM	15	P100	100 UN
2014-006116	150 MM	15	P120	100 UN
2014-006117	150 MM	15	P150	100 UN
2014-006118	150 MM	15	P180	100 UN
2014-006119	150 MM	15	P220	100 UN
2014-006120	150 MM	15	P240	100 UN
2014-006121	150 MM	15	P280	100 UN
2014-006122	150 MM	15	P320	100 UN
2014-006133	150 MM	15	P360	100 UN
2014-006123	150 MM	15	P400	100 UN
2014-006124	150 MM	15	P500	100 UN
2014-006125	150 MM	15	P600	100 UN
2014-006126	150 MM	15	P800	100 UN
2014-006127	150 MM	15	P1200	100 UN
2014-006153	150 MM	15	P1500	100 UN





F1 GOLD LINE + DISC

Abrasive disc system on reinforced paper backing of new generation. Aluminium oxide with open structure. Thanks to the new protective coating from the grain will reduce the possible strap residue from sanding.

Velcro system.

REFERENCE	SIZE	HOLES	GRAIN	BOX
2014-006134	150 MM	15	P60	100 UN
2014-006136	150 MM	15	P80	100 UN
2014-006137	150 MM	15	P100	100 UN
2014-006138	150 MM	15	P120	100 UN
2014-006139	150 MM	15	P150	100 UN
2014-006140	150 MM	15	P180	100 UN
2014-006141	150 MM	15	P220	100 UN
2014-006142	150 MM	15	P240	100 UN
2014-006144	150 MM	15	P320	100 UN
2014-006145	150 MM	15	P360	100 UN
2014-006146	150 MM	15	P400	100 UN
2014-006147	150 MM	15	P500	100 UN
2014-006148	150 MM	15	P600	100 UN
2014-006149	150 MM	15	P800	100 UN
2014-007080	75 MM	-	P80	50 UN
2014-007120	75 MM	-	P120	50 UN
2014-007150	75 MM	-	P150	50 UN
2014-007240	75 MM	-	P240	50 UN
2014-007320	75 MM	-	P320	50 UN
2014-007360	75 MM	-	P360	50 UN
2014-007400	75 MM	-	P400	50 UN
2014-007500	75 MM	-	P500	50 UN
2014-007600	75 MM	-	P600	50 UN
2014-007800	75 MM	-	P800	50 UN




F1 SKYLON + DISC

Foam disc and abrasive fabric that provides a smooth backing on the working surface. Allows the sanding residues to pass through its composition. Can be used in dry or wet sanding system. Highly recommended on bent surfaces.

Discs of 150 mm are available in 10 units'box.
Discs of 75 mm are available in 20 units'box.

Sales unit: 8 Boxes for 150 mm and 75 mm.

REFERENCE	SIZE	GRAIN	BOX
2014-006040	150 MM	P1000	10 UN
2014-006036	150 MM	P2000	10 UN
2014-006037	150 MM	P3000	10 UN
2014-006038	75 MM	P2000	20 UN
2014-006039	75 MM	P3000	20 UN




FLEXIBLE MATTING DISC

Flexible Matting 150mm Foam Disc for sanding with a great matting power and performance. Thanks to its 3mm foam backing, the surface is sanded extremely smoothly, ensuring a very fine sanding pattern and contributing to a uniform surface preparation.

Available in P400, P600, P800 and P1000 grits.

These discs are waterproof, suitable for dry or wet sanding.

REFERENCE	SIZE	GRAIN	BOX
2014-006052	150 MM	P400	20 UN
2014-006053	150 MM	P600	20 UN
2014-006054	150 MM	P800	20 UN
2014-006055	150 MM	P1000	20 UN





FOAM FLEXPRO DISC

Designed for both manual and machine use, they deliver high and consistent matting performance throughout their entire service life. Thanks to their 3 mm super-flexible foam and superfine abrasive, they adapt perfectly to curved surfaces and contours, ensuring uniform and constant pressure and homogeneous matting results.

In addition, they offer an effective and consistent initial cut, making them suitable for use on clear coat, paint, primer and plastics, in both dry and wet sanding applications. Their multi-hole dust extraction system ensures excellent dust control during sanding, contributing to a cleaner working environment and a more precise finish.

REFERENCE	SIZE	GRAIN	BOX
2014-007011	150 MM	P600	10 UN
2014-007012	150 MM	P800	10 UN
2014-007013	150 MM	P1000	10 UN
2014-007014	150 MM	P1200	20 UN
2014-007015	150 MM	P1500	20 UN
2014-007016	150 MM	P2000	20 UN
2014-007017	150 MM	P3000	20 UN
2014-007024	75 MM	P1200	20 UN
2014-007025	75 MM	P1500	20 UN
2014-007026	75 MM	P2000	20 UN
2014-007027	75 MM	P3000	20 UN




FOAM F1 LINE DISC 150 MM

15 holes abrasive disc on blue sponge backing of new technology and high exibility. Composed by the same abrasive as for the double-sided abrasive sponges. This latest technology abrasive provides an even smoother finish.

Diameter: 150mm.

Discs are available in 15 units boxes.


REFERENCE	SIZE	GRAIN	BOX
2014-006195	10 MM	FINE	15 UN
2014-006196	10 MM	MICROFINE	15 UN
2014-006197	10 MM	SUPERFINE	15 UN
2014-006180	5 MM	FINE	15 UN
2014-006181	5 MM	MICROFINE	15 UN
2014-006185	5 MM	SUPERFINE	15 UN

**STAR BRITE DISC**

Synthetic felt for use with water or dry. Ideal for shading.

Available in sheet, disc and roll.

REFERENCE	COLOUR	SIZE	GRAIN	BOX
2007-001110	RED	150 MM	VERY FINE	10 UN
2007-001100	GREY	150 MM	ULTRA FINE	10 UN



CARBON FIBRE DISC TOP

Carbon fibre disc for grinding. Ideal for surface preparation. Made of tungsten impregnated nylon. Allows high performance in roughing, grinding and surface preparation work. Optimum for welding, aluminium, rusty surfaces, paint removal on bare metal, fibre, etc. A fine, clean finish is achieved fine and clean finish without leaving steps or irregularities.

Use: Drill or pneumatic tool.

REFERENCE	DESCRIPTION	BOX
2013-001141	DISC 150 MM	15 UN
2013-001142	DISC 80 MM	10 UN
2013-001143	DISC 50 MM	5 UN
2013-001150	SUPPORT DISC	1 UN ¹
2013-001175	ROD ADAPTATOR	1 UN ²

¹ 2013-001150 SUPPORT CARBON DISC

TOOLS & ACCESORIES



² 2013-001175 ROD ADAPTATOR 30 MM

TOOLS & ACCESORIES



CARBON FIBRE DISC TOP WITH SUPPORT

Carbon fibre disc for grinding. Ideal for surface preparation. Made of tungsten impregnated nylon. Allows high performance in roughing, grinding and surface preparation work. Optimum for welding, aluminium, rusty surfaces, paint removal on bare metal, fibre, etc. A fine, clean finish is achieved fine and clean finish without leaving steps or irregularities.

Use: Drill or pneumatic tool.

REFERENCE	DESCRIPTION	BOX
2013-001161	DISC 115 MM	6 UN



SURFACE PREPARATION DISC

Aluminium oxide discs for surface preparation. This compound increases the performance stability compared to other discs and improves the preparation and fineness of surface finishing. The system is easier and quicker to change between grits.

Use: drill or pneumatic tool.

REFERENCE	COLOUR	DESCRIPTION	BOX
2013-001170	BROWN	COARSE	25 UN
2013-001171	RED	MEDIUM	25 UN
2013-001172	BLUE	FINE	25 UN
2013-001173	GREY	EXTRAFINE	25 UN
2013-001174	ALUMINIUM	ADAPTATOR	1 UN ¹

¹ 2013-001174 DISC ADAPTATOR

TOOLS & ACCESSORIES





SANDING DISCS ZC

Sanding Discs ZC, composed of Zirconia and Corundum, a material with excellent cutting performance, flexibility and noise reduction.

Car Repair System Sanding Discs ZC, for rectification, provide an even finish, low vibration and long life.

ZC discs are available in two different abrasion grades, 36 and 60, with a size of 50mm, for use on any surface.

Diameter: 50 mm.

REFERENCE	COLOUR	GRAIN	BOX
2013-001180	BLUE	P36	50 UN
2013-001181	BLUE	P60	50 UN
2013-001174			1 UN ¹

¹ 2013-001174 DISC ADAPTATOR

TOOLS & ACCESORIES









STARFILM

Flexible adhesive discs and films with high abrasive power designed for faster and more uniform dry cutting of paint defects, dust specks, sagging, etc.

- Faster cutting speed.
- Easy and efficient.
- Very homogeneous cutting.

REFERENCE	SIZE	GRAIN	BOX
2014-004010	35 MM	1500	500 UN
2014-004011	35 MM	2000	500 UN
2014-004012	35 MM	2500	500 UN
2014-004013	35 MM	3000	500 UN
2014-004020	35 MM	1500	100 UN
2014-004021	35 MM	2000	100 UN
2014-004022	35 MM	2500	100 UN
2014-004023	35 MM	3000	100 UN
2014-004030	114 MM x 70 MM	1500	25 UN
2014-004031	114 MM x 70 MM	2000	25 UN
2014-004032	114 MM x 70 MM	2500	25 UN
2014-004033	114 MM x 70 MM	3000	25 UN

- 1) 2004-002546 INTERFACE 75 MM **TOOLS & ACCESSORIES** 
- 2) 2004-002545 INTERFACE 150 MM **TOOLS & ACCESSORIES** 
- 3) 2004-002548 INTERFACE 75x120 **TOOLS & ACCESSORIES** 





SUNDUST

Adhesive discs and films with high abrasive power on a flexible base that allows a homogeneous sanding on any paint surface. Due to its structural and flexible composition, it is perfectly suited to adapt to all geometrical shapes of the bodywork, obtaining a reliable preparation for the coating of metallic and complex colours. High abrasive power.

- Low dust emission.
- Reduced clogging.
- Precise and homogeneous sanding.
- Long abrasive life.

REFERENCE	SIZE	GRAIN	BOX
2014-003319	150 MM	800	25 UN
2014-003320	150 MM	1000	25 UN
2014-003321	150 MM	1500	25 UN
2014-003420	75 MM	1000	50 UN
2014-003421	75 MM	1500	50 UN
2014-005030	130 MM x 170 MM	800	25 UN
2014-005031	130 MM x 170 MM	1000	25 UN
2014-005032	130 MM x 170 MM	1500	25 UN








STARDUST

Discs and films on a flexible dry abrasive base. It allows us to carry out a preparatory work prior to polishing, rectifying marks of abrasives with higher grains and obtaining an optimum preparation for the rectification of imperfections in the repainting. Dry sanding allows us to have references of the imperfections to be corrected at all times.

- Good cutting and shading power.
- Ideal preparation prior to polishing.
- Polishing time is greatly reduced.

REFERENCE	SIZE	GRAIN	BOX
2014-003322	150 MM (2) (4)	2000	25 UN
2014-003323	150 MM (2) (4)	2500	25 UN
2014-003324	150 MM (2) (4)	3000	25 UN
2014-003325	150 MM (2) (4)	4000	25 UN
2014-003326	150 MM (2) (4)	5000	25 UN
2014-003422	75 MM (1) (5)	2000	50 UN
2014-003423	75 MM (1) (5)	2500	50 UN
2014-003424	75 MM (1) (5)	3000	50 UN
2014-003425	75 MM (1) (5)	4000	50 UN
2014-003426	75 MM (1) (5)	5000	50 UN
2014-005070	130 MM x 170 MM (3)	2000	25 UN
2014-005071	130 MM x 170 MM (3)	2500	25 UN
2014-005072	130 MM x 170 MM (3)	3000	25 UN
2014-005073	130 MM x 170 MM (3)	4000	25 UN
2014-005074	130 MM x 170 MM (3)	5000	25 UN

(1) 2004-002546 INTERFACE 75 MM TOOLS & ACCESSORIES 
 (2) 2004-002547 INTERFACE 150 MM TOOLS & ACCESSORIES 
 (3) 2004-002548 INTERFACE 75x120 TOOLS & ACCESSORIES 
 (4) 2004-002549 INTERFACE 150 MM TOOLS & ACCESSORIES 
 (5) 2004-002550 INTERFACE 75 MM TOOLS & ACCESSORIES 



F1 GOLD LINE FOAM SANDPAPER

Roll of sandpaper on foam backing. Especially suitable in work of sanding or nuanced hand where you need a high homogeneity. The foam provides the operator a better grip and improves comfort during operation.

REFERENCE	SIZE	GRAIN	BOX
2007-007085	115 MM X 25 M	P240	1 UN
2007-001290	115 MM X 25 M	P320	1 UN
2007-001300	115 MM X 25 M	P400	1 UN
2007-001310	115 MM X 25 M	P500	1 UN
2007-006014	115 MM X 25 M	P600	1 UN
2007-001320	115 MM X 25 M	P800	1 UN



F1 GOLD LINE DRY SANDPAPER

Roll of sandpaper for dry-sanding.

REFERENCE	SIZE	GRAIN	BOX
2014-006159	115 MM X 25 M	P40	1 UN
2014-006154	115 MM X 25 M	P60	1 UN
2014-006155	115 MM X 25 M	P80	1 UN
2014-006156	115 MM X 25 M	P120	1 UN
2014-006158	115 MM X 25 M	P240	1 UN



ABRASIVE SPONGE

Abrasive sponge for sanding of hard-to-reach areas.

REFERENCE	SIZE	GRAIN	BOX
2007-001200	115 MM X 140 MM	FINE	100 UN
2007-001210	115 MM X 140 MM	SUPERFINE	100 UN
2007-001220	115 MM X 140 MM	MICROFINE	100 UN
2007-001240	115 MM X 140 MM	ULTRAFINE	100 UN



DOUBLE-SIDED ABRASIVE SPONGE

High quality abrasive sponges with different grains.

Due to its composition, it is extremely resistant, which means a longer operating life of the abrasive.

It is washable and reusable. Can be used on any type of surface with wet and dry cloths.

REFERENCE	COLOUR	SIZE	GRAIN	BOX
2007-001345	BLACK	100 MM X 120 MM	MEDIUM	50 UN
2007-001446	BROWN	100 MM X 120 MM	FINE	50 UN
2007-001447	GREEN	100 MM X 120 MM	SUPERFINE	50 UN
2007-001448	VIOLET	100 MM X 120 MM	MICROFINE	50 UN




STAR BRITE SHEET

Synthetic felt for use with water or dry. Ideal for shading.

Available in sheet, disc and roll.

REFERENCE	COLOUR	SIZE	GRAIN	BOX
2007-001090	RED	150 MM x 250 MM	VERY FINE	10 UN
2007-001080	GREY	150 MM x 250 MM	ULTRA FINE	10 UN




STAR BRITE ROLL

Synthetic felt for use with water or dry. Ideal for shading.

Available in sheet, disc and roll.

REFERENCE	COLOUR	SIZE	GRAIN	BOX
2007-001125	RED	115 MM X 10 M	VERY FINE	1 UN
2007-001120	GREY	115 MM X 10 M	ULTRA FINE	1 UN





**CERAMIC SHEET ROLL
PRECUT MULTI HOLES**

Ceramic Sandpaper Roll with Velcro system, combining premium ceramic grains with the best plastic film technology for quick cutting and increased profitability. The multiple-hole pattern efficiently extracts dust, ensuring a cleaner and more comfortable working environment. The roll is perforated into sections for easy cutting and to fit various sizes of equipment available in the market.


- Excellent cutting performance and durability thanks to the new ceramic technology.
- Increased profitability.
- Perfect sanding surface.
- Specially designed for sanding putties and fillers.
- For manual or machine sanding.

REFERENCE	SIZE	GRAIN	BOX
2014-001831	70 MM x 12 M	80	1 UN
2014-001832	70 MM x 12 M	120	1 UN
2014-001833	70 MM x 12 M	180	1 UN
2014-001834	70 MM x 12 M	220	1 UN
2014-001835	70 MM x 12 M	320	1 UN
2014-001839	70 MM x 12 M	400	1 UN


70 MM X 420 MM



70 MM X 198 MM



70 MM X 230 MM



70 MM X 125 MM




ABRASIVE SHEET F1 GOLD LINE

High quality, high performance, flexible abrasive strip.

- Velcro system.
- Abrasive: artificial corundum.
- Bond: polymerised phenolic resin.
- Bond additive: calcium carbonate.
- Grits available: from P80 to P320.

REFERENCE	SIZE	HOLES	GRAIN	BOX
2014-006060	70 MM X 420 MM	14	P80	100 UN
2014-006061	70 MM X 420 MM	14	P120	100 UN
2014-006062	70 MM X 420 MM	14	P150	100 UN
2014-006063	70 MM X 420 MM	14	P180	100 UN
2014-006064	70 MM X 420 MM	14	P220	100 UN
2014-010320	70 MM X 420 MM	14	P320	100 UN
2014-006070	70 MM X 198 MM	8	P80	100 UN
2014-006071	70 MM X 198 MM	8	P120	100 UN
2014-006072	70 MM X 198 MM	8	P150	100 UN
2014-006073	70 MM X 198 MM	8	P180	100 UN
2014-006074	70 MM X 198 MM	8	P220	100 UN
2014-020320	70 MM X 198 MM	8	P320	100 UN
2014-006065	70 MM X 125 MM	8	P80	100 UN
2014-006067	70 MM X 125 MM	8	P150	100 UN
2014-006068	70 MM X 125 MM	8	P180	100 UN
2014-006080	115 MM X 230 MM	10	P80	100 UN
2014-006081	115 MM X 230 MM	10	P120	100 UN
2014-006082	115 MM X 230 MM	10	P150	100 UN
2014-006083	115 MM X 230 MM	10	P180	100 UN
2014-006084	115 MM X 230 MM	10	P220	100 UN
2014-030320	115 MM X 230 MM	10	P320	100 UN





STARFILM

Flexible adhesive films with high abrasive power designed for faster and more uniform dry cutting of paint defects, dust specks, sagging, etc.

- Faster cutting speed.
- Easy and efficient.
- Very homogeneous cutting.

REFERENCE	SIZE	GRAIN	BOX
2014-004060	32 MM x 26 MM	800	25 UN
2014-004061	32 MM x 26 MM	1000	25 UN
2014-004062	32 MM x 26 MM	1200	25 UN
2014-004063	32 MM x 26 MM	1500	25 UN
2014-004064	32 MM x 26 MM	2000	25 UN
2014-004065	32 MM x 26 MM	2500	25 UN
2014-004066	32 MM x 26 MM	3000	25 UN

 2014-001400 STARBLOCK [TOOLS & ACCESSORIES](#) 



**ADHESIVE REMOVAL RUBBER DISC
STANDARD**

Rubber disk for removing adhesives and moulding residues without scratching nor damaging paint work.

Diameter: 10 cm.

REFERENCE	BOX
2013-001111	10 UN



**ADHESIVE REMOVAL RUBBER DISC
VENTILATED**

Rubber disk for removing adhesives and moulding residues without scratching nor damaging paint work.

The fan system makes work easier and cleaner.

Diameter: 10 cm.

REFERENCE	BOX
2013-001114	1 UN



**ADAPTER
FOR REMOVAL DISCS**

Handy adapter for placing decal or adhesive removal discs.

REFERENCE	BOX
2013-001113	1 UN





STRIPPING GEL

Stripping gel to remove paints, primers, putties and powder coatings.

Available in 1kg and 5kg.

REFERENCE	CAPACITY	BOX
5015-000001	TIN 1 KG	12 UN
5015-000002	CYLINDER 5 KG	4 UN



TOOLS & ACCESSORIES

**TOOLS &
ACCESSORIES**

www.CARREPAIRSYSTEM.eu



Scan me




**CAR
REPAIR
SYSTEM**

TOOLS & ACCESSORIES

Tools & Accessories brings together in a single family all the accessories you will need to complement the products in the rest of the catalogue, as well as essential bodywork tools such as polishers, sanders and spray guns for car refinishing.





CARTRIDGE DISPENSER

Cartridge dispenser for the following fillers:

- Fill Multisoft: Dispenser for 3 KG cartridges.
- Fill Multilight plus: Dispenser for 1100 ML cartridges.

REFERENCE	DESCRIPTION	BOX
5001-001080	DISPENSER 3 KG	1 UN 1
5001-006109	DISPENSER 1100 ML	1 UN 2



BODY LINE MARKING TOOL

Body Line Marking Tool, the essential tool for tracing and marking the original body lines during bodywork repairs.

REFERENCE	BOX
2004-001705	1 UN

1 5001-001078 FILL MULTISOFT 3K

FILLING REPAIR



2 5001-006108 FILL MULTILIGHT PLUS 1100 ML FILLING REPAIR





WHITE RUBBER SPATULAS

Flexible rubber spatula used for applying filler on curved surfaces.

It adapts to the shape making for an even spread. Resistant to cleaning solvents.

REFERENCE	SIZE	BOX
2004-001540	100 MM	20 UN



SET OF 10 PLASTIC SPATULAS

Set of 10 hard plastic spatulas for filler application. Best used for the application of adhesives and stickers.

REFERENCE	SIZE	BOX
2004-001621	5 X 100 MM	10 UN



SET OF 4 METAL SPATULAS

Set of 4 different-sized metal spatulas.

Available sizes:

- 50 mm
- 80 mm
- 100 mm
- 200 mm

REFERENCE	SIZE	BOX
2004-001720	50, 80, 100, 200 MM	10 KITS OF 4 UN



CATALYST FOR POLYESTER FILLERS

Benzoyl peroxide-based drying agent for catalysing polyester putties and resins 1-3 %.

REFERENCE	COLOUR	CAPACITY	BOX
5001-001071	WHITE	40 GR	1 UN





SPATULA CLEANER

Bodyworker's spatula cleaning container designed to ensure fast and effective cleaning. Compatible with all cleaning solvents.

The spatulas are cleaned by passing through the inner fibre immersed in solvent, leaving them completely free of residues.

REFERENCE	DESCRIPTION	BOX
2004-001700	CONTAINER	2 UN



STAR BRITE FOR SPATULA CLEANER

Compacted polyester fibre for cleaning spatulas with solvent. Ideal for shading.

REFERENCE	DESCRIPTION	BOX
2004-001701	STAR BRITE	5 UN



MANUAL GUN CRS 1050

Manual gun for the application of cartridges, sealant bags and window adhesives.

For cartridges up to 590 ml.

- Material: Aluminum.
- Weighs: 670g.
- Apply Sausage Pack Material.
- 15 Inches For 590ML Sausage.
- Zinc Coated Smooth Rod.
- Big Ladder Hook.
- Aluminum Handle+Plastic cap.

REFERENCE	BOX
1010-007523	2 UN



SPRAY GUN CRS 2000

Pneumatic gun for the application of sprayable body sealers. Easy to use and graduate to reproduce original stops.

For cartridges up to 310 ml.

REFERENCE	BOX
1010-007529	1 UN





MULTIFUNCTION PNEUMATIC GUN 1000

Multi-function pneumatic spray gun for the application of bodywork sealants.
 Easy to use and graduate to reproduce original patterns.
 For cartridges and bags up to 320ml.

- Mode of operation: pneumatic on 60mm piston/ push rod.
- Pressure regulating unit with pressure relief valve.
- Front cap made of plastic with coarse thread.
- Especially suitable for high viscosity sealants and adhesives.

REFERENCE	BOX
1010-007530	1 UN



ADJUSTABLE PNEUMATIC GUN

9" pneumatic sealing gun, suitable for professional use.
 For cartridges and bags up to 310ml.

The pneumatic gun is a lightweight gun with a safety valve to expel the air as soon as the trigger is released.

It is highly recommended for bonding, sealing and beading applications on bodywork, as well as PU sealants and glass adhesives.

REFERENCE	BOX
1010-007531	1 UN



**MULTIFUNCTION
PNEUMATIC GUN 3000**

The Multifunction Pneumatic Gun 3000 is the ideal tool for applying sealants and adhesives in cartridges up to 320 ml. Suitable for low to medium viscosity materials.

- Versatile Compatibility
- Telescopic Piston Pneumatic System
- Ergonomic Lower Handle
- Quick Decompression System
- Pressure Regulator
- High-Quality Aluminum Construction:


REFERENCE	BOX
1010-007532	1 UN



**QUICK METAL BONDING GUN
220ML**

Gun specifically designed for the application of the 220ml Quick Metal Bonding, ensuring an easy and precise application.

REFERENCE	BOX
1010-007528	1 UN



**MAINTENANCE KIT RINGS FOR SPRAY
GUN 2000**

This kit is essential to ensure preventive maintenance and component replacement, contributing to the optimum performance and durability of the gun.

REFERENCE	BOX
5006-006034	1 UN



AUTO WINDSHIELD REMOVER TOOL

Suitable for all automotive brands.

Steel cable puller (aluminium) facilitates clean and precise work without scratching glass or bodywork.

Cuts the adhesive caulking compound (window glue) around the windows with a specially designed hardened steel blade.

REFERENCE	BOX
2004-004041	1 UN



**AUTO WINDSHIELD REMOVER TOOL
3PCS**

This tool includes:

- 2 stainless steel grips with sturdy T-handle grip.
- 22 x 0.6mm x 0.6mm square stainless steel windshield wire.

The wire is designed with extremely sharp edges that make it possible to easily cut the cord of the glass glue.

REFERENCE	DESCRIPTION	BOX
2004-004042	TOOL 3PCS	3 PCS
2004-004043	COUT-OUT WIRE	1 UN



**TRIPLE STRAND BRAIDED WINDSHIELD
CUT-OUT WIRE**

Braided design quickly slices through urethane and silicone windshield adhesives.

Each braided helix acts like a cutting saw tooth.

72 feet * 0.015inch (22m * 0.4mm) of wire per hank. Copper Clad Steel Wire.

REFERENCE	SIZE	BOX
2004-004044	22 M X 0,4 MM	1 UN



LOCKING LEVER SUCTION LIFTERS

- Material: ABS plastic handle.
- Length: 118 mm.
- Type: suction cups 4-1/2" diameter. The articulated suction cups adapt to all curved surfaces of car windscreens.
- Weight capacity: 22 Kg.

REFERENCE	SIZE	BOX
2004-004045	118 MM	1 UN



QUICK GLUE

Adhesive spray to be used on fabric, felt, tapestry, rubber, plastic, vinyl, polystyrene foam, cardboard, paper as well as on carpets and rugs.

REFERENCE	CAPACITY	BOX
5011-001077	400 ML	12 UN



CLEANING CLOTH

Cleaning and degreasing wipe.

REFERENCE	BOX
2003-002400	12 UN





COTTON SWAB

Cotton swab for applying *Quick Primer Glass* and *Activ Glass*.

REFERENCE BOX
2004-001160 100 UN



DOUBLE NYLON BRUSH

Hard nylon fibre brush especially designed for applying watertightness sealers and permitting to obtain a new perfect finish.

REFERENCE BOX
2004-004030 12 UN



TRIPLE BRUSH

Triple brush N14/30MM.

REFERENCE BOX
2004-004031 12 UN



SEAM SEALER TAPE ROLLER

Roller applicator for the application of concave and convex and bevelled seam sealer tape.

The Roller for the application of Seam Sealer Tape allows the cord to be fixed and adapted to the contour of the plate, ensuring its correct installation.

REFERENCE	DESCRIPTION	BOX
2008-056295	SEAM SEALER TAPE ROLLER	1 UN
2008-056296	SEAM SEALER BEVELLED TAPE ROLLER	1 UN



MIXER 50 ML BLUE

Dynamic tip to be used with *Quick Mix*. For 50 ml cartridge.

It reduces the consumption of residual product.

REFERENCE	BOX
5006-001097	12 UN



**MIXER
QUICK MIX MULTIFIX**

Mixers for *Quick Mix Multifix* cyanoacrylate adhesive.

REFERENCE BOX
5006-001095 10 UN



**MIXER
METAL BONDING 220ML**

Mixers for *Quick Metal Bonding* two-component adhesive.

REFERENCE BOX
5006-006030 10 UN



SPRAY GUN NOZZLES 2000

Nozzles for the spray gun that allow the application of most seams for the bodywork.

REFERENCE	BOX
5006-006032	1 UN



FLAT SEALANT NOZZLE MS ECO

It is a nozzle suitable for use in combination with Quick MS Eco sealant to achieve a variety of original body seams. Thanks to its flat, spatula-shaped design, seams up to 3 cm wide can be obtained. It can be cut to fit the needs and shapes of the seam. (Pack 5 Un)

REFERENCE	BOX
5006-006033	1 UN



YELLOW NOZZLE 13MM QUICK FLEX MS

It is a nozzle suitable for use in combination with Quick Flex MS sealant to create a variety of original bodywork beads. (Pack 10 Un)

REFERENCE	BOX
5006-006031	1 UN





DUCKBILL NOZZLE 82MM QUICK FLEX/MS – 10 UN

Designed for precise sealant applications on car bodies, such as our Quick Flex MS and Quick MS Eco, allowing for a detailed and high-quality finish.

REFERENCE	BOX
5006-006035	10 UN



STONE CHIP GUN ADJUSTABLE

Adjustable gun for applying both acrylic and water based anti-chippings and hollow bodies

REFERENCE	BOX
1009-007522	1 UN



STONE CHIP GUN GODZILLA

Spray gun designed for the application of stone chip, as well as, underbody protection with cans of 1 litre capacity.

Its mode of operation is based on negative pressure. The spraying compound is sucked in and sprayed out through the nozzle by the air flow, making full use of its contents.

Our new spray gun is ideal for use with our *Godzilla Kit*.

REFERENCE	BOX
1009-007525	1 UN



STONE CHIP QS 2K GUN

Gun with a disposable tip, specifically designed for applying anti-gravel products. Disposable tips for applying two- and single-component antigravel products.

REFERENCE	DESCRIPTION	BOX
1009-007520	STONE CHIP GUN	1 UN



DISPOSABLE LIDS FOR STONE CHIP GUN

Disposable caps for QS 2K stone chip gun.
For 500 ml and 1000 ml.

REFERENCE	DESCRIPTION	BOX
1009-007521	LID FOR 500 ML	12 UN
1009-003090	LID FOR 1000 ML	12 UN





QUICK MIX PLUS GUN 50 ML

The Quick Mix Plus 50ML gun is a new generation cartridge applicator; an affordable and durable tool.

- High strength and durability.
- Ergonomic grip.
- Suitable for all 50ml cartridges.
- High power for easy adhesive removal.
- 1:1 and 2:1 ratio.

REFERENCE	FORMAT	BOX
1010-007526	CARTRIDGES 50 ML	1 UN



SP WELDING

Welding machine for plastic. Can fix any piece of car or motorbike bodywork (bumpers, aisles, headlights, footrests, grills, dashboards, mouldings, wheel arches, etc.) Easily and rapidly fixes, strengthens or redesigns any of these elements.

You can fix without dismantling. Reduces work time and material costs.

There are 9 compatible shapes of stainless staples, 3 intensities and 3 repair angles, which allow for access to any damaged area, even ones in hard-to-reach areas.

Includes:

- SP WELDING Controller and rod.
- 100 pcs – Staples SPW16 (Standard fine).
- 100 pcs – Staples SPW18 (Standard coarse).
- 100 UN – Staples SPW26 (Fine Reinforcement).
- 200 UN – Staples SPW28 (Thick Reinforcement).
- 10 UN – Staples SPW38 (Internal Angles).
- Diagonal cutter.
- Storage box.

REFERENCE	BOX
1016-010001	1 UN



COATING THICKNESS GAUGE

A portable coating thickness gauge with a high definition colour display that can quickly, non-destructively and accurately measure the thickness of any type of coating on metal surfaces.

REFERENCE	BOX
2004-001650	1 UN



STAPLES SPW

Eleven models of stainless steel staples for SP Welding Conventional and Pocket.

REFERENCE	DESCRIPTION	BOX
1016-010016	Staples SPW16 (Standard fine)	100 UN
1016-010018	Staples SPW18 (Standard coarse)	100 UN
1016-010026	Staples SPW26 (Fine reinforcement)	100 UN
1016-010028	Staples SPW28 (Coarse reinforcement)	100 UN
1016-010038	Staples SPW38 (Internal angles)	100 UN
1016-010047	Staples SPW47 (External angles)	100 UN
1016-010058	Staples SPW58 (for reconstruction)	100 UN
1016-010068	Staples SPW68 (Double int. angle)	100 UN
1016-010078	Staples SPW78 (Double ext. angle)	100 UN
1016-010099	Staples SPW99 (Adaptable)	25 UN


SPW16



SPW18



SPW26



SPW28



SPW38



SPW47



SPW99



SPW58



SPW78



SPW68





ADHESIVE FIBRE

Adhesive fibre roll to reinforce during repairs.

REFERENCE	SIZE	BOX
5006-001085	45 M X 48 MM	10 UN





DUST REMOVAL NEEDLES KIT 10 NEEDLES + PEN

Stand-alone, flexible steel needles with a microscopic tip for removing dust particles, hairs, insects or other objects that might stick to fresh paint.

Kit of 10 needles + Pen

REFERENCE	BOX
2004-001770	1 UN



REPLACEMENT 10 DUST REMOVAL NEEDLES

Stand-alone, flexible steel needles with a microscopic tip for removing dust particles, hairs, insects or other objects that might stick to fresh paint.

REFERENCE	DESCRIPTION	BOX
2004-000080	REPLACEMENT	1 UN



POCKET AIR BLOW PEN

Pocket blower pen for very precise air pressure control. It has a clip that allows it to be carried safely in the pocket.

The air blowing can be adjusted by turning it.

REFERENCE	BOX
2004-001082	1 UN



LID FOR MIXING MACHINE 3.5 L

Mixing cap and shaker for 3.5L containers for all types of coatings, paints, resins, fillers, etc.

They facilitate mixing sediment and deposits in the products, for a better, easier and more comfortable way of dispensing paints and fillers.

REFERENCE	BOX
2004-000070	1 UN



CRS-PRO 2017 GUN HVLP AND PROJECTION KIT

Professional gravity guns with painting technology M.P. (medium pressure) and HVLP for any base application or ended, that combines the conventional atomization and system H.V.L.P. Ergonomically designed free of joints of rubber, anodized finish, and aluminum chassis. Peak and needle in stainless steel.

- Air consumption: 400 l/m.
- Working pressure: 2.0 bar / 29 PSI.
- Air entry: 1/4.
- Deposit capacity: 600 ml
- Transfer rate: 200-400 mm.
- Opening width: 1.3 mm.

REFERENCE	DESCRIPTION	PEAK	BOX
1001-000001	HVLP GUN	1.3 MM	1 UN
1002-000002	CUP PVC 600 ML	-	1 UN
1002-000004	PROJECTION KIT HVLP	1.2 MM	1 UN
1002-000005	PROJECTION KIT HVLP	1.3 MM	1 UN
1002-000012	MAINTENANCE KIT MP/HVLP	1.3 MM	1 UN



CRS-PRO 2017 GUN MP AND PROJECTION KIT

Professional gravity guns with painting technology M.P. (medium pressure). Ergonomically designed free of joints of rubber, anodized finish, and aluminum chassis. Peak and needle in stainless steel.

- Air consumption: 300 l/m.
- Working pressure: 2.5 bar / 36 PSI.
- Air entry: 1/4.
- Deposit capacity: 600 ml
- Transfer rate: 240-280 mm.
- Opening width: 1.3 mm.

REFERENCE	DESCRIPTION	PEAK	BOX
1001-000002	MP GUN	1.3 MM	1 UN
1002-000002	CUP PVC 600 ML	-	1 UN
1002-000006	PROJECTION KIT MP	1.2 MM	1 UN
1002-000007	PROJECTION KIT MP	1.3 MM	1 UN
1002-000012	MAINTENANCE KIT MP/HVLP	1.3 MM	1 UN





**CRS-PRO MP 1.7 GUN
FOR FILLER**

Professional gravity spray guns with MP (medium pressure) and HVLP spraying technology to cover any base or finish application. Combines the conventional atomization with the HVLP system. Ergonomic design, free of rubber seals, anodised finish and aluminium chassis. Fluid tips and needles in stainless steel.

- Air consumption: 300 l/m.
- Working pressure: 2.5 bar / 36 PSI.
- Air entry: 1/4.
- Deposit capacity: 600 ml
- Transfer rate: 240-280 mm.
- Opening width: Filler: 1.7mm; Polyester filling: 2.5mm

REFERENCE	DESCRIPTION	PEAK	BOX
1001-000003	MP GUN	1.7 MM	1 UN
1002-000002	CUP PVC 600 ML	-	1 UN
1002-000008	PROJECTION KIT MP	1.7 MM	1 UN
1002-000011	PROJECTION KIT MP	2.5 MM	1 UN



**TOUCH GUN CRS-PRO
MINI 2017 1.0**

Mini gravity spray gun for small painting areas or smart repair.

MP technology.

- Air consumption: 200 l/m.
- Working pressure: 1.5 bar.
- Air entry: 1/4.
- Deposit capacity: 100 ml.
- Transfer rate: 140-180 mm.
- Opening width: 1.0 mm.

REFERENCE	DESCRIPTION	PEAK	BOX
1001-000004	GUN	1.0 MM	1 UN
1002-000003	CUP PVC 300 ML	-	1 UN
1002-000001	CUP PVC 100 ML	-	1 UN
1002-000009	PROJECTION KIT	0.8 MM	1 UN
1002-000010	PROJECTION KIT	1.0 MM	1 UN
1002-000015	MAINTENANCE KIT	1.0 MM	1 UN





CRS AIR REGULATOR

Analog air pressure regulator for painting guns.

Includes a new pressure indicating manometer more compact and resistant, as well as a forged aluminum body. Its new fixing system enables to fix the regulator to the gun without the need of any tools.

REFERENCE	BOX
1002-007102	1 UN



MAGNETIC GUN BRACKET

Magnetic bracket for two gravity guns.

Provides a reliable fix on metals.

REFERENCE	BOX
2004-003000	1 UN





AIR HOSE

The Air Hose consists of antistatic rubber, nozzle and safety coupling, for supplying air from spray guns and compressed air driven tools.

Features:

- Size: 9 x 16 mm.
- Length: 12,5 m.
- Max. air pressure: 12 bar.
- Inner tube: black EPDM.
- Outer tube: blue EPDM

REFERENCE	BOX
1002-000030	1 UN



**LED FOR SPRAY GUN
12W 6000K**

Our LED for spray gun is lightweight, durable, and is built from chemical-resistant and chemical-proof components. Equipped with a short-circuit, discharge and overcharge protection technology. The LED comes with a rechargeable 1000 mAh battery.

- Rechargeable battery type PP3 Li-ion 9V 1000 mAh.
- C-connection usb DC 5V 1A.
- Analogue on/off switch.
- Painted PA12 nylon.
- Flexible polycarbonate protection glass.
- 2 magnets.

REFERENCE	BOX
1002-000031	1 UN





ANTIDRIP PVC CUP

CRS gravity cup for spray gun.

REFERENCE	SIZE	BOX
1002-000002	600 ML	1 UN
1002-000003	300 ML	1 UN
1002-000001	100 ML	1 UN



MAINTENANCE KIT CRS GUN (MP/HVLP)

Maintenance Kit for CRS MP/HVLP Gun and CRS mini gun.

REFERENCE	DESCRIPTION	BOX
1002-000012	CRS GUN (MP/HVLP)	1 UN
1002-000015	CRS GUN MINI	1 UN




PROJECTION KIT CRS

Projection Kit for CRS MP/HVLP Gun and CRS mini gun.

REFERENCE	DESCRIPTION	BOX
1002-000004	PROJECTION KIT CRS HVLP 1.2	1 UN
1002-000005	PROJECTION KIT CRS HVLP 1.3	1 UN
1002-000006	PROJECTION KIT CRS MP 1.2	1 UN
1002-000007	PROJECTION KIT CRS MP 1.3	1 UN
1002-000008	PROJECTION KIT CRS MP 1.7	1 UN
1002-000011	PROJECTION KIT CRS MP 2.5	1 UN
1002-000009	PROJECTION KIT CRS MINI 0.8 MM	1 UN
1002-000010	PROJECTION KIT CRS MINI 1.0 MM	1 UN





SPRAY GUN CLEANER KIT

Gun cleaner set made of different-sized brushes.

REFERENCE	BOX
2004-003020	5 UN




SPRAY GUN CLEANER

Water-based soap for cleaning guns, application equipment and water-based clear coats.

Spray directly on paint residue, even dry ones, the soap will dissolve them easily without damaging the equipment.

REFERENCE	DESCRIPTION	BOX
5012-001000	CYLINDER 25 L	1 UN
5012-001001	CYLINDER 5 L	4 UN



CRS-BG1 AIR GUN

Drying gun with abundant air flow and acute blowing precision.

Includes a plastic tip to protect bodywork while blowing.

REFERENCE	BOX
1008-007109	1 UN



DUSTER CRS-2012 AIR GUN

Complete blow gun.

REFERENCE	BOX
1008-007518	1 UN



HIGH VOLUME AIR GUN

High volume blow gun.

REFERENCE	BOX
1008-007550	1 UN



VENTURI AIR GUN

Venturi air gun for drying of water-borne paints.

The channeling of the compressed air creates turbulence (Venturi) that directly impacts the surface to dry, reducing significantly waiting times.

REFERENCE	BOX
1011-001185	1 UN



MICROBRUSH REGULAR BLUE

Disposable brushes with a flexible tip for precision retouching work.
Securely capped to guarantee hygiene.
Dispenser of 100 units.

REFERENCE	DESCRIPTION	BOX
1008-002000	BRUSHES WITH DISPENSER	100 UN



PAINT SAMPLE PLATE

105 mm x 150 mm metal plates with black intermediate band for paint samples.

REFERENCE	COLOUR	BOX
2004-001660	WHITE	100 UN
2004-001661	LIGHT GREY	100 UN



OX-EAR HAIR PAINT BRUSHES

Paint brushes for retouching.
Available in different sizes.

REFERENCE	DESCRIPTION	BOX
2004-004040	PAINT BRUSH N°0	12 UN
2004-004060	PAINT BRUSH N°2	12 UN
2004-004070	PAINT BRUSH N°4	12 UN
2004-004080	PAINT BRUSH N°6	12 UN
2004-004090	PAINT BRUSH N°8	12 UN
2004-005000	PAINT BRUSH N°10	12 UN
2004-005010	PAINT BRUSH N°12	12 UN



CRS MIX BUCKET DISPENSER

Dispenser for CRS mixing cups. For the following measurements:

- 290/385 ml cup dispenser.
- 750 ml cup dispenser.
- 1400 ml cup dispenser.
- 2300 ml cup dispenser.

REFERENCE	DESCRIPTION	BOX
2012-001400	DISPENSER	1 UN



MINI BOTTLE FOR PAINT SAMPLE 60 ML

Bottle for paint samples: 60 ml.

Box of 50 units.

REFERENCE	DESCRIPTION	BOX
2004-007025	BOTTLE WITH PAINT BRUSH	50 UN



POT FOR PAINT SAMPLES 20 ML

Kit composed of:

- 100 bottles with lid, brush and mixing ball.
- 1 funnel to fill.
- 100 adhesive labels
- 100 accessories to remove excess paint.

REFERENCE	DESCRIPTION	BOX
2004-007026	POT + FUNNEL	100 UN



UNIVERSAL SUCTION FILTER

Filter for universal suction gun.

REFERENCE	DESCRIPTION	BOX
2006-001040	MEDIUM FILTER	12 UN



GRAVITY FILTER

Filter for paint gravity gun.

REFERENCE	BOX
2006-001050	12 UN



METAL SUCTION FILTER

Metallic suction filter.

REFERENCE	BOX
2006-002290	12 UN





ELECTRIC ROTARY POLISHER EPR 8194

The EPR 8194 electric polisher is specially built for demanding professional automotive polishing jobs.

It has a motor stabilizer to provide a smooth and constant rotation. In addition, it incorporates a locking system for easy change of the back plate.

- Backing plate: 6"
- Input power: 1050W-1500W.
- Foam pad: 7"
- Speed: 700-2500/min.
- Gear system: Double reduction.
- Weight: 2.2 KG.
- Axis: M14.
- Accessories: 6" back plate, fixed spanner, spare carbon brush, side handle.

REFERENCE	BOX
1014-005050	1 UN



ELECTRIC ROTARY POLISHER EPRO 8121

The EPRO 8121 is a roto-orbital electric polisher, designed for precise, comfortable and demanding polishing. Especially suitable for precision work, dark colours and removing optical marks and holograms.

It is equipped with a multi-hole plate to keep the temperature of the foam pad low and, thus, reduce expansion in the polishing area and prevent further wear of the pad.

EPRO 8121 is equipped with a carbon brush motor and a speed stabiliser, which provides a constant speed output.

- Backing plate: 6"
- Input power: 500W-750W.
- Foam pad: 7"
- Speed: 2500-4500/min.
- Gear system: Double reduction.
- Weight: 2.6 KG.
- Axis: M8.
- Orbit: 21 mm.
- Accessories: Fixed spanner, spare carbon brush, side handle, foam pad 7" x 2.

REFERENCE	BOX
1014-005080	1 UN





POLISHER BPC 7121

The polisher BPC 7121 is a cordless machine, it is designed and built for Lithium battery, professionally manufactured. 5.0 Ah battery not included.

- Voltage: 18 VDC.
- Backing plate: 3" / 5" / 6".
- Foam pad: 4" / 6" / 7".
- Unloaded speed: 2000-5000 OPM.
- Weight: 1,83-2,14 KG.
- Orbit: 12 mm / 15mm / 21 mm.
- Recommended temperature: +4 °C a +40 °C.
- Accessories: Back plate.

REFERENCE	BOX
1014-006021	1 UN



POLISHER BPC 7102

The BPC 7102 rotary cordless polisher is professionally designed and manufactured for polishing work in the automotive and industrial sectors. 5.0 Ah battery not included

- Voltage: 18 VDC.
- Backing plate: 5" / 6".
- Foam pad: 6" / 7".
- Unloaded speed: 700-1500 OPM.
- Weight: 1,70-1,73 KG.
- Gear system: Double reduction.
- Axis: M14.
- Recommended temperature: +4 °C a +40 °C.
- Accessories: 5" back plate, side handle.

REFERENCE	BOX
1014-006040	1 UN





POLISHER BPC 6012

The BPC 6012 polisher is a lightweight, ergonomic and easy to handle battery-powered rotatory polisher. Its design allows it to work comfortably in all areas of the vehicle with less operator fatigue and saturation. Particularly effective due to its light size, especially in polishing work in limited or small areas.

2.5 Ah battery not included.

- Backing plate: Max. 123 mm (5").
- Foam pad: Max. 150 mm (6").
- Weight: 1,60 KG.
- Unloaded speed: 500-1800 OPM.
- Tension: 18VDC.
- Axis: M14.
- Accessories: 1, 2 and 3 inch discs, foam pads, wool pads, microfibre pads, protectors, side handle and wrench.

REFERENCE	BOX
1014-006060	1 UN

**MULTIFUNCTION
POLISHER BPC 5112
KIT**



3 in 1





**MULTIFUNCTION POLISHER BPC 5112
KIT**

Discover total versatility with the new MULTIFUNCTION POLISHER BPC 5112, a complete system with multiple interchangeable heads for both rotary and orbital polishing and sanding. Ideal for touch-ups, hard-to-reach areas, and high-precision work in car body repair, marine applications, and industry. This kit has been developed to offer power, control, and flexibility in a single high-performance modular system with cordless operation. It includes the polisher, battery, charger, 3 rotary heads, adapter, 3 hook-and-loop backing pads, and 2 extensions.



REFERENCE	BOX
1014-006100	1 UN




RECHARGEABLE BATTERIES FOR BPC POLISHERS

Battery charging system for BPC cordless polishing machines. Dual charging for 100-240 VAC 18VDC 6.5Amp lithium batteries.

The charger is equipped with unique digital communication to optimise the charging and discharging process for optimum power tool performance.

Full charging time: 60 min.

REFERENCE	DESCRIPTION	BOX
1014-006010	DUAL-CHANNEL RAPID CHARGER	1 UN
1014-006011	LI-ION BATTERY PACK 18VDC, 5.0 Ah	1 UN
1014-006012	LI-ION BATTERY PACK 18VDC, 2.5 Ah	1 UN



WALL MOUNTED POLISHER STAND

Support and stand for CRS polishing machines, with an elegant and modern design, for the organization and better arrangement of your CRS polishers in your workshop.

The stand can organise up to 6 polishers.

REFERENCE	SIZE	BOX
1014-005030	450 X 900 MM	1 UN



CRS POLISHER WALL MOUNT STAND

Support for CRS polishing machines, with an elegant and modern design, for the organization and better arrangement of your CRS polishers in your workshop.

REFERENCE	DESCRIPTION	BOX
1014-005031	SUPPORT	1 UN



DECONTAMINANT DISC

Ergonomic clay-based decontamination disc for removing all types of overspray from bodywork paintwork. Easily removes roughness, external sprayed and chemical impregnations, tree resins and others. Easy to apply with Velcro and foam base for better adaptation to the geometry of the bodywork.

Apply by orbital sander or also by hand.

It is necessary to apply *Easy sanding* lubricant for better lubrication, performance and effectiveness.

REFERENCE	COLOUR	GRAIN	SIZE	BOX
2004-001080	BLUE	MEDIUM	150 MM	1 UN
2004-001081	GREEN	HARD	150 MM	1 UN



HYDRA FLEXI BLADE

Specific tool for drying all types of surfaces. Save time in auto drying thanks to its flexible double-lip silicone blade that adapts to any surface.

REFERENCE	BOX
2004-002670	1 UN





EASY SANDING

Lubricating spray to be used with water-based, manual or power abrasives as well as with spray removal abrasive rubbers.

When used with finish sandpapers like Skylon, it reduces temperature during sanding, therefore, increasing output and improving finish.

REFERENCE	DESCRIPTION	BOX
2007-001150	CYLINDER 5 L	6 UN
2007-002520	SPRAYER 1 L	12 UN



MINI SANDING BLOCK

Mini sanding block of 35-mm diameter for adhesive discs or Velcro discs.

REFERENCE	SIZE	BOX
2007-002190	35 MM	5 UN



ABRASIVE RUBBER

Abrasive rubber for removing paint spray, metal dust, from painted surfaces without damage. Provided in a 385 ml mixing cup with its lid.

- Blue: fine grain.
- Pink: medium grain.

REFERENCE	COLOUR	BOX
2007-055330	BLUE	3 UN
2007-055340	PINK	3 UN



CRS DECONTAMINATION MITT

One side, microfiber mitt and the other side, rubber mitt coated with high technology polymer for eliminating contaminants during the car wash.

Suitable for eliminating contaminants before painting, polishing or waxing.

REFERENCE	BOX
8010-000001	1 UN



**ADAPTOR 5/8"-11 (M14)
FOR DOUBLE SIDE WOOL PADS**

Adaptor for double-sided berets M14.

REFERENCE	BOX
2004-007073	1 UN





CLEANING BRUSH

Cleaning brush for polishing sponges and polishing wool. Removes excess polishing residue build-up.

REFERENCE	BOX
2004-002671	1 UN



TOOLS AND UTENSILS BAG

Bag for storage and transport of polishing tools and utensils, such as polishers, polishing plates, polishing caps or accessories.

Available in two sizes: small and large.

REFERENCE	DESCRIPTION	SIZE	BOX
2004-007075	SMALL	41,5 x 23,5 x 31 CM	1 UN
2004-007076	LARGE	47,5 x 27,5 x 33 CM	1 UN



PAINT RUN REMOVER

Entirely redesigned blade made of a special material, used to cut off and remove drops, runs and specks from painted surfaces.

REFERENCE	BOX
2004-085840	1 UN



EXTENDABLE MICRO POLISHING KIT

Polishing tool kit with flexible shaft and multiple accessories, designed for polishing details in polishing processes with a high possibility of access to difficult areas of the bodywork, e.g. door and interior.

Accessories: Foam pads, wool pads and cones.

Recommended for rotary polishers.

REFERENCE	DESCRIPTION	BOX
1014-006065	EXTENDABLE MICRO POLISHING KIT	1 UN
1014-006066	YELLOW MEDIUM CUT CONE	1 UN
1014-006067	RED ULTRA FINE CUT CONE	1 UN
1014-006068	APPLICATOR KIT 27 MM	1 UN
1014-006069	APPLICATOR KIT 17 MM	1 UN
1014-006063	MEDIUM POLISHING YELLOW BALL 3MM	5 UN
1014-006064	ULTRA THIN POLISHING CONE RED 3MM	5 UN



KIT OF 3 EXTENSIONS FOR POLISHERS

Kit of 3 extensions made of metal equipped with M14 male and female threads.

Extensions of 50, 80 and 120 mm long.

Ideal for reaching difficult access areas such as spoilers, rear-view mirrors, optical parts of the head-lamp.

Compatible with any diameter of plate equipped with a M14 metric.

REFERENCE	BOX
2004-000005	1 UN



ROTO-ORBITAL ELECTRIC SANDER

The Roto-orbital Electric Sander offers a state-of-the-art technology thanks to the brushless motor, featuring an ergonomic design with a weight of approximately 1.3kg. These sanders are very easy to use and have 6 adjustable speeds with a maximum speed of up to 10,000 rpm. Diameter of 150MM with orbit 5.0 or 2.5.

Our Sanders are designed for efficient, comfortable and lightweight sanding. They are equipped with a brushless motor that maintains a constant speed even during heavy-duty work.

- Input power: 350/400 W.
- Pad size: 150 mm (6").
- Speed: 4000-10.000 r.p.m.
- Weight: 1.3 kg.
- Accessories: Hex key.
- Power cord: 5 m.

REFERENCE	ÓRBITA	BOX
1014-000040	5 MM	1 UN
1014-000085	2.5 MM	1 UN



ELECTRIC ORBITAL SANDER 70 X 198 MM SEGO 5103

SEGO 5103 is designed to enhance sanding work, combining advanced technology, ergonomics, and ease of use in a comfortable and efficient tool.

- Brushless motor: Equipped with a brushless motor, this sander ensures a constant speed even in high-intensity jobs, extending the tool's lifespan and improving its efficiency.
- Ergonomic and lightweight design: Weighing approximately only 1.5 kg, the SEGO 5103 Sander is easy to handle, reducing operator fatigue and allowing longer work periods without effort.
- Optimal size and orbit: With dimensions of 70 x 198 mm and a 3.0 mm orbit, it is perfect for a variety of sanding tasks, offering precise and high-quality results.
- Adjustable speed control: It features 6 adjustable speeds, allowing the user to select between 4,000 and 10,000 rpm to suit any sanding need.
- Safe On/Off switch.
- Soft start: The soft start motor ensures controlled startup, avoiding sudden jolts and improving control at the beginning of the work.
- Speed: 4000 – 10000 rpm.
- Input power: 350 W.

REFERENCE	ORBITE	BOX
1014-000100	3.0 MM	1 UN





ELECTRIC ORBITAL SANDER 70 X 400 MM SEGO 8105

Designed to deliver exceptional performance, the SEGO 8105 Sander is the ideal choice for sanding professionals.

- Ergonomic and lightweight design: Weighing approximately 3.2 kg, the SEGO 8105 Sander is easy to handle, reducing operator fatigue and allowing for prolonged work without effort.
- Optimal size and orbit: With a size of 70 x 400 mm and a 5.0 mm orbit, it is perfect for a variety of sanding tasks, offering precise and high-quality results.
- Adjustable speed control: It has 6 adjustable speeds, allowing the user to select between 3200 and 7200 rpm to suit any sanding need.
- Safe On/Off switch: A separate on/off switch ensures easy and safe handling of the tool.
- Soft start: The soft start motor ensures controlled startup, avoiding sudden jolts and improving control at the beginning of the work.
- Speed: 3200 - 7200 rpm.
- Input Power: 600W

REFERENCE	ORBITE	BOX
1014-000300	5.0 MM	1 UN



SANDER BSO 4103 KIT

BSO 4103 mini cordless battery sanding machine kit, with a 31mm diameter plate and orbit 3, very light and ergonomic, with a velcro plate and another one for adhesive sandpaper (PSA). It also includes a 2,5Ah lithium battery with 14 hours of autonomy.

It has a single-charge charger, with charging capacity for one battery. Total recharge time: 50 minutes.

REFERENCE	DESCRIPTION	BOX
1014-004103	ELECTRIC SANDER BSO 4103 KIT	1 UN
1014-004100	ELECTRIC SANDER BSO 4103	1 UN
1014-004147	LI-ION BATTERY PACK	1 UN
1014-004145	RAPID CHARGER	1 UN
1014-004148	BACKING PLATE 31MM 1/4"-20 PSA	1 UN
1014-004149	BACKING PLATE 31MM 1/4"-20 VELCRO	1 UN



SANDER BSO 4103

Mini cordless battery sander machine, including 31mm velcro pad and 31mm PSA pad.

It is a very lightweight sander with ergonomic handling, which facilitates mobility and time for easy and simple removal of defects in repainting.

Its low weight of 470 grams allows full mobility around the object without laziness or fatigue.

REFERENCE	DESCRIPTION	BOX
1014-004100	ELECTRIC SANDER	1 UN
1014-004148	BACKING PLATE 31MM 1/4"-20 PSA	1 UN
1014-004149	BACKING PLATE 31MM 1/4"-20 VELCRO	1 UN
1014-004150	BACKING PLATE 31MM 1/4"-20 PSA HARD	



RAPID CHARGER SANDER BSO 4103

Rapid charger with charging capacity for one battery. Total recharge time 50 minutes.

- Input power: 100-240VDC.
- Output power: 10.8 VDC, 3.0Amps.

REFERENCE	BOX
1014-004145	1 UN



LI-ION BATTERY PACK SANDER BSO 4103

Lithium battery with 2.5Ah and 10.8VDC. It has an autonomy of 14 intermittent working hours and 80 continuous minutes.

REFERENCIA	BOX
1014-004147	1 UN



**BACKING PLATE 31 MM 1/4"-20 PSA
SANDER BSO 4103**

PSA backing pad for BSO 4103 mini sander machine, with 31mm diameter and 1/4" soft thread.

REFERENCE	BOX
1014-004148	1 UN



**BACKING PLATE 31 MM 1/4"-20 VEL-
CRO SANDER BSO 4103**

Velcro backing pad for BSO 4103 mini sander machine, with 31mm diameter and 1/4" soft thread.

REFERENCE	BOX
1014-004149	1 UN



**BACKING PLATE 31 MM 1/4"-20 PSA
HARD SANDER BSO 4103**

Hard PSA backing pad for BSO 4103 mini sander machine, with 31mm diameter and 1/4" soft thread.

REFERENCE	BOX
1014-004150	5 UN



MULTI-HOLES PLATE 150/51 A

Medium multi-hole hardness plate, 51 in total.

Thread: 5/16.

REFERENCE	SIZE	BOX
2004-002703	150 MM	1 UN



INTERFACE 75 MM

Hard velcro plate for mini sanding machine of 75 mm diameter.

Sponge interface to be placed between the abrasive and the plate. Enables a finer cut and therefore a better finish. For an optimum result with this interface, it is recommended to use fine grain (P220 and above).

Thickness: 10 mm.

REFERENCE	DESCRIPTION	HOLES	BOX
2004-002580	INTERFACE 75 MM	-	1 UN



INTERFACE TWISTER 15/97

Sponge disc to be placed between the abrasive and the disc. Its use during sanding allows a finer cut and therefore a better finish. When working with these interfaces, it is advisable to use fine grits (P220 and following). Velcro system.

Thickness 5 and 10 mm.

Also available interface protector twister 15/97.

REFERENCE	DESCRIPTION	HOLES	BOX
2004-002540	INTERACE 5 MM	15/97	10 UN
2004-002541	INTERACE 10 MM	15/97	10 UN
2004-002542	INTERFACE PROTECTOR		10 UN





**VELCRO PAD WITH
MULTI-CHANNEL SUCTION**

Pad with a Velcro base and a diameter of 150MM. It features a multi-channel suction system that ensures complete dust removal from the work surface.

Thread M5/16.

REFERENCE	SIZE	BOX
2004-002704	150 MM	1 UN



**RUPES / FLEX VELCRO PAD WITH
MULTI-CHANNEL SUCTION**

Pad designed for Rupes and Flex machines with a Velcro base and a diameter of 150MM. It features a multi-channel suction system that ensures complete dust removal from the work surface.

Thread M8.

REFERENCE	SIZE	BOX
2004-002705	150 MM	1 UN




**FESTOOL VELCRO PAD WITH
MULTI-CHANNEL SUCTION**

Pad designed for Festool machines with a Velcro base and a diameter of 150MM. It features a multi-channel suction system that ensures complete dust removal from the work surface.

Thread M8.

REFERENCE	SIZE	BOX
2004-002706	150 MM	1 UN



**INTERFACE 75 MM
(STARDUST/SUNDUST)**

75 mm high and soft hole-free interface for Stardust and Sundust abrasive line.


REFERENCE	DESCRIPTION	BOX
2004-002546	75 MM SOFT	4 UN
2004-002547	75 MM HIGH	4 UN



**INTERFACE 150 MM
(STARDUST/SUNDUST)**

150 mm interface for Stardust and Sundust abrasive line.

REFERENCE	DESCRIPTION	BOX
2004-002545	15	2 UN



**INTERFACE SOFT 75X120 MM
(STARDUST/SUNDUST)**

Multi-hole soft interface of 75 mm x 120 mm for Stardust and Sundust abrasive line.

REFERENCE	DESCRIPTION	BOX
2004-002548	INTERFACE SOFT	10 UN



**INTERFACE 70 X 198 MM
10 MM 51 AG**

Sponge interface measuring 70 x 198 mm with a suction system of 51 holes and a thickness of 10 mm. It is placed between the abrasive and the sanding pad.

Its use during the sanding process allows for a finer cut, resulting in a more uniform and precise finish. Velcro system.



**INTERFACE SUPER SOFT YELLOW
(STARDUST)**

Super soft interface of 75 mm and 150 mm for Stardust abrasive line.



**SANDING PAD ASSY 6" 150MM
ROTO-ORBITAL ELECTRIC SANDER**

150 mm velcro pad for orbital electric sander.

REFERENCE	DESCRIPTION	HOLES	BOX
2004-002543	INTERFACE 70 X 198 MM	51	1 UN

REFERENCE	DESCRIPTION	HOLES	BOX
2004-002549	SUPER SOFT 150 MM	15	1 UN
2004-002550	SUPER SOFT 75 MM	-	1 UN

REFERENCE	DESCRIPTION	BOX
1014-000043	150 MM	1 UN



ADJUSTABLE MULTI SANDING BLOCK

Adjustable Multi Sanding Blocks for 150 MM discs and 70 x 198 MM strips. Designed to address the challenge of sanding uneven surfaces with varying concavities and convexities, these sanding blocks can conform to the diverse shapes of the automotive surface, thanks to their adjustable feature that allows the operator to choose the desired curvature level. The sanding block is equipped with a dust extraction port.

Its adjustable, ergonomic, and lightweight design simplifies sanding, ensuring better performance and excellent results for the operator.

Not suitable for use with water.

REFERENCE	SIZE	BOX
2004-002380	150 MM	1 UN
2004-002381	70 X 198 MM	1 UN



SANDING BLOCKS KIT

Case containing 1 flat block, 2 concave blocks and 3 convex blocks that adapt to each other, making it easy to reach any area. Kit of 6 blocks.

REFERENCE	BOX
2004-001610	KIT 6 UN



SANDING BLOCKS

Sanding plane block with Velcro fixing system for discs of 150-mm diameter.

REFERENCE	DESCRIPTION	BOX
2004-001790	PLANE	6 UN





STARBLOCK

Rigid block for adhesive Starfilm sandpaper. This combination of rigid rubber block with adhesive Starfilm makes it an effective and particularly aggressive method to cut any defect, speck, drop, impurity in the repainting process.

REFERENCE	SIZE	BOX
2014-001400	32 MM x 26 MM	8 UN



NYLON SANDING BLOCK

Nylon sanding block.

Dimensions: 210 mm x 105 mm.

REFERENCE	BOX
2004-002360	1 UN



RUBBER SANDING BLOCK

Rubber sanding block for wet-sanding.

REFERENCE	COLOUR	BOX
2004-002451	RED	1 UN





SANDING PLANE WITH DUST EXTRACTION

Hand-operated screw. Velcro system with suction.

Available sizes:

- 70 mm x 400 mm
- 70 mm x 198 mm
- 70 mm x 125 mm
- 100 mm x 120 mm
- 115 mm x 230 mm

REFERENCE	SIZE	BOX
2004-002260	70 MM X 400 MM	1 UN
2004-002620	70 MM X 198 MM	1 UN
2004-002610	70 MM X 125 MM	1 UN
2004-002270	81 MM X 153 MM	1 UN
2004-002280	115 MM X 230 MM	1 UN



KIT SANDING PLANE WITH DUST EXTRACTION 150 MM MULTI-PAD

it sanding plane with 150MM Dust Extraction. The kit features three interchangeable bases, allowing for sanding of flat, concave, and convex surfaces, enabling the user to adapt to any work surface. It includes a multi-extraction system and connection for extraction hoses.

The kit also comes with an adapter that allows for working with conventional extraction diameters as well as a 22mm diameter hose. Additionally, it includes an extraction regulator, enabling the adjustment of the suction flow according to the surface or damage to be repaired.

REFERENCE	SIZE	BOX
2004-002626	150 MM	1 UN



SANDING PLANE WITH DUST EXTRACTION

Hand-operated, manually adjustable 70 x 400 mm suction garloop for flat, concave or convex surfaces.

Easily adjustable with its millimetric mechanism that allows it to be fixed in the desired position for greater safety.

REFERENCE	SIZE	BOX
2004-002635	70 MM X 400 MM	1 UN



SUCTION HOSE CRS

Connection pipe for the suction of CRS holds.

REFERENCE	SIZE	BOX
2004-002630	26 MM X 4 M	1 UN



CONNECTOR SANDING PLANE WITH DUST EXTRACTION

Universal adapter for our suction planers, allowing compatibility with conventional extraction diameters as well as with a 22mm diameter hose. It also features a suction regulator, enabling the adjustment of the suction flow according to the surface or damage being repaired.

REFERENCE	DESCRIPTION	BOX
2004-002636	22 MM	1 UN





SANDING SHIM KIT WITH SUCTION

Wedge kit, manual wedge with 70 mm x 198 mm suction. It has 4 interchangeable bases, one flat and 3 rounded to be able to sand flat, concave and convex surfaces, allowing the user to adapt to any work surface.

Suction system with different connectors for the suction hoses.

REFERENCE	SIZE	BOX
2004-002625	70 MM X 198 MM	1 UN



RUPES TWISTER PLATE ADAPTER

Adapter for Rupes sanding discs with larger than standard dimensions.

REFERENCE	BOX
2004-002702	1 UN



DRY GUIDE COAT BLACK

Control Dry Coat, with powder deposit of graphite separated from the applicator pad. It allows reducing the size of the applicator device by not having the graphite deposit inside it. More agile and practical.

REFERENCE	BOX
2004-000030	1 UN



QUICK SANDING CONTROL

Easy sanding acrylic paint for the preparation of surfaces, where the location and correction of unevenness and imperfections is required, in order to obtain a smooth and flawless finish.

- Quick drying.
- Contains no lead or other heavy metals.
- Easy sanding.
- Good adhesion.
- Excellent hiding power.
- Ease of application and recoating.

REFERENCE	CAPACITY	BOX
5011-006022	500 ML	12 UN



ELECTRIC VACUUM CLEANER CRS E38

The CRS E38 professional electric vacuum cleaner is an L-class vacuum cleaner with a high motor and turbine suction performance what provides a 210mbar suction with an air flow of 3900 l / min. The autostart function extends the life of the engine and reduces the noise. Manual filter cleaning function.

It has a high protection for the user and allows a good maneuverability for the operator in the workshop thanks to its ergonomics, its large rear wheels and the cable length of 5 meters. The surface of the vacuum cleaner allows to place tool boxes or accessory shelf for the placement of abrasives and power tools. Includes dust bag and hose.

REFERENCE	DESCRIPTION	BOX
1014-005020	VACUUM CRS E38	1 UN
1014-005100	VACUUM DUST BAG	1 UN
1014-005101	ANTISTATIC LENGHT HOSE 5M	1 UN
1014-005104	EPN L CONNECTOR	1 UN
1014-005103	TOOL BOX CRS	1 UN
1014-005102	TOOL RACK VACUUM	1 UN
1014-005108	FILTER DUST EXTRATOR CRS	1 UN



PNEUMATIC VACUUM CLEANER CRS EPN38

The CRS EPN38 professional electric vacuum cleaner is an L-class vacuum cleaner with a high motor and turbine suction performance what provides a 210mbar suction with an air flow of 3900 l / min. The autostart function extends the life of the engine and reduces the noise. Manual filter cleaning function.

It has a high protection for the user and allows a good maneuverability for the operator in the workshop thanks to its ergonomics, its large rear wheels and the cable length of 5 meters. The surface of the vacuum cleaner allows to place tool boxes or accessory shelf for the placement of abrasives and power tools. Includes dust bag and hose.

REFERENCE	DESCRIPTION	BOX
1014-005040	VACUUM CRS EPN 38	1 UN
1014-005100	VACUUM DUST BAG	1 UN
1014-005109	NTISTATIC LENGHT HOSE 5M	1 UN
1014-005104	EPN L CONNECTOR	1 UN
1014-005103	TOOL BOX CRS	1 UN
1014-005102	TOOL RACK VACUUM	1 UN
1014-005105	OIL WATER SEPARATOR	1 UN
1014-005108	FILTER DUST EXTRATOR CRS	1 UN





HOSE ADAPTER - 5 UN VACUUM CLEANER E38 L 220V

Adapter compatible with CRS E38 and EPN38 hoovers, designed for safe and efficient connection of the hose to the Hoover, made of durable materials for a long-lasting fit and easy installation.

REFERENCE	BOX
1014-005170	5 UN



VACUUM HOSE CLIP

Set of 5 clips for attaching hoses to the Hoover, providing greater stability and organisation.

REFERENCE	BOX
1014-005171	5 UN



VACUUM HOSE PNEUMATIC CONNECTOR

Set of 5 pneumatic connectors for connecting hoses to hoovers, ensuring a tight fit.

REFERENCE	BOX
1014-005172	5 UN



ANTI-STATIC HOSE VACUUM

5 metre electric hose for CRS hoover, ensuring an efficient and continuous flow.

REFERENCE	DESCRIPTION	SIZE
1014-005173	ANTI-STATIC HOSE VACUUM	5 M
1014-005175	ROLL OF 30M ANTI-STATIC HOSE FOR VACUUM	30 M
1014-005176	ANTI-STATIC HOSE WITHOUT CONNECTOR	5 M



OPTIMUM LIGHT PLUS COLOUR

Portable lamp for colour evaluation and coverage control in refinishing processes. It has a lithium battery with charge indicator. It allows excellent colour perception thanks to its light intensity regulator. Thanks to the characteristics of its LEDs, it is ideal for preparation, painting, polishing or cleaning of vehicles.

Optimum Light Plus Colour features three colour temperature and UV options, quickly switching from warm light to cool white ultra-high quality colour matching. It is highly impact resistant, IP65 waterproof and dustproof, and has an easily removable and cleanable lens. 360 degree folding swivel hook and 180 degree folding magnetic base.

REFERENCE	BOX
1008-001804	1 UN



SPRAY OPTIMUM LIGHT COLOUR

The Spray Optimum Light Colour is a high-performance LED lamp, specifically designed for automotive body repair professionals. Compact, versatile, and extremely powerful, it delivers precise and uniform lighting during preparation and painting processes. 180° foldable design.

- 500-lumen light output with High Output SMD LED technology.
- Compatible with the main brands on the market.
- Integrated motion sensor – activates with a simple gesture.
- 5 selectable colour temperature levels and temperature indicator.
- Up to 4 hours of battery life.
- Includes 5 transparent protective covers, easy to clean and designed to protect the lens.

REFERENCE	DESCRIPTION	BOX
1002-000040	LAMP	1 UN
1002-000041	LED PROTECTOR	10 UN
1002-000042	ADHESIVE RUBBER	2 UN



INFRARED CRS-1C

This infrared system (CRS-1C) is suitable for drying two-component products used in bodywork repair.

Its main characteristics are deep reach, reduced drying time, low power consumption, maximum adaptability and use efficiency. Highly flexible and easy to move.

The CRS-1C lamp is equipped with a timer that determines both drying level and time. The equipment distance and height can be easily adjusted.

Height is comprised between 20 cm and 160 cm.

- Input power: 4,6 A.
- Voltage: 220-240 V / 50 HZ.
- Short-wave infrared quartz halogen emitter : 1 x 1050 W.
- Maximum power: 1100 W.
- Time ranges: 2 x 35 min.
- Drying surface: 0.6 x 0.4 m.
- Drying temperature: 60°C – 70°C

REFERENCE	DESCRIPTION	BOX
1011-007767	INFRARED	1 UN

1 1011-007767 LAMP REPLACEMENT 3W/1C



INFRARED CRS-3C WITH DISTANCE SENSOR

This short-wave infrared system (CRS-3C) is suitable for drying two-component products used in bodywork repair. Its main characteristics are deep reach, reduced drying time, low power consumption, maximum adaptability and use efficiency. Highly flexible and easy to move.

Equipped with distance sensor.


The CRS-3C lamp is equipped with a timer that determines both drying level and time. The equipment distance and height can be easily adjusted. Heights: 40 and 200 cm. Comes with 4 digital memories that store drying time for each product.

- Input power: 13.7 A.
- Voltage: 220-240 V / 50 HZ.
- Short-wave infrared quartz halogen emitter : 3 × 1050 W.
- Maximum power: 3200 W.
- Time ranges: 2 x 35 min.
- Drying surface: 1.0 x 0.8 m.
- Drying temperature: 60°C – 70°C

REFERENCE	DESCRIPTION	BOX
1011-007768	INFRARED	1 UN

1 1011-007767 LAMP REPLACEMENT 3W/1C





**BODYSHOP
EQUIPMENT**



**BODYSHOP
EQUIPMENT**

www.CARREPAIRSYSTEM.eu




Scan me



BODYSHOP EQUIPMENT

With *Bodyshop Equipment* we aim to optimise the organisation of the workshop by providing the operator with all the products and equipment necessary to optimise his work in his workplace, such as supports, trolleys, dispensers and much more.





FILM DISPENSER TROLLEY

Portable dispenser for plastic roll, easy and convenient to use, made of high quality materials which provides high durability and strength. This dispenser is ideal for rolls up to 960 mm wide. It provides great comfort and manageability for plastic rolls, being easy to use and change once consumed. Thanks to its wheels, the operator in the workshop can easily transport it around the workshop, easily around the workshop, which helps to reduce weight and fatigue for the operator.

REFERENCE	SIZE	BOX
2004-001185	1030 MM X 410MM X 520 MM	1 UN



MASKING PAPER DISPENSER DELUXE

It has 5 supports for rolls between 120 cm and 30 cm. Each dispenser contains a micro-toothed cutting saw and a paper holding spring, for optimal use of the product.

The Deluxe masking paper cart is equipped with large wheels that facilitate, together with its attachment, an easy movement for the operator.

Dimensions: 158 cm x 133 cm x 49 cm.

REFERENCE	BOX
2004-000020	1 UN



MULTIFUNCTIONAL STAND - 900X800MM


Sturdy frame with a load capacity of up to 80 kg. Soft and flexible canvas that adapts to the shape of the part. Ideal working height for enhanced comfort and efficiency.

Rubber protectors to prevent unwanted scratches. 4 swivel wheels, 2 with brake, for safe mobility.

Lightweight and easy to handle – only 8 kg

REFERENCE	BOX
2004-001191	1 UN





EASY QUICK ROTATING STAND

Application stand with a wide rotating angle. Easy and quick to move.

REFERENCE	BOX
2004-001187	1 UN




JUMBO STAND

Support designed for horizontal treatment of all types of parts. Made of galvanized steel.

Storage dimension: 125 x 55 x10 cm.

Adjustable to 9 difeerent heights (from 60 cm to 117 cm).

REFERENCE	BOX
2004-001810	1 UN



BUMPER STAND

A solution for safe storage and easy transportation of bulky vehicle parts. This support provides a convenient and efficient way to handle large vehicle parts, ensuring their safety during storage and facilitating transportation when needed. Padded shelves.

- Adjustable in multiple ways.
- Easy to organize.
- High capacity – double-sided panel stand in the form of a rack with 8 bars on each side.
- Easy to assemble and move – large wheels.
- Durable construction – steel frame, polypropylene rims.
- Body size: 1180x2140 (W x H).
- Length of upper arm: 400 mm.
- Lower arm length: 585 mm.

REFERENCE	BOX
2004-001183	1 UN



MOBILE SPRAY GUN STAND

Designed for efficiency and ease of use, this sturdy hold-er ensures that your paint gun is always within reach, whether you're working on a bench or a table.

- Designed to accommodate both full-size paint guns and miniature detail or touch-up guns, this versatile holder provides a secure location for your equipment, minimizing the risk of spills or accidents.
- Its lightweight yet robust design, coupled with a wide stable base, ensures stability during use, allowing you to focus on your painting without distractions.
- Product dimensions: 190 x 100 x 200 mm.

REFERENCE	BOX
2004-001188	1 UN



UNIVERSAL STAND

The universal stand is a practical and reliable solution for all workshop needs. This stand is specially designed to handle and repair a wide variety of parts, from doors to hoods and fenders.

- Adjustable and durable structure: The adjustable universal stand is built with a robust structure that can easily handle heavy-duty tasks. Its adjustment chains allow it to adapt to a wide variety of sizes and shapes of body parts.
- Superior protection: Equipped with 1300 mm PU foam padding, this stand ensures effective protection against damage to parts during the repair process.
- Portability and easy storage: With folded dimensions of 1040x1040 mm, this stand is easy to transport and store.

REFERENCE	BOX
2004-001190	1 UN





WINDSHIELD TRESTLE WITH RUBBER PLATES

The car windshield stand is ideal for storing disassembled windshields when removing or applying adhesive materials, supporting up to 150 kg. With the help of the two chains, the width can be adjusted, allowing for different heights and widths of work.

- Adjustable width for different lengths and weights, to support all sizes of windshields.
- 4 large rubber plates to hold the glasses firmly.
- 4-piece rubber suction cup, size: 125 mm.
- Tube: 32x1.2mm (Dia. x T)
- Folded: 1180x1040mm (Alto x Ancho).

REFERENCE BOX
2004-001180 1 UN



ROTATING WHEEL STAND

Rotating Wheel Stand. Designed for 2 alloy wheels, separated from the tire, it allows rotation without contact, ensuring a flawless finish.

- Compatible with 16" to 25" wheels, it is sturdy and stable, with tubing of F30x1.5mm, F35x1.5mm, and F40x1.5mm.
- Solid base measuring 1570mm x 800mm x 1360mm, equipped with 4" wheels and brake.
- Ideal for automotive workshops and garages.

REFERENCE BOX
2004-001181 1 UN



WHEEL PAINTING STAND

This innovative stand allows the painter to rotate the wheels on the cones, enabling complete painting without the need to lift or reposition the wheel, without having to remove it from the tire.

- Both the support bars and the cones have adjustable heights to provide the most comfortable position during work.
- Constructed from sturdy steel with wheels, it is specifically designed to support 4 alloy wheels.
- With a solid base measuring 1200mm x 1200mm x 1000mm and 4-inch wheels, including 2 with brakes, this stand offers practicality and efficiency.

REFERENCE BOX
2004-001182 1 UN



BARREL HOLDER STICK

Dispenser for the convenient and simple supply of solvent to drums, without the need for loss and weight movement.

REFERENCE	BOX
2004-001812	1 UN



STAND FOR DISMANTLED PARTS

Mobile trolley for storing dismantled pieces during repair in bodyshop.

- Dimensions
- Stand A: 915 x 60 x 1470 mm.
 - Stand B: 920 x 690 x 440 mm.

REFERENCE	BOX
2004-001813	1 UN




HOLDING STAND

Stand for horizontal and vertical holding of door panels and other items. Equipped with a rotating system (up to 360°) controlled by a pedal. Includes an extension that allows working with 2 items at a time.

Dimensions, including extension: 2100 mm x 810 mm x 1050 mm.

REFERENCE	BOX
2004-002060	1 UN



PAPER ROLL DISPENSER

Wall-mounted dispenser for cleaning paper rolls.

With cutting blade.

REFERENCE	BOX
2004-002051	1 UN



VERTICAL PAPER ROLL DISPENSER

Wall dispenser for cleaning paper rolls.

REFERENCE	BOX
2004-001189	1 UN



CRS

CAR REPAIR SYSTEM, S.A

Polígono Industrial 2 de Octubre.
Calle José Muñoz 6, 18320 Santa Fe.
Granada. España / Tel. (+34) 958 431 792

CAR REPAIR SYSTEM FRANCE, S.A.S.

57 Route du Lac - Centre d'Affaires Actipole 84600 Valréas.
France / Tél (+33) (0) 4 90 667 635

CRS CAR REPAIR SYSTEM ITALIA, SRL.

23, Via dei Campazzi. 21040 Gerenzano (Varese).
Italia / Tel (+39) 02 968 9862

CARSISTEMA PORTUGAL REPRESENTAÇÕES S.A.

Ribeira de Eiras, Adémia. 3020-326 Coimbra.
Portugal / Tel. (+351) 239 433 720

✉ info@carrepairsystem.eu



www.CARREPAIRSYSTEM.eu

